R3850-1.11

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

DX LENGTH OF STAY BY DIAGNOSIS

CANADA

1981



Length of Stay by Diagnosis, Canada, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 2
  Coverage 3
  Organization of Length of Stay Tables 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada

January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	25	10.3	3,434	450	13.1
25-49	194	74	38.1	6,680	2,514	37.6
50-99	174	59	33.9	12,300	4,117	33.5
100-199	120	42	35.0	16,507	5,760	34.9
200-299	74	17	23.0	17,869	4,054	22.7
300-399	58	11	19.0	20,119	3,685	18.3
400-499	20	4	20.0	8,981	1,844	20.5
500 or more	37	10	27.0	25,481	6,698	26.3
Total	919	242	26.3	111,371	29,122	26.1
Province or Territory						
Alberta	125	113	90.4	11,653	10,459	89.8
British Columbia	111	53	47.7	12,355	6,683	54.1
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	33	100	3,924	3,924	100
Newfoundland	35	8	22.9	2,588	1,718	66.4
Nova Scotia	48	16	33.3	4,833	3,146	65.1
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	16	12.1	6,260	2,557	40.8
Northwest Territories	3	2	66.6	151	101	66.9
Yukon	0	–	–	–	–	–
Total	919	242	26.3	111,371	29,122	26.1

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in ***Length of Stay by Diagnosis, Canada, 1981*** or ***Length of Stay by Operation, Canada, 1981.***

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
395	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	59th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.6	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

242 Hospitals, Canada, January–December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110557	4.4	16	1	1	4	5	7	10	19
20-34	65586	4.4	26	<1	1	4	5	7	10	27
35-49	20714	6.1	51	1	1	4	7	13	18	38
50-64	19551	7.5	63	1	1	5	9	16	21	41
65+	22491	9.0	88	1	2	6	11	19	27	59
B. *Operated*										
0-19 YRS	43463	3.6	18	<1	1	2	4	7	9	21
20-34	74205	4.3	14	<1	1	4	5	8	10	18
35-49	29046	5.2	24	<1	1	4	7	10	14	23
50-64	23953	6.6	41	1	1	5	9	13	18	32
65+	18892	8.5	71	1	2	6	11	18	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89930	6.0	37	1	2	5	7	10	15	33
20-34	34084	6.2	67	1	1	4	7	12	20	47
35-49	23430	7.8	74	1	1	5	10	17	23	45
50-64	38107	9.5	95	1	2	7	12	20	28	57
65+	71056	12.4	157	2	3	9	15	27	41	99+
B. *Operated*										
0-19 YRS	23406	6.4	84	1	1	3	7	14	22	57
20-34	62820	6.6	47	1	2	5	8	11	16	39
35-49	31315	8.5	77	1	2	7	10	17	24	50
50-64	33619	11.2	130	1	2	8	14	24	34	71
65+	39373	14.8	205	2	3	11	19	3[illegible]	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238899	5.2	35	1	1	4	6	10	14	31
B. *Operated*	189559	5.0	28	<1	1	4	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	256607	8.5	93	1	2	5	10	18	27	63
B. *Operated*	190533	9.4	114	1	2	6	11	21	31	70
1. SINGLE DX	428458	5.1	32	1	1	4	6	10	14	29
2. MULTIPLE DX	447140	8.9	102	1	2	6	10	19	28	66
A. NOT OPERATED	495506	6.9	68	1	1	5	8	14	21	49
B. OPERATED	380092	7.2	76	1	1	5	8	15	23	51
TOTAL 0-19 YRS	267356	5.0	30	1	1	4	6	9	12	29
20-34	236695	5.2	35	<1	1	4	6	9	13	31
35-49	104505	6.9	58	1	1	5	8	14	20	41
50-64	115230	9.1	92	1	2	6	11	19	27	55
65+	151812	12.0	154	2	2	8	15	27	39	99+
GRAND TOTAL	**875598**	**7.0**	**71**	**1**	**1**	**5**	**8**	**15**	**22**	**50**

242 Hospitals, Canada, January–December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66783	4.3	24	1	1	3	5	8	12	24
20-34	65586	4.4	26	<1	1	4	5	7	10	27
35-49	20714	6.1	51	1	1	4	7	13	18	38
50-64	19551	7.5	63	1	1	5	9	16	21	41
65+	22491	9.0	88	1	2	6	11	19	27	59
B. *Operated*										
0-19 YRS	43449	3.6	18	<1	1	2	4	7	9	21
20-34	74205	4.3	14	<1	1	4	5	8	10	16
35-49	29046	5.2	24	<1	1	4	7	10	14	23
50-64	23953	6.6	41	1	1	5	9	13	18	32
65+	18892	8.5	71	1	2	6	11	18	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44489	5.9	48	1	1	4	7	12	17	37
20-34	34084	6.2	67	1	1	4	7	12	20	47
35-49	23430	7.8	74	1	1	5	10	17	23	45
50-64	38107	9.5	95	1	2	7	12	20	28	57
65+	71056	12.4	157	2	3	9	15	27	41	99+
B. *Operated*										
0-19 YRS	22874	6.1	72	1	1	3	7	13	20	49
20-34	62820	6.6	47	1	2	5	8	11	16	39
35-49	31315	8.5	77	1	2	7	10	17	24	50
50-64	33619	11.2	130	1	2	8	14	24	34	71
65+	39373	14.8	205	2	3	11	19	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195125	5.4	41	1	1	4	6	11	16	34
B. *Operated*	189545	5.0	28	<1	1	4	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	211166	9.0	107	1	2	6	11	20	29	68
B. *Operated*	190001	9.4	113	1	2	6	11	21	30	69
1. SINGLE DX	384670	5.2	35	1	1	4	6	10	15	30
2. MULTIPLE DX	401167	9.2	110	1	2	6	11	20	30	69
A. NOT OPERATED	406291	7.3	79	1	1	5	9	16	23	53
B. OPERATED	379546	7.2	75	1	1	5	8	15	23	51
TOTAL 0-19 YRS	177595	4.8	36	1	1	3	6	9	14	31
20-34	236695	5.2	35	<1	1	4	6	9	13	31
35-49	104505	6.9	58	1	1	5	8	14	20	41
50-64	115230	9.1	92	1	2	6	11	19	27	55
65+	151812	12.0	154	2	2	8	15	27	39	99+
GRAND TOTAL	785837	7.2	77	1	1	5	8	15	23	52

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2034	4.8	22	1	1	3	6	10	13	22
20-34	405	3.2	7	1	1	2	4	6	8	14
35-49	160	4.3	8	1	1	4	6	8	10	12
50-64	114	4.4	15	1	1	3	6	10	13	19
65+	128	6.1	74	1	1	4	8	13	16	35
B. *Operated*										
0-19 YRS	12	5.8	10	1	2	5	7	10	13	13
20-34	26	5.7	10	1	2	5	8	9	13	15
35-49	7	8.0	4	5	5	8	9	11	11	11
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	4	22.5	190	8	8	21	33	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1217	6.5	33	1	2	5	8	13	19	28
20-34	240	3.4	8	1	1	3	4	7	9	15
35-49	108	5.9	34	2	2	4	7	10	16	35
50-64	143	6.8	35	1	2	5	9	13	20	31
65+	227	8.6	78	2	3	6	11	16	21	79
B. *Operated*										
0-19 YRS	13	11.5	168	4	4	7	10	24	48	53
20-34	19	8.4	52	3	4	5	11	17	26	32
35-49	16	7.7	19	1	2	8	11	14	15	15
50-64	14	9.0	11	5	5	9	11	14	15	15
65+	13	13.7	96	4	4	12	23	42	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2841	4.5	22	1	1	3	6	9	12	21
B. *Operated*	51	7.4	40	1	2	6	8	12	15	39
2. MULTIPLE DX										
A. *Not Operated*	1935	6.4	37	1	2	5	8	13	18	29
B. *Operated*	75	9.8	66	3	4	7	12	18	29	88
1. SINGLE DX	2892	4.6	22	1	1	3	6	9	12	21
2. MULTIPLE DX	2010	6.5	38	1	2	5	8	13	19	29
A. NOT OPERATED	4776	5.3	29	1	1	4	6	11	14	25
B. OPERATED	126	8.8	56	2	4	7	11	15	24	64
TOTAL 0-19 YRS	3276	5.5	27	1	1	4	7	11	15	26
20-34	690	3.5	10	1	1	3	4	7	9	15
35-49	291	5.2	19	1	1	4	7	9	11	25
50-64	273	5.9	27	1	1	4	8	12	16	24
65+	372	8.0	82	1	2	5	10	16	21	83
GRAND TOTAL	**4902**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	21.3	310	2	3	19	36	42	67	99+
20-34	34	21.1	364	2	5	15	33	48	55	86
35-49	21	21.6	449	2	5	13	24	55	71	85
50-64	21	13.7	424	2	3	7	14	54	97	99+
65+	16	9.0	46	3	4	7	14	78	99+	99+
B. *Operated*										
0-19 YRS	3	40.3	721	21	21	29	60	71	71	71
20-34	10	15.9	217	3	5	12	16	36	56	56
35-49	4	23.8	81	16	16	22	31	35	35	35
50-64	11	15.6	46	5	8	13	21	25	29	29
65+	8	18.0	423	5	5	12	18	53	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	33.4	750	2	3	26	53	75	86	91
20-34	25	27.0	631	4	9	17	43	78	98	99+
35-49	22	20.5	285	3	4	16	33	67	99+	99+
50-64	38	22.1	323	5	5	20	36	90	99+	99+
65+	55	27.7	480	4	6	25	43	71	96	99+
B. *Operated*										
0-19 YRS	5	51.6	1798	9	9	42	95	97	97	97
20-34	9	28.3	544	9	11	19	37	67	83	83
35-49	15	22.9	671	2	6	15	31	94	99	99+
50-64	33	27.8	500	4	7	23	48	91	99+	99+
65+	18	39.9	707	10	12	30	64	77	87	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	18.5	344	2	3	12	29	49	84	99+
B. *Operated*	36	19.2	250	5	6	15	21	34	64	71
2. MULTIPLE DX										
A. *Not Operated*	159	25.9	474	4	5	20	43	77	99+	99+
B. *Operated*	80	31.2	682	6	8	22	51	92	98	99+
1. SINGLE DX	163	18.7	322	2	4	13	28	47	71	99+
2. MULTIPLE DX	239	27.7	547	4	6	21	45	83	99+	99+
A. NOT OPERATED	286	22.6	429	3	4	16	36	62	96	99+
B. OPERATED	116	27.4	575	5	7	19	40	78	96	99+
TOTAL 0-19 YRS	62	28.4	623	2	3	25	41	71	92	99+
20-34	78	23.2	451	3	5	16	33	54	81	99+
35-49	62	21.6	405	2	5	16	30	63	98	99+
50-64	103	21.5	391	4	5	18	34	85	99+	99+
65+	97	26.1	525	4	5	19	43	71	95	99+
GRAND TOTAL	**402**	**24.0**	**475**	**3**	**5**	**17**	**36**	**69**	**96**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	13.0	621	<1	1	5	8	45	83	87
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	4	6.5	41	2	2	4	10	16	16	16
65+										
B. *Operated*										
0-19 YRS	9	9.1	109	1	1	5	11	27	34	34
20-34	12	7.9	132	<1	<1	3	7	29	36	37
35-49	15	15.3	346	<1	<1	10	15	43	59	64
50-64	5	7.8	67	<1	<1	7	12	21	21	21
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.5	76	2	2	15	20	22	22	22
20-34	7	10.4	20	3	4	11	14	15	15	15
35-49	4	4.5	4	2	2	5	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	9.0	21	5	5	8	12	14	14	14
B. *Operated*										
0-19 YRS	2	27.0	1352	1	1	27	53	53	53	53
20-34	4	6.3	43	2	2	4	37	99+	99+	99+
35-49	11	14.1	76	<1	2	13	22	25	28	28
50-64	12	19.8	405	2	4	14	41	73	95	99+
65+	11	21.4	456	4	5	17	34	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	11.0	405	<1	1	5	9	17	62	87
B. *Operated*	43	10.6	191	<1	<1	6	10	35	41	64
2. MULTIPLE DX										
A. *Not Operated*	19	9.3	33	2	3	8	14	17	20	22
B. *Operated*	40	17.7	315	1	3	14	27	68	99+	99+
1. SINGLE DX	60	10.7	246	<1	<1	6	10	30	41	85
2. MULTIPLE DX	59	15.0	238	2	3	12	20	50	86	99+
A. NOT OPERATED	36	10.1	203	1	2	6	13	17	21	87
B. OPERATED	83	14.0	260	<1	1	9	20	43	68	99+
TOTAL 0-19 YRS	15	12.7	213	1	1	8	17	34	48	53
20-34	34	9.9	246	<1	<1	5	12	26	74	99+
35-49	32	13.2	195	<1	1	9	15	32	43	64
50-64	22	14.0	274	<1	1	9	16	52	78	99+
65+	16	17.0	355	2	4	10	23	69	92	99+
GRAND TOTAL	119	12.8	244	<1	1	8	16	37	65	99+

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	3.5	8	1	1	3	4	6	8	17
20-34	33	2.8	2	1	1	3	3	4	6	6
35-49	8	3.1	2	2	2	3	4	5	6	6
50-64	2	15.0	288	3	3	15	27	27	27	27
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	4.6	12	1	2	4	6	8	10	17
20-34	33	3.7	4	1	2	3	4	6	9	10
35-49	10	4.7	4	2	2	4	6	7	8	8
50-64	6	4.5	5	1	1	5	6	7	7	7
65+	9	5.7	9	2	2	5	7	10	12	12
B. *Operated*										
0-19 YRS	3	8.0	48	4	4	4	13	16	16	16
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	3.5	9	1	1	3	4	6	8	18
B. *Operated*	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	10	1	2	4	6	8	10	15
B. *Operated*	5	6.0	32	2	2	4	7	16	16	16
1. SINGLE DX	238	3.5	9	1	1	3	4	6	7	18
2. MULTIPLE DX	262	4.5	11	1	2	4	6	8	10	16
A. NOT OPERATED	492	4.0	10	1	2	3	5	7	9	17
B. OPERATED	8	4.4	23	1	1	3	4	12	16	16
TOTAL 0-19 YRS	396	4.0	10	1	2	3	5	7	9	17
20-34	68	3.3	3	1	2	3	4	5	6	10
35-49	18	4.0	4	2	2	3	6	7	8	8
50-64	8	7.1	68	1	2	5	6	21	27	27
65+	10	5.6	8	2	2	5	7	10	12	12
GRAND TOTAL	500	4.0	10	1	2	3	5	7	9	17

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	6.3	16	2	2	6	8	11	14	19
20-34	7	5.4	3	2	3	6	7	7	7	7
35-49	8	6.8	19	1	1	6	10	12	13	13
50-64	8	7.6	8	4	4	8	10	11	12	12
65+	9	9.6	5	7	7	9	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	7.9	54	2	3	6	10	16	27	93
20-34	23	9.0	62	2	3	7	10	19	30	33
35-49	27	11.9	60	4	5	11	16	21	48	99+
50-64	38	15.1	141	3	4	12	16	33	41	59
65+	125	14.4	85	4	5	12	17	29	34	47
B. *Operated*										
0-19 YRS	2	46.0	2450	11	11	46	81	81	81	81
20-34	7	25.7	358	5	6	18	44	51	52	52
35-49	7	15.6	23	7	8	16	18	21	22	22
50-64	15	22.5	295	3	8	16	41	53	86	99+
65+	22	25.1	310	5	6	21	32	41	59	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	6.8	14	2	2	7	9	12	13	18
B. *Operated*	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	275	12.3	89	3	4	10	15	26	36	53
B. *Operated*	53	24.0	325	5	7	18	32	51	75	99
1. SINGLE DX	78	7.0	18	2	2	7	9	12	13	23
2. MULTIPLE DX	328	14.2	144	3	4	11	17	31	42	88
A. NOT OPERATED	352	11.1	77	2	4	9	14	20	31	48
B. OPERATED	54	24.0	319	5	7	19	32	51	74	99
TOTAL 0-19 YRS	109	7.9	66	2	2	6	9	14	19	89
20-34	38	11.8	149	2	3	7	12	32	42	52
35-49	42	11.5	52	3	4	11	16	29	29	99+
50-64	61	16.0	177	3	4	12	18	40	52	95
65+	156	15.6	126	4	6	12	19	31	39	48
GRAND TOTAL	406	12.8	128	2	4	10	16	29	40	83

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	7.9	43	1	2	6	11	16	20	33
20-34	20	6.7	25	1	2	5	10	14	17	19
35-49	13	6.5	24	1	2	5	8	15	17	17
50-64	11	5.6	10	2	2	5	8	10	12	12
65+	13	6.2	10	1	3	5	9	11	13	13
B. *Operated*										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	3	8.3	4	6	6	9	10	10	10	10
35-49										
50-64	3	25.0	1273	<1	<1	8	51	66	66	66
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	9.8	60	2	3	8	12	20	26	38
20-34	14	6.7	18	2	2	5	11	13	14	14
35-49	12	7.8	21	3	3	7	9	16	17	17
50-64	19	8.9	57	3	4	6	10	23	28	29
65+	28	10.6	62	3	4	7	17	22	26	30
B. *Operated*										
0-19 YRS	3	42.7	1124	10	10	41	68	77	77	77
20-34	4	21.0	430	7	7	19	38	44	44	44
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	4	19.0	151	8	8	17	29	34	34	34
65+	5	31.0	304	7	9	37	49	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	7.7	39	1	2	6	10	15	19	30
B. *Operated*	9	13.1	401	<1	2	8	9	44	66	66
2. MULTIPLE DX										
A. *Not Operated*	229	9.5	55	2	3	7	12	19	26	37
B. *Operated*	18	25.8	408	3	6	24	43	66	90	99+
1. SINGLE DX	375	7.8	47	1	2	6	10	15	19	36
2. MULTIPLE DX	247	10.7	97	2	3	8	13	23	33	50
A. NOT OPERATED	595	8.4	46	2	2	6	11	17	21	36
B. OPERATED	27	21.6	427	2	4	10	37	61	79	99+
TOTAL 0-19 YRS	471	8.8	61	2	2	7	11	17	22	40
20-34	41	8.2	69	2	2	5	10	15	25	44
35-49	27	7.4	21	2	3	6	10	16	17	17
50-64	37	10.4	148	2	3	6	10	26	32	66
65+	46	11.6	117	3	4	7	18	28	47	99+
GRAND TOTAL	622	9.0	69	2	2	7	11	18	24	44

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.0	7	1	1	3	5	8	9	14
20-34	74	5.0	9	1	2	4	7	9	10	14
35-49	16	6.5	17	2	2	6	9	12	15	17
50-64	4	5.8	20	2	2	4	9	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4	7.5	38	2	2	6	12	16	16	16
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.0	23	1	2	4	8	13	16	22
20-34	25	6.1	12	1	2	6	9	10	12	17
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	2	32.0	2	31	31	32	33	33	33	33
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	4.6	9	1	2	4	6	9	11	15
B. *Operated*	4	7.5	38	2	2	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	64	6.8	38	1	2	5	9	12	18	33
B. *Operated*	2	17.0	72	11	11	17	23	23	23	23
1. SINGLE DX	224	4.6	10	1	2	4	6	9	11	16
2. MULTIPLE DX	66	7.1	41	1	2	5	9	15	22	33
A. NOT OPERATED	284	5.1	16	1	2	4	6	9	12	20
B. OPERATED	6	10.7	61	2	2	9	16	22	23	23
TOTAL 0-19 YRS	163	4.6	14	1	2	4	5	9	12	21
20-34	99	5.3	10	1	2	5	8	9	10	16
35-49	19	6.6	15	2	2	6	9	12	15	17
50-64	6	4.8	16	1	1	4	6	11	12	12
65+	3	22.7	262	4	4	31	32	33	33	33
GRAND TOTAL	290	5.2	18	1	2	4	7	10	12	23

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	3.9	7	1	1	3	5	7	9	14
20-34	45	5.6	18	1	2	4	7	13	16	18
35-49	22	7.6	56	2	2	6	8	14	27	35
50-64	32	7.3	30	2	3	6	9	14	18	27
65+	78	9.8	56	2	3	8	14	19	29	82
B. *Operated*										
0-19 YRS	3	10.0	93	3	3	6	17	21	21	21
20-34	5	8.8	14	5	5	8	10	15	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	9.0	14	5	5	8	11	14	14	14
65+	4	39.5	1583	7	7	28	69	94	94	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	5.1	26	1	2	4	6	9	13	34
20-34	58	7.1	32	2	2	6	8	13	19	35
35-49	21	7.9	47	1	2	7	9	19	25	27
50-64	52	9.1	43	2	3	7	10	20	25	29
65+	190	12.8	103	3	4	10	16	26	39	99+
B. *Operated*										
0-19 YRS	3	9.7	42	3	3	10	14	16	16	16
20-34	7	23.3	497	5	5	12	46	56	56	56
35-49	4	23.3	363	5	5	22	39	43	43	43
50-64	5	9.6	32	3	3	10	13	18	18	18
65+	21	21.0	291	2	5	20	26	42	56	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	5.1	22	1	2	4	6	10	14	25
B. *Operated*	17	15.9	500	2	3	8	14	39	76	94
2. MULTIPLE DX										
A. *Not Operated*	688	7.8	60	2	2	5	9	16	24	47
B. *Operated*	40	19.3	284	3	4	13	25	43	55	73
1. SINGLE DX	612	5.4	37	1	2	4	6	10	15	34
2. MULTIPLE DX	728	8.4	79	2	2	6	10	19	27	54
A. NOT OPERATED	1283	6.5	44	1	2	4	8	14	20	39
B. OPERATED	57	18.3	363	3	4	11	21	43	55	93
TOTAL 0-19 YRS	791	4.5	17	1	2	3	5	8	11	22
20-34	115	7.6	67	2	2	5	8	15	19	55
35-49	48	8.9	88	2	2	6	9	23	35	43
50-64	93	8.5	37	2	3	7	10	17	23	29
65+	293	13.0	134	3	4	10	16	27	40	99+
GRAND TOTAL	1340	7.0	62	1	2	5	8	18	21	48

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	7.1	45	1	2	6	9	11	15	44
20-34	78	6.9	15	1	2	6	10	12	13	18
35-49	24	8.4	28	2	4	6	11	16	19	22
50-64	14	7.8	15	2	4	8	10	14	15	15
65+	8	8.4	12	2	3	9	10	13	14	14
B. *Operated*										
0-19 YRS										
20-34	6	16.3	725	1	1	7	8	65	71	71
35-49	5	8.2	9	4	4	9	10	12	12	12
50-64	6	12.7	67	2	2	12	21	23	23	23
65+	2	12.0	18	9	9	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.9	21	2	4	8	13	16	16	16
20-34	35	7.5	12	2	2	7	9	13	14	15
35-49	20	10.5	38	2	3	10	13	20	23	24
50-64	19	12.5	89	2	3	9	17	29	33	35
65+	14	13.4	65	3	6	11	19	24	31	33
B. *Operated*										
0-19 YRS										
20-34	6	10.5	31	5	5	9	13	19	20	20
35-49	4	12.0	117	4	4	8	18	28	28	28
50-64	11	16.3	70	8	9	15	18	27	28	39
65+	4	18.8	69	12	12	16	25	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	7.3	28	1	2	6	10	13	15	2[illegible]
B. *Operated*	19	12.6	233	1	2	9	13	22	49	71
2. MULTIPLE DX										
A. *Not Operated*	103	10.0	43	2	3	9	12	18	24	34
B. *Operated*	25	14.6	68	5	6	13	18	28	32	39
1. SINGLE DX	223	7.7	47	1	2	6	10	13	16	40
2. MULTIPLE DX	128	10.9	51	2	4	9	14	20	27	36
A. NOT OPERATED	307	8.2	35	2	2	7	10	14	18	34
B. OPERATED	44	13.7	137	3	4	11	16	23	33	71
TOTAL 0-19 YRS	95	7.4	42	1	2	6	10	14	16	42
20-34	125	7.7	48	2	2	7	10	13	14	33
35-49	53	9.4	35	2	4	8	12	18	23	28
50-64	50	12.0	67	2	4	10	15	22	31	39
65+	28	12.6	54	2	6	11	15	22	30	33
GRAND TOTAL	**351**	**8.9**	**51**	**2**	**3**	**7**	**11**	**16**	**20**	**38**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	4.5	7	1	2	4	5	8	9	15
20-34	91	4.5	10	1	1	4	6	8	10	18
35-49	8	7.3	22	2	2	6	11	14	14	14
50-64	5	7.4	10	3	3	7	9	12	12	12
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	17.0	32	13	13	17	21	21	21	21
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	5.2	9	2	2	5	6	9	11	19
20-34	46	5.1	8	2	2	5	5	8	12	16
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	6.5	3	4	4	7	8	8	8	8
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	18.0		18	18	18	18	18	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	4.6	9	1	2	4	6	8	10	15
B. *Operated*	3	13.0	64	5	5	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	205	5.2	9	2	2	5	6	9	11	18
B. *Operated*	6	9.0	23	4	4	8	10	17	18	18
1. SINGLE DX	366	4.7	9	1	2	4	6	8	10	15
2. MULTIPLE DX	211	5.3	10	2	2	5	7	9	11	19
A. NOT OPERATED	568	4.8	9	1	2	4	6	8	10	15
B. OPERATED	9	10.3	35	4	4	8	14	20	21	21
TOTAL 0-19 YRS	420	4.8	8	1	2	4	6	8	10	15
20-34	140	4.9	12	1	2	4	6	9	12	20
35-49	11	7.7	29	2	2	6	12	16	18	18
50-64	5	7.4	10	3	3	7	9	12	12	12
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**577**	**4.9**	**10**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.6	154	1	1	2	14	30	30	30
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	207	2.0	9	<1	<1	1	2	4	7	13
20-34	292	2.3	7	<1	<1	1	2	5	6	11
35-49	59	2.0	2	<1	<1	1	2	4	5	8
50-64	25	2.2	5	<1	<1	1	3	4	8	10
65+	6	20.7	621	<1	<1	11	30	63	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	19	<1	<1	6	8	13	13	13
20-34	5	3.4	9	1	1	2	6	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	43	4.2	19	<1	<1	2	5	12	15	16
20-34	78	3.9	36	<1	<1	2	4	7	12	33
35-49	23	3.0	7	<1	<1	2	4	6	9	13
50-64	17	2.9	7	<1	<1	2	3	8	8	8
65+	12	4.9	11	<1	1	5	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.6	96	1	1	3	7	24	30	30
B. *Operated*	589	2.3	16	<1	<1	1	2	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	11	4.6	14	<1	<1	5	7	10	13	13
B. *Operated*	173	3.9	23	<1	<1	2	5	8	13	31
1. SINGLE DX	597	2.4	17	<1	<1	1	2	5	7	19
2. MULTIPLE DX	184	3.9	23	<1	<1	2	5	8	13	31
A. NOT OPERATED	19	5.5	46	<1	1	4	7	11	22	30
B. OPERATED	762	2.7	18	<1	<1	1	3	6	8	22
TOTAL 0-19 YRS	260	2.6	14	<1	<1	1	2	6	10	16
20-34	378	2.6	13	<1	<1	2	3	5	7	26
35-49	83	2.3	4	<1	<1	2	3	4	6	11
50-64	42	2.5	6	<1	<1	1	3	8	8	10
65+	18	10.2	248	<1	<1	6	9	25	52	67
GRAND TOTAL	781	2.7	19	<1	<1	1	3	6	8	26

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	559	3.4	8	1	1	3	4	6	7	11
20-34	157	4.1	8	1	1	4	5	8	9	14
35-49	42	3.8	4	1	1	4	5	7	8	10
50-64	35	4.8	8	1	2	4	5	9	10	16
65+	36	5.4	15	1	2	5	7	10	14	18
B. *Operated*										
0-19 YRS	18	3.8	29	<1	1	1	3	13	18	19
20-34	8	3.6	9	<1	<1	3	5	8	9	9
35-49	4	3.0	8	<1	<1	2	5	7	7	7
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	4.0	9	1	1	3	5	8	10	14
20-34	105	4.4	10	1	2	3	5	9	11	16
35-49	42	4.3	4	1	2	4	6	7	8	11
50-64	70	8.3	58	1	2	6	8	21	24	36
65+	70	10.6	169	2	2	7	10	20	36	79
B. *Operated*										
0-19 YRS	13	6.2	29	1	2	4	7	16	18	18
20-34	8	10.9	105	2	3	6	17	28	29	29
35-49	5	11.8	87	4	4	9	14	28	28	28
50-64	6	8.3	122	2	2	3	10	28	30	30
65+	8	12.3	60	3	4	9	17	25	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	3.7	8	1	1	3	5	7	8	14
B. *Operated*	31	3.8	20	<1	<1	2	6	8	16	19
2. MULTIPLE DX										
A. *Not Operated*	730	5.1	33	1	1	4	6	9	13	27
B. *Operated*	40	9.4	69	2	2	6	11	26	28	30
1. SINGLE DX	860	3.7	9	1	1	3	5	7	8	14
2. MULTIPLE DX	770	5.3	36	1	1	4	6	16	14	30
A. NOT OPERATED	1559	4.4	21	1	1	3	5	8	10	22
B. OPERATED	71	6.9	55	<1	1	4	9	18	27	30
TOTAL 0-19 YRS	1033	3.7	9	1	1	3	5	7	9	15
20-34	278	4.4	12	1	1	4	5	8	10	21
35-49	93	4.4	11	1	2	4	6	7	9	21
50-64	111	7.2	47	1	2	5	8	17	24	35
65+	115	9.1	117	2	2	6	9	18	27	65
GRAND TOTAL	1630	4.5	22	1	1	3	5	8	11	24

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.8	3	2	2	4	5	6	7	7
20-34	40	3.1	3	1	1	3	4	5	6	7
35-49	10	4.2	4	1	1	4	6	7	7	7
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	5	3.6	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	12	3	3	6	8	12	12	12
20-34	10	5.4	12	2	2	4	9	10	11	11
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	2	6.0	32	2	2	6	10	10	10	10
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64	3	31.0	133	18	18	35	39	40	40	40
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.5	3	1	1	3	5	6	7	7
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	23	5.1	11	1	2	4	6	10	11	12
B. *Operated*	5	22.0	229	4	4	18	36	40	40	40
1. SINGLE DX	81	3.6	3	1	1	3	5	6	7	9
2. MULTIPLE DX	28	8.1	86	2	2	5	10	16	35	40
A. NOT OPERATED	102	3.8	5	1	1	3	5	7	8	11
B. OPERATED	7	18.0	200	4	4	13	31	39	40	40
TOTAL 0-19 YRS	28	4.2	5	2	2	4	5	7	8	12
20-34	52	3.7	6	1	1	3	5	7	10	11
35-49	12	4.3	4	1	1	4	6	7	7	7
50-64	9	12.4	229	1	1	4	22	38	40	40
65+	8	5.4	19	1	1	4	8	12	13	13
GRAND TOTAL	**109**	**4.8**	**28**	**1**	**1**	**4**	**6**	**7**	**11**	**37**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	6.0	50	1	2	5	6	9	11	50
20-34	100	6.1	17	1	2	5	7	10	15	24
35-49	15	11.1	19	4	6	11	14	17	19	20
50-64	8	7.4	35	1	1	6	12	16	16	16
65+	7	9.7	45	1	1	14	15	16	16	16
B. *Operated*										
0-19 YRS	13	4.4	10	1	1	4	6	10	10	10
20-34	23	3.1	7	<1	<1	2	4	8	10	11
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.0	10	2	3	5	7	10	13	15
20-34	47	6.4	21	2	2	5	8	11	14	23
35-49	12	11.1	61	1	2	8	17	22	25	26
50-64	6	14.2	225	2	3	9	12	41	44	44
65+	7	7.6	12	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	10	4.6	14	<1	<1	4	5	11	13	13
20-34	21	5.0	25	<1	1	3	6	13	17	19
35-49	6	8.7	20	3	3	8	11	15	16	16
50-64	3	27.7	5	25	25	29	29	29	29	29
65+	7	8.6	99	1	1	4	11	25	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	6.6	31	1	2	5	8	14	16	25
B. *Operated*	39	3.5	8	<1	<1	2	4	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	97	7.5	37	2	3	6	9	12	20	36
B. *Operated*	47	7.4	60	<1	1	4	10	18	29	29
1. SINGLE DX	229	6.1	28	1	1	5	8	12	15	24
2. MULTIPLE DX	144	7.4	44	1	2	6	9	15	23	30
A. NOT OPERATED	287	6.9	33	1	2	6	8	13	16	27
B. OPERATED	86	5.6	40	<1	1	3	7	11	20	29
TOTAL 0-19 YRS	108	5.7	32	1	1	5	6	10	12	36
20-34	191	5.7	18	1	2	5	7	10	14	23
35-49	36	10.1	35	1	3	9	14	18	21	26
50-64	17	13.4	143	1	1	9	18	29	39	44
65+	21	8.6	48	1	2	8	12	16	22	29
GRAND TOTAL	**373**	**6.6**	**35**	**1**	**2**	**5**	**8**	**12**	**17**	**29**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	5.9	19	1	2	5	8	11	15	22
20-34	14	4.9	10	<1	1	4	7	11	11	11
35-49	1	10.0		10	10	10	10	10	10	10
50-64	7	8.6	47	2	2	7	11	20	22	22
65+	12	8.3	53	1	2	6	10	22	24	24
B. *Operated*										
0-19 YRS	2	15.0	98	8	8	15	22	22	22	22
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	3	7.3	56	3	3	3	13	16	16	16
65+	2	16.0	8	14	14	16	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	6.4	18	2	2	6	9	12	14	24
20-34	7	8.4	25	3	3	7	12	16	17	17
35-49	5	6.2	9	2	2	6	8	10	10	10
50-64	13	11.5	32	4	5	10	14	21	22	22
65+	24	18.8	388	5	6	15	19	35	69	93
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	6	76	99+	99+	99+
35-49	6	12.3	166	3	3	7	18	34	36	36
50-64	8	19.5	697	3	4	12	14	64	84	84
65+	5	15.8	60	6	6	15	23	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	6.2	23	1	2	5	8	12	16	23
B. *Operated*	8	11.1	54	3	3	11	17	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	158	8.8	93	2	3	7	10	16	21	57
B. *Operated*	21	15.1	320	2	3	11	18	50	90	99+
1. SINGLE DX	136	6.5	25	1	2	5	8	13	19	23
2. MULTIPLE DX	179	9.5	122	2	3	7	11	18	23	90
A. NOT OPERATED	286	7.6	63	2	2	6	9	14	20	31
B. OPERATED	29	14.0	246	3	3	11	18	30	84	99+
TOTAL 0-19 YRS	205	6.3	20	1	2	5	8	12	14	23
20-34	24	5.8	16	1	2	5	8	13	38	99+
35-49	12	9.6	88	2	3	7	10	23	34	36
50-64	31	12.5	208	2	3	10	14	21	22	84
65+	43	15.4	253	3	4	11	18	25	41	93
GRAND TOTAL	315	8.2	83	2	2	6	10	16	22	67

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	4	<1	<1	3	5	6	6	6
20-34	6	2.8	4	1	1	2	4	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	10	3.7	2	1	2	4	4	6	7	7
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49										
50-64										
65+	3	13.0	31	7	7	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	14	2	2	5	9	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	5.7	5	3	3	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-19 YRS	4	4.3	1	3	3	4	5	5	5	5
20-34	6	9.8	34	2	2	11	14	16	16	16
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64	2	11.5	13	9	9	11	14	14	14	14
65+	3	21.3	292	10	10	13	34	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.5	5	<1	1	3	5	6	8	9
B. *Operated*	15	6.1	21	1	3	4	7	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	14	6.1	13	2	2	5	9	12	12	12
B. *Operated*	17	10.9	80	2	3	10	14	16	32	41
1. SINGLE DX	36	4.6	13	1	1	4	6	9	13	18
2. MULTIPLE DX	31	8.7	54	2	3	7	12	14	16	41
A. NOT OPERATED	35	4.5	10	1	1	4	6	9	11	12
B. OPERATED	32	6.7	57	2	3	7	12	15	18	41
TOTAL 0-19 YRS	33	4.1	6	1	1	4	5	6	10	12
20-34	15	5.3	25	1	1	4	9	14	16	16
35-49	6	7.0	16	2	2	7	11	12	12	12
50-64	4	7.8	26	2	2	7	11	14	14	14
65+	9	14.8	107	7	8	12	15	32	41	41
GRAND TOTAL	67	6.5	36	1	1	5	9	13	15	37

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	6.3	32	1	2	4	7	13	18	29
20-34	27	5.5	28	1	1	4	8	10	15	27
35-49	6	5.0	16	1	1	4	8	11	11	11
50-64	11	8.4	69	3	3	5	9	19	31	32
65+	3	6.3	16	2	2	7	9	10	10	10
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	55	4.6	14	<1	<1	3	7	10	10	19
35-49	29	7.7	63	<1	<1	5	10	19	22	37
50-64	14	8.2	32	<1	2	8	11	16	20	21
65+	4	12.5	67	2	2	14	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	8.4	82	2	2	6	9	14	34	47
20-34	23	5.3	43	1	1	4	6	9	20	32
35-49	11	8.0	14	3	4	8	11	13	15	15
50-64	17	8.8	103	2	2	6	9	15	34	45
65+	11	13.8	101	3	3	11	21	29	34	34
B. *Operated*										
0-19 YRS	4	12.3	107	1	1	11	19	26	26	26
20-34	19	8.6	23	3	4	7	12	15	18	21
35-49	16	13.8	89	2	3	12	18	30	33	34
50-64	20	12.4	90	2	2	10	19	27	29	29
65+	6	16.8	96	6	6	13	28	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	6.2	33	1	2	4	8	11	17	30
B. *Operated*	105	6.2	35	<1	1	4	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	129	8.3	76	1	2	6	9	15	32	46
B. *Operated*	65	12.0	73	2	3	10	15	26	29	34
1. SINGLE DX	210	6.2	34	1	1	4	8	12	19	30
2. MULTIPLE DX	194	9.6	77	1	2	7	12	21	30	43
A. NOT OPERATED	234	7.4	57	1	2	5	9	14	25	42
B. OPERATED	170	8.4	57	<1	1	6	11	19	26	33
TOTAL 0-19 YRS	132	7.4	60	1	2	5	9	14	24	42
20-34	124	5.5	25	1	1	4	7	10	14	28
35-49	62	9.1	63	<1	1	8	12	19	25	37
50-64	62	9.7	77	2	2	7	13	23	29	43
65+	24	13.4	85	2	3	11	19	28	31	34
GRAND TOTAL	404	7.8	57	1	2	6	10	16	26	39

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	18.0	364	6	6	8	32	40	40	40
B. *Operated*										
0-19 YRS										
20-34	4	8.0	35	2	2	7	12	16	16	18
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	9.5	25	6	6	9	13	13	13	13
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	33.3	562	1	5	39	58	88	99+	99+
50-64	8	15.3	291	2	4	9	15	46	56	56
65+	6	11.8	20	3	4	13	14	18	18	18
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	10.7	154	3	3	4	20	25	25	25
35-49	3	10.7	36	5	5	10	15	17	17	17
50-64	2	13.5	113	6	6	13	21	21	21	21
65+	1	30.0		30	30	30	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	14.0	214	6	6	8	17	40	40	40
B. *Operated*	9	6.4	27	<1	1	6	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	24	19.4	375	2	2	13	28	56	77	99+
B. *Operated*	10	13.0	92	3	3	9	21	27	30	30
1. SINGLE DX	14	9.1	96	<1	2	6	10	18	35	40
2. MULTIPLE DX	34	17.5	295	2	3	12	23	54	66	99+
A. NOT OPERATED	29	18.4	343	2	3	12	24	55	70	99+
B. OPERATED	19	9.9	69	1	2	6	15	23	28	30
TOTAL 0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	8	8.3	67	2	2	5	12	22	25	25
35-49	13	23.7	495	2	4	10	49	73	94	99+
50-64	13	13.7	187	3	5	9	14	20	51	56
65+	12	13.2	133	<1	1	12	19	33	39	40
GRAND TOTAL	48	15.1	249	2	2	10	18	48	57	99+

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	1	8.0		8	8	8	8	8	8	8
35-49	9	15.7	352	2	2	6	22	48	58	58
50-64	14	14.4	368	1	2	8	12	35	65	73
65+	23	11.8	184	1	2	8	14	30	46	56
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	15	6.0	46	1	2	4	7	12	24	28
35-49	22	11.4	274	1	1	8	13	18	46	81
50-64	78	8.3	84	1	2	5	10	20	32	42
65+	94	8.0	64	1	2	6	11	16	22	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	21	15.6	119	1	2	19	23	31	35	37
50-64	51	10.1	108	1	1	5	14	26	36	40
65+	37	12.7	159	1	2	10	15	27	44	54
B. *Operated*										
0-19 YRS	2	6.5	61	<1	<1	6	12	12	12	12
20-34	13	7.6	26	<1	2	8	9	16	18	18
35-49	32	16.2	316	<1	1	11	22	42	44	79
50-64	76	15.0	226	1	2	11	19	36	53	62
65+	106	15.4	308	2	2	10	20	37	51	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	13.6	259	1	2	8	15	33	56	73
B. *Operated*	212	8.2	91	1	2	5	10	18	26	45
2. MULTIPLE DX										
A. *Not Operated*	113	11.8	127	1	2	8	17	27	37	49
B. *Operated*	229	14.9	265	1	2	10	18	37	48	80
1. SINGLE DX	260	9.2	125	1	2	6	11	21	32	58
2. MULTIPLE DX	342	13.8	221	1	2	9	18	35	43	72
A. NOT OPERATED	161	12.3	166	1	2	8	17	30	38	58
B. OPERATED	441	11.7	192	1	2	7	14	28	41	72
TOTAL 0-19 YRS	7	9.0	127	<1	<1	4	11	29	33	33
20-34	32	6.4	33	<1	1	5	8	13	18	28
35-49	64	14.7	254	1	2	10	21	36	43	80
50-64	219	11.5	163	1	2	6	15	29	39	59
65+	260	12.0	196	2	2	8	14	27	42	70
GRAND TOTAL	602	11.8	185	1	2	7	15	28	40	68

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	6.3	17	1	2	6	9	13	14	14
65+	8	12.3	80	2	3	11	15	27	31	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64	10	22.5	402	2	3	15	29	61	64	64
65+	15	23.1	181	2	4	25	32	39	44	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	17.5	13	15	15	17	20	20	20	20
50-64	18	9.9	109	2	2	6	16	35	75	99+
65+	25	13.0	134	1	2	9	16	23	44	47
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	16.3	109	6	6	14	24	31	32	32
50-64	29	23.0	324	6	7	21	29	38	45	97
65+	35	19.7	219	2	4	18	28	44	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	9.1	53	1	2	7	13	16	26	31
B. *Operated*	26	22.8	275	2	4	22	32	45	59	64
2. MULTIPLE DX										
A. *Not Operated*	45	12.0	119	2	2	9	17	23	45	99+
B. *Operated*	70	20.7	252	3	5	10	28	39	55	99
1. SINGLE DX	43	17.4	230	2	3	13	28	34	50	64
2. MULTIPLE DX	115	17.3	217	2	3	15	24	38	46	99+
A. NOT OPERATED	62	11.2	101	1	2	8	15	23	43	93
B. OPERATED	96	21.3	256	3	4	21	30	39	57	99
TOTAL 0-19 YRS										
20-34										
35-49	9	17.2	73	6	6	19	22	29	32	32
50-64	66	17.1	287	2	3	12	24	38	59	99+
65+	83	17.6	184	2	3	15	27	39	44	86
GRAND TOTAL	158	17.3	219	2	3	13	28	38	46	99+

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	6	10.8	90	3	3	8	12	27	29	29
50-64	14	12.9	90	<1	2	10	18	27	31	32
65+	39	10.7	136	2	2	6	14	22	37	56
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	14	16.1	96	5	6	14	19	33	37	38
50-64	31	18.6	133	5	8	16	20	39	49	50
65+	61	16.3	190	1	2	14	20	32	41	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.7	20	3	3	8	11	12	12	12
35-49	11	9.8	63	2	2	11	15	20	25	25
50-64	32	7.5	41	2	2	5	9	18	23	24
65+	124	9.9	93	1	2	7	13	21	32	52
B. *Operated*										
0-19 YRS										
20-34	9	17.2	60	5	7	18	22	28	30	30
35-49	24	21.2	103	10	10	20	24	38	44	48
50-64	106	21.4	212	6	8	18	26	35	54	76
65+	245	23.4	274	7	9	19	28	42	62	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	11.0	116	1	2	7	15	23	30	55
B. *Operated*	107	16.9	158	2	4	15	20	34	41	69
2. MULTIPLE DX										
A. *Not Operated*	170	9.4	80	1	2	7	13	20	25	49
B. *Operated*	384	22.5	241	7	9	19	27	41	56	84
1. SINGLE DX	169	14.7	150	1	3	13	19	29	40	62
2. MULTIPLE DX	554	18.5	228	2	4	15	24	35	50	81
A. NOT OPERATED	232	9.8	90	1	2	7	14	21	28	52
B. OPERATED	491	21.3	228	5	8	18	26	39	53	82
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	15	13.0	76	<1	1	12	18	25	29	30
35-49	55	16.5	110	2	4	15	23	30	38	48
50-64	183	17.8	186	3	4	15	24	32	49	69
65+	469	17.8	240	2	3	14	23	36	50	81
GRAND TOTAL	**723**	**17.6**	**212**	**2**	**3**	**15**	**23**	**34**	**48**	**81**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	27.0	772	9	9	13	47	59	59	59
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.0	57	2	2	8	15	17	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	5	7.4	19	2	2	8	11	12	12	12
B. *Operated*										
0-19 YRS										
20-34	3	43.7	389	21	21	53	56	57	57	57
35-49	3	17.3	76	10	10	15	24	27	27	27
50-64	9	24.9	170	11	11	19	37	44	45	45
65+	17	25.1	402	4	8	22	27	61	74	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	22.6	423	9	9	15	27	59	59	59
2. MULTIPLE DX										
A. *Not Operated*	12	6.8	22	2	2	5	10	13	16	17
B. *Operated*	32	26.1	326	8	10	21	33	54	66	78
1. SINGLE DX	5	22.6	423	9	9	15	27	59	59	59
2. MULTIPLE DX	44	20.8	312	2	3	16	26	46	60	78
A. NOT OPERATED	12	6.8	22	2	2	5	10	13	16	17
B. OPERATED	37	25.6	324	8	9	20	31	56	64	78
TOTAL 0-19 YRS										
20-34	6	26.[illegible]	539	2	3	19	53	57	57	57
35-49	5	[illegible]	62	6	6	15	18	27	27	27
50-64	15	21.1	290	3	3	15	33	45	55	59
65+	23	20.9	351	2	4	17	25	44	71	78
GRAND TOTAL	**49**	**21.0**	**315**	**2**	**4**	**15**	**26**	**50**	**59**	**78**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	10.3	174	1	1	7	11	32	41	41
50-64	12	6.1	24	1	1	4	9	14	15	15
65+	37	8.3	51	1	2	5	12	19	22	30
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	14.0	3	12	12	14	15	16	16	16
35-49	21	13.0	19	7	8	12	14	18	23	27
50-64	86	15.0	42	4	9	14	18	23	24	39
65+	160	18.4	84	9	10	15	21	30	37	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	19	7.6	64	2	2	4	10	18	26	32
50-64	66	10.5	185	1	2	5	12	31	38	68
65+	110	11.6	117	1	3	8	15	24	37	75
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	14	21.9	102	10	12	18	29	39	41	42
35-49	73	18.0	66	9	9	16	22	30	33	44
50-64	258	20.7	162	10	10	17	24	37	47	87
65+	658	23.0	181	10	12	20	29	43	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	8.1	61	1	1	5	11	17	22	40
B. *Operated*	272	16.8	68	9	10	15	19	27	33	45
2. MULTIPLE DX										
A. *Not Operated*	196	10.8	135	1	2	6	14	25	36	66
B. *Operated*	1005	22.0	169	9	11	18	27	39	51	99+
1. SINGLE DX	329	15.3	78	3	4	14	18	26	32	44
2. MULTIPLE DX	1201	20.2	180	4	7	17	26	38	49	99+
A. NOT OPERATED	253	10.2	119	1	2	6	13	22	34	62
B. OPERATED	1277	20.9	152	9	11	17	25	37	48	98
TOTAL 0-19 YRS	4	5.8	2	4	4	6	7	7	7	7
20-34	18	20.1	90	10	12	16	28	36	41	42
35-49	121	15.0	79	3	4	14	19	28	32	42
50-64	422	17.5	155	3	5	15	22	33	41	69
65+	965	20.4	173	4	8	17	26	38	50	99+
GRAND TOTAL	**1530**	**19.1**	**162**	**4**	**6**	**16**	**23**	**36**	**46**	**91**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	14.1	272	1	1	9	22	42	46	46
50-64	13	5.5	37	1	1	3	7	16	20	21
65+	24	10.6	180	1	1	5	11	35	41	52
B. *Operated*										
0-19 YRS										
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	27	14.7	19	7	9	13	18	20	22	22
50-64	84	18.1	95	4	9	16	22	28	39	58
65+	103	18.0	121	3	7	16	21	37	44	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	11.7	92	3	3	10	19	22	22	22
35-49	11	10.3	122	1	2	5	11	27	39	40
50-64	47	9.6	88	1	2	6	10	29	32	36
65+	102	12.4	212	1	2	9	15	33	55	99+
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	6	30.8	165	16	17	27	46	47	47	47
35-49	44	17.4	122	2	3	15	23	34	40	51
50-64	247	21.3	123	9	11	18	26	34	40	64
65+	393	23.3	180	6	9	21	31	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	9.5	151	1	1	4	10	29	38	52
B. *Operated*	216	17.5	98	4	7	16	21	30	41	57
2. MULTIPLE DX										
A. *Not Operated*	163	11.4	167	1	2	8	14	30	40	99+
B. *Operated*	691	22.2	158	7	10	20	28	39	50	99+
1. SINGLE DX	261	16.2	116	2	4	15	20	30	41	53
2. MULTIPLE DX	854	20.2	178	3	5	18	27	38	50	99+
A. NOT OPERATED	208	11.0	164	1	1	7	13	30	40	99+
B. OPERATED	907	21.1	148	6	9	19	27	38	48	85
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	12	20.4	214	3	4	19	27	46	47	47
35-49	89	15.4	103	2	3	13	19	27	39	49
50-64	391	18.6	130	3	5	17	24	32	38	62
65+	622	20.1	195	3	5	18	28	42	52	99+
GRAND TOTAL	**1115**	**19.2**	**166**	**3**	**5**	**17**	**25**	**37**	**47**	**99+**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	11	2	2	3	8	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	10	8.0	72	1	2	6	8	20	31	31
65+	8	18.4	566	1	2	8	24	60	72	72
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	17.0	202	2	2	12	24	40	40	40
50-64	17	15.8	39	7	9	16	19	25	28	30
65+	10	18.0	190	8	8	12	20	41	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.6	57	2	2	8	15	21	22	22
20-34	6	6.2	25	2	2	4	9	14	15	15
35-49	4	10.3	48	3	3	10	16	18	18	18
50-64	30	8.8	125	1	1	4	13	20	23	56
65+	34	15.2	408	2	2	10	16	31	73	93
B. *Operated*										
0-19 YRS	6	16.5	226	5	5	10	18	43	46	46
20-34	3	17.3	166	3	3	21	26	28	28	28
35-49	10	16.4	52	8	8	14	23	27	30	30
50-64	47	22.6	260	4	7	20	28	41	77	99+
65+	67	22.8	139	9	11	20	28	43	47	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	10.7	234	1	2	5	9	31	44	72
B. *Operated*	34	16.5	97	6	8	14	19	30	38	52
2. MULTIPLE DX										
A. *Not Operated*	81	11.4	233	1	1	8	15	22	32	90
B. *Operated*	133	21.8	179	7	9	19	28	40	46	83
1. SINGLE DX	58	14.1	159	2	3	11	17	31	37	70
2. MULTIPLE DX	214	17.9	224	2	2	15	23	39	46	86
A. NOT OPERATED	105	11.3	231	1	2	7	14	22	32	87
B. OPERATED	167	20.8	167	7	9	17	26	40	46	79
TOTAL 0-19 YRS	14	13.1	126	2	2	10	17	24	41	46
20-34	15	8.4	60	2	2	5	11	21	26	28
35-49	20	14.8	87	2	4	13	19	27	35	40
50-64	104	16.1	205	1	2	14	23	35	43	89
65+	119	20.0	252	2	5	15	27	39	52	86
GRAND TOTAL	**272**	**17.1**	**212**	**2**	**3**	**14**	**23**	**34**	**45**	**82**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	12.1	126	2	2	9	17	31	35	35
65+	16	7.2	31	1	2	5	10	16	20	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	24.0		24	24	24	24	24	24	24
50-64	13	26.7	177	10	12	25	29	42	60	64
65+	25	22.4	137	5	10	19	31	36	44	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.8	33	3	3	6	11	16	16	16
35-49	5	15.6	50	5	5	18	20	24	24	24
50-64	27	9.7	45	2	3	9	13	20	25	26
65+	78	11.4	77	2	3	9	16	24	32	37
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	13	25.2	95	12	13	25	28	36	47	50
50-64	79	23.3	178	7	10	22	29	38	42	78
65+	141	23.9	219	7	10	21	31	42	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	9.0	67	1	2	6	12	21	27	35
B. *Operated*	39	23.9	146	7	10	24	31	36	46	64
2. MULTIPLE DX										
A. *Not Operated*	114	11.1	67	2	3	9	16	23	29	36
B. *Operated*	234	23.8	196	8	11	21	30	40	51	85
1. SINGLE DX	64	18.0	168	2	3	16	26	35	38	62
2. MULTIPLE DX	348	19.6	189	3	5	17	26	36	44	84
A. NOT OPERATED	139	10.7	67	2	2	9	15	23	28	36
B. OPERATED	273	23.8	188	8	11	22	30	39	50	84
TOTAL 0-19 YRS										
20-34	5	10.2	55	3	3	7	17	20	20	20
35-49	19	22.6	93	8	12	24	27	32	42	50
50-64	128	20.0	181	3	5	18	26	35	41	69
65+	260	19.0	196	2	4	17	26	36	46	83
GRAND TOTAL	**412**	**19.4**	**186**	**3**	**5**	**17**	**26**	**36**	**42**	**81**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	25	8.6	158	1	2	3	9	16	39	60
50-64	111	8.4	105	1	1	5	12	19	26	58
65+	164	10.5	163	1	1	6	14	25	43	82
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	41	15.4	127	2	3	14	21	31	37	50
50-64	188	14.2	108	2	3	12	19	27	32	53
65+	228	14.3	142	2	2	11	18	29	37	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	7.6	115	1	1	3	8	26	33	33
35-49	66	8.2	73	1	1	5	11	16	26	43
50-64	383	10.5	154	2	2	6	13	28	41	58
65+	444	12.7	192	2	2	8	15	30	44	72
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	7	25.9	570	2	3	24	24	66	76	76
35-49	75	18.8	182	3	4	16	27	38	44	55
50-64	460	18.2	195	2	5	15	25	35	45	85
65+	524	21.3	243	3	5	18	28	42	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	9.5	140	1	1	6	12	20	33	74
B. *Operated*	458	14.3	126	2	2	12	19	28	36	55
2. MULTIPLE DX										
A. *Not Operated*	902	11.4	168	2	2	7	14	28	42	63
B. *Operated*	1067	19.8	222	3	5	17	26	38	49	85
1. SINGLE DX	760	12.4	137	1	2	10	16	27	36	60
2. MULTIPLE DX	1969	16.0	214	2	2	12	22	35	46	77
A. NOT OPERATED	1204	10.9	161	1	2	7	13	27	40	65
B. OPERATED	1525	18.2	199	2	4	15	24	36	47	78
TOTAL 0-19 YRS	2	16.5	313	4	4	16	29	29	29	29
20-34	18	14.9	330	1	2	8	24	30	59	76
35-49	207	13.5	154	1	2	10	18	32	40	54
50-64	1142	14.0	172	2	2	11	19	30	41	65
65+	1360	16.0	218	2	2	12	22	36	47	78
GRAND TOTAL	**2729**	**15.0**	**195**	**2**	**2**	**11**	**20**	**32**	**44**	**72**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	6.0	80	2	2	2	7	22	22	22
35-49	3	8.0	49	3	3	5	13	16	16	16
50-64	15	11.1	279	1	1	3	8	44	49	51
65+	15	14.4	176	2	2	12	26	31	41	44
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.8	39	2	2	6	12	16	16	16
35-49	10	10.0	151	1	1	4	16	30	39	39
50-64	73	6.7	71	1	1	3	8	17	20	49
65+	54	10.1	112	1	2	5	18	26	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	22.4	511	6	6	8	38	58	58	58
50-64	16	13.0	116	<1	1	9	19	29	34	36
65+	18	12.5	128	1	2	7	20	39	75	99+
B. *Operated*										
0-19 YRS	2	22.5	421	8	8	22	37	37	37	37
20-34	4	24.0	131	10	10	25	33	36	36	36
35-49	16	17.4	110	2	3	17	23	31	37	40
50-64	62	21.8	239	2	2	21	36	56	99+	99+
65+	58	19.1	312	2	2	17	31	44	48	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	11.3	188	1	2	5	16	32	44	51
B. *Operated*	142	8.2	92	1	2	4	11	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	41	13.6	163	1	3	8	21	33	50	99+
B. *Operated*	142	20.3	250	2	2	19	31	45	58	99+
1. SINGLE DX	181	8.9	113	1	2	4	12	24	31	49
2. MULTIPLE DX	183	18.8	237	2	2	17	29	45	58	99+
A. NOT OPERATED	80	12.5	174	1	2	7	17	32	45	87
B. OPERATED	284	14.3	207	2	2	9	23	37	46	99+
TOTAL 0-19 YRS	5	11.2	213	2	2	5	15	37	37	37
20-34	14	11.7	129	2	2	8	20	31	35	36
35-49	34	15.1	179	2	2	10	21	33	40	58
50-64	166	13.3	200	1	2	8	21	38	51	99+
65+	145	14.5	213	2	2	8	23	36	45	81
GRAND TOTAL	**364**	**13.9**	**200**	**1**	**2**	**8**	**22**	**36**	**45**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	2	1	1	3	4	5	5	7
20-34	19	3.3	3	1	1	3	4	6	7	7
35-49	10	3.9	3	3	3	3	4	7	7	7
50-64	6	5.7	65	1	1	3	4	20	22	22
65+	3	14.0	148	6	6	8	23	28	28	28
B. *Operated*										
0-19 YRS	18	15.7	259	1	2	8	21	45	49	49
20-34	21	13.1	197	1	2	6	26	36	43	44
35-49	16	6.6	101	1	2	3	7	10	33	43
50-64	29	10.6	59	2	3	9	14	18	28	38
65+	27	12.9	101	2	3	11	17	23	36	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	9	1	1	3	3	6	11	15
20-34	22	5.4	48	1	2	3	7	14	25	26
35-49	14	6.3	47	2	3	4	4	17	25	27
50-64	25	9.2	95	1	2	5	12	24	29	39
65+	23	18.6	402	1	2	12	21	51	63	83
B. *Operated*										
0-19 YRS	19	24.5	231	3	4	25	37	42	47	52
20-34	9	40.4	437	8	13	40	57	67	70	70
35-49	10	19.1	355	1	1	14	26	47	65	65
50-64	24	24.7	585	2	3	17	29	71	78	81
65+	33	20.3	224	4	5	20	27	34	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.8	15	1	1	3	4	7	7	26
B. *Operated*	111	11.9	136	2	2	8	15	31	42	48
2. MULTIPLE DX										
A. *Not Operated*	118	8.3	142	1	1	3	9	23	28	62
B. *Operated*	95	24.1	368	2	4	20	32	52	69	79
1. SINGLE DX	186	8.6	103	1	2	5	10	22	34	47
2. MULTIPLE DX	213	15.3	303	1	2	8	22	38	52	78
A. NOT OPERATED	193	6.5	97	1	1	3	7	16	26	52
B. OPERATED	206	17.5	279	2	2	12	25	41	52	75
TOTAL 0-19 YRS	108	9.0	157	1	1	3	8	33	41	50
20-34	71	11.6	260	1	2	4	10	39	50	68
35-49	50	8.5	139	2	2	4	8	24	30	65
50-64	84	13.9	262	2	2	9	17	28	47	80
65+	86	17.3	234	2	3	13	22	34	51	79
GRAND TOTAL	**399**	**12.2**	**221**	**1**	**2**	**6**	**16**	**32**	**43**	**72**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+	4	9.0	35	4	4	7	13	17	17	17
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	20	5.5	12	2	2	4	8	10	12	13
35-49	35	8.4	29	2	2	8	12	15	18	24
50-64	24	11.8	103	2	3	9	15	25	36	43
65+	24	11.7	102	1	3	8	17	30	35	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	5.7	35	<1	<1	5	7	15	20	20
35-49	4	8.5	35	4	4	6	12	17	17	17
50-64	18	6.9	65	1	2	4	6	21	27	30
65+	9	9.0	119	1	1	6	10	28	35	35
B. *Operated*										
0-19 YRS	3	6.0	12	2	2	8	8	8	8	8
20-34	16	7.2	21	2	2	7	10	12	17	19
35-49	17	10.1	35	2	3	9	14	20	22	22
50-64	17	14.6	141	2	5	11	16	39	43	43
65+	34	17.4	294	3	3	12	23	31	54	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	9.0	27	4	4	9	12	17	17	17
B. *Operated*	106	9.2	64	2	2	7	12	18	25	39
2. MULTIPLE DX										
A. *Not Operated*	40	7.3	64	1	1	5	7	19	26	35
B. *Operated*	87	13.2	167	2	3	9	15	25	37	77
1. SINGLE DX	111	9.2	62	2	2	7	12	18	24	39
2. MULTIPLE DX	127	11.3	142	1	2	8	14	23	32	65
A. NOT OPERATED	45	7.4	60	1	1	5	8	17	25	35
B. OPERATED	193	11.0	114	2	2	8	13	22	31	52
TOTAL 0-19 YRS	6	4.5	9	1	1	4	8	8	8	8
20-34	46	6.2	19	1	2	6	9	11	14	20
35-49	56	8.9	31	2	3	8	12	17	20	24
50-64	59	11.1	108	2	2	8	13	25	38	43
65+	71	13.9	200	2	3	9	19	30	36	82
GRAND TOTAL	**238**	**10.3**	**105**	**2**	**2**	**8**	**13**	**22**	**30**	**45**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	3.8	5	1	1	4	5	6	6	6
65+	12	9.4	106	1	1	6	12	25	35	37
B. *Operated*										
0-19 YRS	4	5.0	45	<1	<1	2	9	15	15	15
20-34	13	6.5	70	<1	<1	3	9	20	26	28
35-49	24	5.3	31	1	1	3	7	13	19	23
50-64	63	5.8	50	2	2	3	6	16	18	42
65+	151	6.2	52	1	1	4	8	14	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.4	16	<1	<1	3	8	10	10	10
65+	20	8.4	55	1	1	6	10	20	25	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	6.8	38	<1	<1	4	11	16	16	16
35-49	20	11.4	172	<1	1	4	20	32	40	46
50-64	40	8.9	103	1	2	5	11	19	26	56
65+	168	9.9	108	1	2	7	12	23	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.0	85	1	1	5	8	19	32	37
B. *Operated*	255	6.0	50	<1	1	3	7	15	20	43
2. MULTIPLE DX										
A. *Not Operated*	25	7.6	49	<1	1	6	10	18	24	27
B. *Operated*	234	9.8	110	1	2	6	12	23	32	54
1. SINGLE DX	271	6.1	52	1	1	3	7	15	21	43
2. MULTIPLE DX	259	9.6	104	1	2	6	12	23	31	53
A. NOT OPERATED	41	7.7	62	1	1	5	9	19	25	37
B. OPERATED	489	7.8	82	1	2	4	10	19	26	46
TOTAL 0-19 YRS	5	4.4	26	<1	<1	2	6	15	15	15
20-34	18	6.6	58	<1	<1	3	10	17	24	28
35-49	44	8.0	102	1	1	4	9	23	31	46
50-64	112	6.8	68	1	2	4	8	16	20	49
65+	351	8.2	84	1	2	5	10	20	27	45
GRAND TOTAL	**530**	**7.8**	**80**	**1**	**1**	**4**	**10**	**19**	**26**	**45**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	17	5.8	26	<1	1	5	7	9	18	23
50-64	20	8.0	100	1	1	5	10	19	33	43
65+	25	8.3	65	1	1	5	14	22	23	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	45	7.5	14	1	2	7	11	13	13	15
35-49	236	7.9	18	2	2	8	10	13	15	23
50-64	354	8.6	39	2	3	8	11	13	16	26
65+	317	9.9	41	2	3	9	12	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.3	19	1	2	7	12	13	13	13
35-49	96	11.9	207	<1	1	7	15	26	44	77
50-64	178	10.7	118	1	2	8	15	25	32	76
65+	168	13.1	141	1	2	10	18	32	43	99+
B. *Operated*										
0-19 YRS										
20-34	40	8.8	34	2	3	8	10	13	18	36
35-49	233	9.9	43	4	5	8	11	17	22	30
50-64	395	11.7	77	3	5	9	14	21	28	51
65+	516	12.9	78	3	5	11	15	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	7.5	64	1	1	5	9	20	23	41
B. *Operated*	953	8.8	34	2	3	8	11	14	17	32
2. MULTIPLE DX										
A. *Not Operated*	449	11.8	144	1	2	8	15	28	37	86
B. *Operated*	1184	11.8	71	3	5	10	14	21	27	47
1. SINGLE DX	1016	8.7	36	2	2	8	11	14	18	32
2. MULTIPLE DX	1633	11.8	91	2	4	9	14	22	29	58
A. NOT OPERATED	512	11.3	136	1	2	8	15	27	36	85
B. OPERATED	2137	10.5	57	2	4	9	12	18	23	38
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	93	8.1	23	1	2	8	10	13	14	29
35-49	582	9.3	62	1	3	8	10	16	22	47
50-64	947	10.3	73	2	3	9	12	18	25	48
65+	1026	11.9	79	2	3	10	14	22	29	52
GRAND TOTAL	**2649**	**10.6**	**72**	**2**	**3**	**9**	**12**	**19**	**26**	**50**

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.3	61	1	1	3	4	10	27	31
35-49	16	6.1	56	1	2	4	5	13	27	32
50-64	12	4.0	7	2	2	3	5	9	10	10
65+	11	8.2	147	2	2	3	10	24	41	43
B. *Operated*										
0-19 YRS	3	8.3	26	4	4	7	12	14	14	14
20-34	74	5.9	22	1	2	5	7	10	13	30
35-49	76	7.1	55	1	2	5	9	14	19	46
50-64	30	11.4	132	1	2	7	17	34	39	39
65+	37	9.0	98	1	2	5	11	26	34	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	10.0	53	1	2	8	15	21	24	24
35-49	29	14.0	137	1	1	11	22	34	37	41
50-64	31	12.2	220	2	2	7	15	28	50	68
65+	29	12.0	135	2	2	8	17	24	31	55
B. *Operated*										
0-19 YRS										
20-34	54	9.4	63	2	2	7	17	21	25	30
35-49	63	12.0	106	2	2	8	15	30	36	43
50-64	56	17.3	333	2	3	9	25	51	58	77
65+	45	15.5	156	3	3	10	23	37	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.8	63	1	2	3	5	11	29	43
B. *Operated*	220	7.6	63	1	2	5	9	15	25	40
2. MULTIPLE DX										
A. *Not Operated*	99	12.4	151	1	2	8	16	28	38	62
B. *Operated*	218	13.4	171	2	2	9	18	31	40	61
1. SINGLE DX	272	7.3	64	1	2	5	9	14	26	41
2. MULTIPLE DX	317	13.1	165	2	2	8	17	30	39	61
A. NOT OPERATED	151	10.1	130	1	2	6	13	24	36	55
B. OPERATED	438	10.5	125	2	2	7	13	26	35	54
TOTAL 0-19 YRS	4	7.8	19	4	4	6	10	14	14	14
20-34	150	7.3	44	1	2	5	9	18	23	31
35-49	184	9.8	93	1	2	7	13	25	32	42
50-64	129	13.4	241	2	2	7	17	36	52	70
65+	122	12.0	138	2	2	8	16	30	39	49
GRAND TOTAL	**589**	**10.4**	**126**	**2**	**2**	**7**	**13**	**26**	**35**	**54**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	4	9.3	141	2	2	4	16	27	27	27
35-49	9	6.0	60	2	2	3	5	19	26	26
50-64	14	5.5	63	1	2	3	5	11	27	32
65+	14	11.4	98	2	2	8	24	25	27	27
B. *Operated*										
0-19 YRS										
20-34	4	5.8	32	1	1	5	10	12	12	12
35-49	30	6.1	21	1	1	5	8	11	13	22
50-64	111	6.1	12	<1	1	7	9	10	11	17
65+	90	7.1	56	1	2	5	8	13	25	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	18	11.3	262	<1	1	5	10	30	54	67
65+	32	13.2	281	2	2	7	17	29	51	81
B. *Operated*										
0-19 YRS										
20-34	6	8.0	21	1	2	8	10	14	15	15
35-49	38	10.1	71	1	2	9	12	17	21	51
50-64	202	9.6	83	1	2	8	10	16	22	44
65+	217	11.5	123	1	2	9	14	25	32	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.5	77	2	2	3	8	25	27	32
B. *Operated*	235	6.5	30	1	2	6	9	11	13	31
2. MULTIPLE DX										
A. *Not Operated*	53	11.9	259	1	2	5	16	28	50	81
B. *Operated*	463	10.5	100	1	2	8	13	19	29	51
1. SINGLE DX	280	6.7	38	1	2	6	9	12	20	31
2. MULTIPLE DX	516	10.7	116	1	2	8	13	20	29	68
A. NOT OPERATED	98	9.9	179	1	2	4	12	26	31	74
B. OPERATED	698	9.2	80	1	2	8	11	17	25	46
TOTAL 0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	14	7.7	50	1	1	7	10	16	25	27
35-49	80	7.8	52	1	2	7	10	15	20	43
50-64	345	8.4	71	1	2	8	10	15	19	43
65+	353	10.5	122	1	2	8	13	24	30	68
GRAND TOTAL	**796**	**9.2**	**92**	**1**	**2**	**8**	**11**	**18**	**26**	**50**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.1	4	<1	<1	2	5	6	6	6
35-49	9	3.0	9	1	1	2	3	8	11	11
50-64	23	4.8	38	<1	1	2	4	13	21	26
65+	18	2.4	2	1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	12.0	70	6	7	9	12	26	32	32
35-49	11	8.2	11	2	4	8	10	13	14	14
50-64	26	11.1	24	5	6	9	15	19	19	20
65+	8	12.6	38	3	5	12	15	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	15	3.3	14	<1	<1	1	5	11	11	11
35-49	25	6.3	47	1	1	3	11	18	20	22
50-64	155	4.8	53	1	1	2	5	12	19	38
65+	89	9.1	319	1	1	3	9	16	54	91
B. *Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	17	10.5	20	4	6	10	12	17	20	22
35-49	41	14.4	34	7	7	14	19	21	24	28
50-64	111	17.9	166	4	7	16	22	31	40	73
65+	76	20.4	225	4	7	16	27	36	50	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.6	17	1	1	2	4	7	11	25
B. *Operated*	54	10.8	30	3	6	9	14	18	20	32
2. MULTIPLE DX										
A. *Not Operated*	286	6.2	136	1	1	2	6	14	20	79
B. *Operated*	247	17.5	158	4	7	15	22	31	41	60
1. SINGLE DX	114	7.0	36	1	2	6	9	15	19	28
2. MULTIPLE DX	533	11.4	178	1	1	8	16	25	34	78
A. NOT OPERATED	346	5.7	116	1	1	2	6	12	19	77
B. OPERATED	301	16.3	141	4	7	14	20	28	36	58
TOTAL 0-19 YRS	6	7.7	24	2	2	7	10	15	16	16
20-34	49	7.2	37	<1	1	7	10	13	17	32
35-49	86	10.1	50	1	1	9	16	20	22	27
50-64	315	9.9	126	1	1	7	15	23	29	53
65+	191	13.1	278	1	1	8	16	30	49	86
GRAND TOTAL	**647**	**10.7**	**156**	**1**	**1**	**8**	**15**	**23**	**31**	**60**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	3	6.7	80	1	1	2	13	17	17	17
65+	3	24.0	444	2	2	26	39	44	44	44
B. *Operated*										
0-19 YRS										
20-34	5	8.2	73	1	1	5	11	23	23	23
35-49	4	9.3	73	1	1	8	16	20	20	20
50-64	10	5.6	19	2	2	4	7	13	16	16
65+	19	10.6	124	1	2	8	11	30	38	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	14	4.9	20	<1	1	3	5	14	16	16
65+	5	22.2	446	7	7	10	36	56	56	56
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	7.8	65	1	1	4	14	20	20	20
50-64	30	22.2	303	5	6	19	31	57	71	99+
65+	41	23.2	281	2	4	19	36	41	54	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	13.9	242	1	1	10	22	39	44	44
B. *Operated*	38	8.8	83	1	2	6	11	22	30	42
2. MULTIPLE DX										
A. *Not Operated*	23	8.3	151	<1	1	4	8	19	39	56
B. *Operated*	78	21.4	283	2	4	18	34	42	62	92
1. SINGLE DX	46	9.7	110	1	1	6	12	25	35	44
2. MULTIPLE DX	101	18.4	282	1	2	14	30	41	58	85
A. NOT OPERATED	31	9.7	173	1	1	4	13	28	43	56
B. OPERATED	116	17.3	252	2	2	12	26	40	52	81
TOTAL 0-19 YRS	5	5.2	39	1	1	4	7	16	16	16
20-34	7	6.3	60	1	1	5	7	20	23	23
35-49	10	9.4	63	1	1	8	18	20	20	20
50-64	57	14.2	240	2	2	8	20	39	59	98
65+	68	19.6	274	2	2	14	33	41	50	68
GRAND TOTAL	**147**	**15.7**	**244**	**1**	**2**	**10**	**23**	**39**	**49**	**72**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	17	8.8	25	1	2	9	12	15	19	21
65+	60	11.1	166	2	2	7	14	27	44	97
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34										
35-49	2	24.0	50	19	19	24	29	29	29	29
50-64	112	9.7	73	2	2	7	12	23	27	40
65+	381	11.0	57	2	3	9	14	19	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	42	2	2	9	13	15	15	15
20-34										
35-49	2	15.0	50	10	10	15	20	20	20	20
50-64	81	9.7	79	1	1	6	15	21	28	40
65+	377	13.7	195	2	3	9	16	36	52	99+
B. *Operated*										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34										
35-49	4	15.0	281	4	4	8	24	40	40	40
50-64	204	13.1	90	3	4	11	17	24	35	55
65+	1015	14.5	126	3	4	12	18	27	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	10.6	135	2	2	7	12	24	37	93
B. *Operated*	496	10.8	61	2	3	9	14	21	28	38
2. MULTIPLE DX										
A. *Not Operated*	463	12.9	175	1	2	9	16	31	47	99+
B. *Operated*	1225	14.3	121	3	4	11	18	27	37	67
1. SINGLE DX	573	10.7	71	2	3	9	14	21	28	42
2. MULTIPLE DX	1688	13.9	136	3	4	11	17	27	39	74
A. NOT OPERATED	540	12.6	170	1	2	9	16	30	47	99+
B. OPERATED	1721	13.3	106	3	4	11	17	25	33	57
TOTAL 0-19 YRS	6	9.3	25	2	2	10	13	15	15	15
20-34										
35-49	8	17.3	152	4	5	14	24	37	40	40
50-64	414	11.4	83	2	2	9	15	23	28	49
65+	1833	13.5	129	3	4	10	17	27	38	73
GRAND TOTAL	**2261**	**13.1**	**121**	**2**	**3**	**10**	**16**	**26**	**36**	**72**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	9.4	26	3	3	12	13	15	15	15
35-49	4	5.3	6	2	2	5	7	8	8	8
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	9	7.1	60	1	1	4	9	20	26	26
20-34	44	9.1	42	3	4	7	11	18	23	33
35-49	23	7.9	51	1	2	6	10	19	24	30
50-64	8	6.3	42	1	1	4	8	18	20	20
65+	7	12.0	152	2	2	6	16	33	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	50	5.8	13	2	3	5	6	7	13	25
35-49	9	6.3	5	5	5	6	6	10	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	5.7	6	3	3	6	7	8	8	8
B. *Operated*										
0-19 YRS	3	8.0	9	5	5	8	10	11	11	11
20-34	43	12.8	44	3	4	13	19	22	23	24
35-49	15	17.8	280	5	7	13	17	41	62	69
50-64	8	19.1	568	3	3	13	20	60	75	75
65+	16	10.1	40	2	3	8	15	18	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.0	20	1	1	5	9	13	15	15
B. *Operated*	91	8.6	53	2	2	6	11	18	24	35
2. MULTIPLE DX										
A. *Not Operated*	65	5.8	11	2	4	5	6	7	12	24
B. *Operated*	85	13.6	134	3	4	12	17	23	25	73
1. SINGLE DX	104	8.3	50	2	2	6	11	18	23	35
2. MULTIPLE DX	150	10.2	95	3	4	6	14	20	23	69
A. NOT OPERATED	78	5.9	12	2	2	5	6	9	13	22
B. OPERATED	176	11.0	98	2	3	8	15	21	24	62
TOTAL 0-19 YRS	14	7.1	39	1	2	5	9	12	23	26
20-34	142	9.1	39	3	4	6	12	19	22	26
35-49	51	10.3	127	2	2	6	12	19	30	69
50-64	20	10.7	278	1	1	4	13	23	50	75
65+	27	9.9	63	2	3	7	14	18	25	37
GRAND TOTAL	**254**	**9.4**	**77**	**2**	**3**	**6**	**12**	**19**	**23**	**41**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	11	4.1	6	1	1	3	6	8	8	8
65+	23	14.1	99	3	4	11	21	28	32	39
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	3.9	9	1	2	3	5	7	11	14
35-49	66	5.2	24	1	2	4	6	10	14	30
50-64	256	6.4	64	1	2	4	7	12	22	45
65+	515	6.4	51	<1	1	4	7	12	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	6.3	8	3	3	6	8	9	9	9
50-64	24	9.7	129	1	2	4	12	30	35	39
65+	67	10.1	94	1	2	9	15	21	35	99+
B. *Operated*										
0-19 YRS										
20-34	6	14.2	722	2	2	3	4	62	69	69
35-49	30	7.6	54	2	2	5	9	17	26	33
50-64	245	10.2	127	2	2	6	11	29	37	53
65+	747	11.4	136	2	2	8	14	27	36	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	10.5	88	1	1	7	14	26	29	39
B. *Operated*	856	6.2	52	1	2	4	7	12	22	39
2. MULTIPLE DX										
A. *Not Operated*	96	9.8	97	1	2	6	14	26	34	99+
B. *Operated*	1028	11.0	135	2	2	7	13	27	36	77
1. SINGLE DX	892	6.4	54	1	2	4	7	13	22	39
2. MULTIPLE DX	1124	10.9	132	2	2	7	13	27	36	85
A. NOT OPERATED	132	10.0	94	1	2	7	14	26	34	99+
B. OPERATED	1884	8.9	103	1	2	5	10	22	32	57
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	25	6.5	176	1	2	3	5	7	28	69
35-49	101	5.9	33	1	2	4	6	12	15	33
50-64	536	8.2	98	1	2	5	9	21	32	53
65+	1352	9.5	107	1	2	6	11	23	32	62
GRAND TOTAL	**2016**	**8.9**	**102**	**1**	**2**	**5**	**10**	**22**	**32**	**58**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.2	10	1	1	5	7	8	12	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	8.8	86	1	1	6	15	22	22	22
65+	12	7.8	74	1	1	5	10	20	29	31
B. *Operated*										
0-19 YRS	2	15.0		15	15	15	15	15	15	15
20-34	2	17.0	72	11	11	17	23	23	23	23
35-49	12	14.8	48	3	6	14	18	24	27	28
50-64	32	14.5	106	1	3	14	17	22	36	55
65+	30	15.2	47	2	6	15	19	22	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34										
35-49	12	16.2	593	3	3	9	15	39	84	92
50-64	31	10.3	122	2	3	7	12	27	51	99+
65+	44	13.6	163	2	3	10	15	37	46	54
B. *Operated*										
0-19 YRS	4	30.3	1020	11	11	16	47	78	78	78
20-34	7	19.7	152	12	12	15	19	42	47	47
35-49	20	18.6	71	2	7	18	25	29	30	31
50-64	80	21.3	167	3	6	20	26	43	47	58
65+	106	21.5	193	4	5	18	28	42	52	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	6.6	42	1	1	5	8	14	21	31
B. *Operated*	78	14.9	68	2	3	15	18	23	30	50
2. MULTIPLE DX										
A. *Not Operated*	91	12.4	199	2	3	8	14	31	51	97
B. *Operated*	217	21.3	182	4	6	18	27	42	49	62
1. SINGLE DX	110	12.5	75	1	2	13	17	22	28	44
2. MULTIPLE DX	308	18.6	203	2	4	15	24	38	49	69
A. NOT OPERATED	123	10.9	164	1	2	7	13	22	39	94
B. OPERATED	295	19.6	160	3	5	17	24	36	47	61
TOTAL 0-19 YRS	25	9.7	226	1	2	6	12	15	32	78
20-34	10	17.5	137	3	7	14	20	35	47	47
35-49	44	16.9	198	3	4	15	23	28	30	92
50-64	147	17.1	162	2	3	15	23	38	46	61
65+	192	17.9	174	2	4	15	23	36	48	60
GRAND TOTAL	**418**	**17.0**	**176**	**2**	**3**	**15**	**22**	**34**	**46**	**62**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	17.0		17	17	17	17	17	17	17
B. *Operated*										
0-19 YRS	4	9.8	101	1	1	7	17	23	23	23
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	6.2	14	2	2	5	9	12	12	12
65+	3	5.0	4	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34										
35-49										
50-64	4	4.3	3	2	2	4	5	6	6	6
65+	5	9.8	77	2	2	7	15	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	6.3	25	2	2	5	10	13	13	13
50-64	6	6.3	13	3	3	5	8	12	13	13
65+	4	13.3	56	7	7	12	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	7.0	36	2	2	4	10	17	17	17
B. *Operated*	14	6.8	34	1	2	5	9	13	21	23
2. MULTIPLE DX										
A. *Not Operated*	12	6.3	40	1	2	4	6	16	23	24
B. *Operated*	14	8.3	35	2	3	7	13	17	21	22
1. SINGLE DX	19	6.8	32	1	2	5	9	15	20	23
2. MULTIPLE DX	26	7.3	36	2	2	5	8	17	22	24
A. NOT OPERATED	17	6.5	36	1	2	4	7	16	22	24
B. OPERATED	28	7.5	33	2	2	6	10	16	22	23
TOTAL 0-19 YRS	10	5.8	46	1	1	3	5	17	23	23
20-34										
35-49	5	5.8	20	2	2	4	8	13	13	13
50-64	17	5.9	10	2	2	5	8	11	13	13
65+	13	10.3	54	2	3	7	17	22	24	24
GRAND TOTAL	**45**	**7.1**	**34**	**2**	**2**	**5**	**8**	**17**	**22**	**24**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.0	13	2	2	3	8	11	11	11
20-34	10	7.3	25	2	2	7	13	50	96	99+
35-49	25	11.2	121	1	2	7	18	28	58	99+
50-64	35	9.2	136	2	2	4	11	31	48	99+
65+	6	21.2	151	8	9	18	23	42	44	44
B. *Operated*										
0-19 YRS	15	23.8	459	2	4	16	31	39	76	89
20-34	16	21.0	173	6	7	18	28	38	50	55
35-49	16	17.4	70	6	6	19	23	30	31	31
50-64	14	20.0	206	7	11	15	24	36	58	64
65+	10	26.4	159	1	8	29	36	41	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	14.0	311	1	1	7	16	41	56	64
20-34	7	15.0	237	2	2	10	28	38	40	40
35-49	16	6.9	35	<1	1	5	10	17	19	20
50-64	38	14.1	398	2	2	7	15	52	79	99+
65+	13	15.5	151	2	4	13	18	34	44	46
B. *Operated*										
0-19 YRS	20	26.4	319	7	8	21	35	68	87	99+
20-34	9	39.4	745	7	12	45	79	99+	99+	99+
35-49	20	31.5	559	7	9	22	49	79	89	99+
50-64	23	35.7	409	11	15	32	45	61	83	95
65+	16	46.7	552	15	16	46	67	75	80	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.9	115	2	2	6	15	27	48	99+
B. *Operated*	71	21.3	211	6	7	18	29	37	45	84
2. MULTIPLE DX										
A. *Not Operated*	92	13.1	270	1	2	7	15	40	53	94
B. *Operated*	88	35.0	506	8	12	30	54	78	94	99+
1. SINGLE DX	157	15.1	190	2	2	12	23	34	46	99+
2. MULTIPLE DX	180	23.8	504	2	3	17	37	68	80	99+
A. NOT OPERATED	178	11.6	196	2	2	7	15	32	50	99+
B. OPERATED	159	28.9	419	6	9	23	39	68	80	99+
TOTAL 0-19 YRS	63	18.8	351	1	2	13	29	41	68	98
20-34	42	20.7	375	2	3	16	31	72	99+	99+
35-49	77	16.9	287	1	2	14	22	42	74	99+
50-64	110	17.8	381	2	2	12	25	49	69	99+
65+	45	29.8	456	3	7	25	42	67	74	82
GRAND TOTAL	**337**	**19.7**	**376**	**2**	**2**	**15**	**29**	**52**	**75**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	35.5	841	15	15	35	56	56	56	56
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	5	20.6	78	8	8	24	28	28	28	28
20-34	3	7.3	46	2	2	5	12	15	15	15
35-49	3	24.0	25	19	19	26	64	99+	99+	99+
50-64	1	19.0		19	19	19	19	19	19	19
65+	3	37.7	234	26	26	32	49	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.7	25	1	1	5	9	11	11	11
B. *Operated*	5	16.6	512	1	1	7	25	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	4	8.8	106	2	2	4	15	24	24	24
B. *Operated*	15	21.9	167	3	5	24	29	53	86	99+
1. SINGLE DX	8	12.5	332	1	1	6	13	44	56	56
2. MULTIPLE DX	19	19.2	178	2	3	21	28	43	77	99+
A. NOT OPERATED	7	7.4	64	1	1	5	10	21	24	24
B. OPERATED	20	20.6	236	2	3	19	28	55	76	99+
TOTAL 0-19 YRS	10	18.8	265	1	1	15	28	42	56	56
20-34	4	7.3	31	2	2	6	11	15	15	15
35-49	6	13.7	140	1	2	19	28	86	99+	99+
50-64	2	21.5	13	19	19	21	24	24	24	24
65+	5	24.4	448	3	3	26	38	55	55	55
GRAND TOTAL	**27**	**17.2**	**222**	**1**	**2**	**15**	**27**	**48**	**60**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.1	7	3	3	6	8	10	11	11
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	7	5.3	8	2	2	4	7	9	10	10
50-64	8	10.0	146	3	3	6	10	31	39	39
65+	6	7.0	10	3	3	7	8	12	12	12
B. *Operated*										
0-19 YRS	4	7.5	9	6	6	6	9	12	12	12
20-34	28	4.9	3	2	3	5	6	7	9	10
35-49	25	8.4	43	3	4	6	9	20	24	29
50-64	17	5.6	3	3	4	5	6	8	9	10
65+	14	13.1	119	5	5	10	14	24	41	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.4	18	1	2	4	6	11	17	17
20-34	19	11.4	114	2	3	8	12	32	39	39
35-49	14	14.6	149	4	5	8	22	35	40	41
50-64	16	11.6	140	4	5	8	9	30	44	49
65+	11	8.7	35	1	2	8	15	17	18	18
B. *Operated*										
0-19 YRS	6	16.5	595	2	2	6	17	60	65	65
20-34	19	11.1	92	4	4	7	11	30	33	35
35-49	31	10.8	97	3	4	7	12	27	35	41
50-64	33	11.5	174	5	5	8	10	20	34	76
65+	24	15.4	273	4	5	9	20	28	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	7.0	44	3	3	6	8	11	12	39
B. *Operated*	88	7.5	40	3	4	6	8	13	20	40
2. MULTIPLE DX										
A. *Not Operated*	71	10.7	103	2	3	7	11	25	38	47
B. *Operated*	113	12.3	177	4	4	8	13	28	36	90
1. SINGLE DX	118	7.3	41	3	3	6	8	12	20	41
2. MULTIPLE DX	184	11.7	148	3	4	7	12	28	36	81
A. NOT OPERATED	101	9.6	88	2	3	7	10	19	36	45
B. OPERATED	201	10.2	122	3	4	6	11	22	32	80
TOTAL 0-19 YRS	28	8.3	139	2	2	5	7	15	22	65
20-34	68	8.4	67	3	3	6	9	17	31	39
35-49	77	10.2	85	3	4	7	11	23	34	41
50-64	74	10.0	126	4	4	7	9	16	35	69
65+	55	12.6	162	3	4	9	16	26	41	99
GRAND TOTAL	**302**	**10.0**	**111**	**3**	**4**	**7**	**10**	**22**	**33**	**70**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	61	3	3	4	14	17	17	17
20-34	9	9.2	164	1	1	3	17	30	38	38
35-49	9	6.8	27	1	1	5	10	15	15	15
50-64	49	11.6	198	2	2	7	13	23	46	73
65+	69	10.5	88	2	2	9	13	20	32	48
B. *Operated*										
0-19 YRS	5	10.0	44	1	1	14	15	16	16	16
20-34	13	7.2	59	2	2	4	8	21	24	25
35-49	21	11.2	104	1	2	7	15	29	34	37
50-64	35	8.4	46	1	1	5	13	18	21	27
65+	86	11.6	182	2	2	7	16	27	38	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	19	<1	<1	5	6	9	16	18
20-34	50	7.6	96	1	1	4	7	24	32	47
35-49	116	11.1	142	1	2	6	16	28	38	81
50-64	342	12.9	175	1	2	9	17	30	42	80
65+	537	15.3	216	2	3	11	20	36	55	99+
B. *Operated*										
0-19 YRS	6	8.8	25	4	4	7	14	16	16	16
20-34	70	13.9	122	1	2	11	23	31	37	88
35-49	135	15.2	217	2	3	10	21	35	44	75
50-64	412	16.8	203	2	3	13	23	36	46	76
65+	520	17.1	230	2	3	13	23	38	52	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	10.5	126	1	2	7	13	20	32	62
B. *Operated*	160	10.4	129	1	2	6	15	25	29	48
2. MULTIPLE DX										
A. *Not Operated*	1059	13.6	191	2	2	9	18	32	48	99+
B. *Operated*	1143	16.5	212	2	3	12	23	36	48	74
1. SINGLE DX	299	10.5	127	1	2	7	14	23	31	55
2. MULTIPLE DX	2202	15.1	204	2	2	11	21	35	48	94
A. NOT OPERATED	1198	13.2	184	2	2	9	18	31	47	99+
B. OPERATED	1303	15.8	205	2	2	12	22	35	45	74
TOTAL 0-19 YRS	28	7.1	29	<1	1	5	11	16	17	18
20-34	142	10.7	117	1	1	6	17	27	35	51
35-49	281	12.9	176	1	2	8	17	30	40	73
50-64	838	14.5	190	1	2	10	20	33	44	74
65+	1212	15.5	215	2	3	11	21	36	51	99+
GRAND TOTAL	**2501**	**14.5**	**197**	**2**	**2**	**11**	**20**	**33**	**46**	**89**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	1	1	1	2	2	3	4	4
20-34	32	6.0	83	1	1	3	5	15	32	41
35-49	17	3.2	8	1	1	2	3	9	10	10
50-64	4	11.0	38	3	3	11	15	18	18	18
65+	7	7.0	24	2	2	6	12	12	12	12
B. *Operated*										
0-19 YRS	21	16.0	267	2	2	9	23	43	52	59
20-34	50	12.6	123	2	2	9	23	30	34	38
35-49	36	12.4	192	1	2	7	16	33	41	63
50-64	4	16.3	132	3	3	16	25	30	30	30
65+	5	20.2	159	2	2	24	27	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	7.5	68	1	1	5	14	15	26	30
35-49	23	6.4	14	1	1	8	9	11	12	13
50-64	6	5.0	15	<1	<1	4	8	11	11	11
65+	9	21.6	1048	2	2	7	25	79	95	95
B. *Operated*										
0-19 YRS	5	10.6	50	4	4	9	14	22	22	22
20-34	24	18.1	221	4	6	16	20	30	52	74
35-49	17	19.6	179	1	3	17	25	39	46	50
50-64	10	11.1	54	1	1	10	14	21	27	27
65+	10	22.0	116	8	9	20	30	38	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	5.2	48	1	1	2	5	12	18	39
B. *Operated*	116	13.6	170	2	2	9	22	33	38	60
2. MULTIPLE DX										
A. *Not Operated*	54	9.1	216	1	1	6	9	14	27	93
B. *Operated*	66	17.5	163	2	5	15	22	36	41	70
1. SINGLE DX	185	10.5	141	1	2	5	14	28	36	55
2. MULTIPLE DX	120	13.7	203	1	2	10	17	29	39	80
A. NOT OPERATED	123	6.9	124	1	1	3	8	13	18	66
B. OPERATED	182	15.0	170	2	2	11	22	33	39	62
TOTAL 0-19 YRS	36	11.4	195	1	2	7	11	31	45	59
20-34	121	11.3	141	1	1	7	16	28	34	52
35-49	93	10.6	140	1	1	8	14	25	38	57
50-64	24	10.4	60	1	2	10	14	21	28	30
65+	31	18.2	378	2	2	12	24	38	55	95
GRAND TOTAL	**305**	**11.7**	**167**	**1**	**2**	**8**	**16**	**29**	**37**	**61**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	6.7	161	1	1	3	4	19	29	71
20-34	5	3.8	21	1	1	2	5	12	12	12
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	14	3.9	17	<1	1	2	5	11	13	13
65+	48	5.4	40	1	1	2	8	15	17	26
B. *Operated*										
0-19 YRS	19	16.1	158	1	2	12	24	34	40	42
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49										
50-64	6	14.8	113	3	3	12	20	32	33	33
65+	5	15.2	246	5	5	9	19	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	10.2	202	1	1	4	10	29	53	56
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	6	6.5	38	1	1	4	13	15	15	15
50-64	28	5.0	22	1	1	3	7	11	16	20
65+	82	10.6	114	1	2	7	13	26	48	99+
B. *Operated*										
0-19 YRS	21	20.0	395	2	4	14	23	47	69	84
20-34	5	27.2	265	5	5	25	38	49	49	49
35-49	3	44.7	1209	18	18	32	71	84	84	84
50-64	14	19.2	226	4	6	13	25	45	50	52
65+	36	17.7	251	4	5	14	21	44	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	5.5	79	1	1	2	6	15	20	49
B. *Operated*	32	15.3	147	2	2	11	24	34	42	43
2. MULTIPLE DX										
A. *Not Operated*	149	9.3	114	1	1	6	11	25	42	99+
B. *Operated*	79	20.2	325	3	5	15	25	47	69	95
1. SINGLE DX	140	7.8	110	1	1	3	11	23	27	46
2. MULTIPLE DX	228	13.1	213	1	2	8	18	33	54	99+
A. NOT OPERATED	257	7.7	102	1	1	4	9	21	28	97
B. OPERATED	111	18.8	277	2	4	14	24	42	56	90
TOTAL 0-19 YRS	110	11.9	237	1	1	5	18	29	42	76
20-34	14	13.8	207	1	2	10	22	36	46	49
35-49	11	16.1	601	1	1	6	17	53	81	84
50-64	62	8.9	112	1	1	5	11	21	34	51
65+	171	10.8	142	1	1	7	15	26	45	99+
GRAND TOTAL	**368**	**11.0**	**180**	**1**	**1**	**6**	**15**	**27**	**43**	**96**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.9	65	1	1	3	5	17	29	30
20-34	5	6.6	19	3	3	5	9	14	14	14
35-49	11	7.6	83	1	2	4	8	20	33	34
50-64	19	11.9	202	2	2	6	14	28	47	61
65+	38	8.9	108	1	2	5	13	19	23	58
B. *Operated*										
0-19 YRS	4	10.5	290	1	1	2	19	36	36	36
20-34	10	12.8	374	1	1	5	11	45	63	63
35-49	20	14.5	409	1	2	5	14	45	62	75
50-64	15	7.4	129	<1	2	5	6	7	38	48
65+	15	21.1	476	3	5	12	24	48	73	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	53	1	1	2	5	13	25	28
20-34	7	13.0	74	1	1	16	17	23	25	25
35-49	24	8.5	75	<1	1	7	12	17	25	39
50-64	19	12.3	124	1	2	10	17	33	36	37
65+	76	7.5	45	1	2	5	9	15	22	36
B. *Operated*										
0-19 YRS	4	39.5	374	15	15	42	54	59	59	59
20-34	13	27.3	533	2	4	30	41	62	71	73
35-49	14	39.0	353	13	24	34	57	77	94	99+
50-64	29	26.5	458	3	5	23	35	61	72	83
65+	55	17.6	211	4	5	13	26	36	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	8.6	110	1	2	5	9	20	30	60
B. *Operated*	64	13.9	348	1	2	6	14	45	54	81
2. MULTIPLE DX										
A. *Not Operated*	140	8.3	66	1	1	5	11	18	27	37
B. *Operated*	115	24.3	377	4	5	20	34	54	70	89
1. SINGLE DX	157	10.7	213	1	2	5	12	28	47	74
2. MULTIPLE DX	255	15.5	269	1	2	9	23	37	52	77
A. NOT OPERATED	233	8.4	83	1	1	5	10	18	28	42
B. OPERATED	179	20.6	390	2	3	12	31	50	67	83
TOTAL 0-19 YRS	42	9.2	197	1	1	3	7	31	42	59
20-34	35	17.3	367	1	2	9	27	50	62	73
35-49	69	16.3	360	1	1	8	27	46	68	95
50-64	82	16.3	314	2	3	9	24	39	57	79
65+	184	11.9	166	2	2	7	14	29	36	69
GRAND TOTAL	**412**	**13.7**	**252**	**1**	**2**	**7**	**17**	**35**	**50**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	1	1	2	5	6	6	6
20-34	30	4.4	19	1	1	3	5	11	14	20
35-49	44	3.9	11	1	2	3	5	8	11	16
50-64	135	4.1	10	1	1	3	5	9	11	15
65+	120	7.3	57	1	2	4	9	21	24	32
B. *Operated*										
0-19 YRS	4	7.5	34	2	2	6	12	15	15	15
20-34	25	7.4	32	1	2	5	13	16	17	18
35-49	29	11.6	66	2	3	9	19	23	26	27
50-64	89	13.1	166	1	2	10	18	26	40	65
65+	91	13.9	128	2	3	11	18	29	37	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	124	1	1	6	23	25	25	25
20-34	27	4.9	33	<1	1	2	6	16	19	21
35-49	24	5.0	52	1	1	3	6	9	18	36
50-64	113	8.8	111	1	2	5	12	22	31	87
65+	227	11.8	196	1	2	7	14	31	45	81
B. *Operated*										
0-19 YRS	4	9.0	123	<1	<1	5	16	25	25	25
20-34	24	21.4	156	6	9	18	30	39	47	53
35-49	35	22.7	327	4	6	19	30	51	57	82
50-64	119	18.6	221	3	4	15	24	36	47	74
65+	183	23.0	291	4	7	19	31	52	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	5.2	30	1	1	3	6	11	17	29
B. *Operated*	238	12.5	126	2	2	10	17	27	32	58
2. MULTIPLE DX										
A. *Not Operated*	397	10.1	155	1	2	6	12	25	36	79
B. *Operated*	365	21.3	264	3	5	18	28	46	57	95
1. SINGLE DX	577	8.2	82	1	2	5	11	20	27	48
2. MULTIPLE DX	762	15.4	239	1	2	11	22	37	50	85
A. NOT OPERATED	736	7.8	103	1	1	4	9	19	28	63
B. OPERATED	603	17.8	228	2	3	14	24	39	53	79
TOTAL 0-19 YRS	24	6.5	59	<1	1	3	8	23	25	25
20-34	106	9.1	101	1	1	5	14	21	31	48
35-49	132	10.8	171	1	2	6	14	27	35	62
50-64	456	10.8	151	1	2	7	15	25	34	65
65+	621	14.6	221	2	2	10	20	35	47	81
GRAND TOTAL	**1339**	**12.3**	**184**	**1**	**2**	**8**	**17**	**30**	**42**	**70**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	25	2.9	4	<1	1	3	4	6	6	7
20-34	52	4.3	19	1	2	3	5	7	8	31
35-49	52	4.9	6	2	2	5	6	9	9	15
50-64	49	5.3	21	2	2	4	6	8	14	27
65+	43	4.9	8	1	2	4	6	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	3	5.0	48	<1	<1	<1	10	13	13	13
20-34	9	3.3	6	<1	1	2	4	7	9	9
35-49	18	5.3	8	1	2	5	7	10	11	11
50-64	31	6.2	20	2	2	5	7	15	17	19
65+	28	7.0	19	3	3	6	8	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	16	<1	<1	5	8	10	10	10
B. *Operated*	221	4.6	13	1	2	4	6	8	9	23
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*	89	5.9	17	1	2	5	7	11	15	21
1. SINGLE DX	225	4.6	13	1	2	4	6	8	10	22
2. MULTIPLE DX	93	5.8	17	1	2	5	7	11	15	21
A. NOT OPERATED	8	3.8	10	<1	<1	3	5	9	10	10
B. OPERATED	310	5.0	14	1	2	4	6	9	12	22
TOTAL 0-19 YRS	31	3.2	7	<1	<1	3	5	6	7	13
20-34	61	4.2	17	1	2	3	5	7	8	29
35-49	72	4.9	7	1	2	5	6	9	9	14
50-64	82	5.5	21	1	2	4	7	9	16	25
65+	72	5.8	14	2	2	5	7	10	12	21
GRAND TOTAL	**318**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	11	4.5	17	1	1	3	5	12	14	14
50-64	14	3.3	9	<1	<1	2	6	8	9	9
65+	25	3.4	9	<1	<1	2	5	7	9	13
B. *Operated*										
0-19 YRS	8	5.3	30	1	1	2	9	14	15	15
20-34	16	7.4	51	<1	1	5	12	17	23	26
35-49	35	7.7	36	2	2	7	10	17	22	24
50-64	71	6.2	28	1	1	5	10	13	14	26
65+	87	7.9	44	1	2	6	12	17	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	4	5.3	14	1	1	5	8	10	10	10
50-64	12	6.9	57	1	1	4	8	17	26	28
65+	23	8.3	39	1	2	7	9	17	24	26
B. *Operated*										
0-19 YRS	9	11.8	28	2	4	14	15	18	19	19
20-34	18	9.5	45	2	3	7	16	19	23	25
35-49	35	12.3	167	2	2	9	13	22	48	62
50-64	102	12.7	108	2	3	10	15	25	36	54
65+	175	13.6	111	2	2	11	18	28	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.5	10	<1	<1	2	5	8	10	14
B. *Operated*	217	7.2	37	1	1	5	10	15	21	27
2. MULTIPLE DX										
A. *Not Operated*	44	7.2	38	1	2	6	9	14	24	28
B. *Operated*	339	12.9	110	2	2	11	16	26	33	54
1. SINGLE DX	270	6.4	34	<1	1	4	9	14	18	27
2. MULTIPLE DX	383	12.3	105	2	2	9	16	25	32	52
A. NOT OPERATED	97	5.2	26	<1	<1	3	7	10	14	27
B. OPERATED	556	10.7	90	1	2	9	14	23	29	44
TOTAL 0-19 YRS	19	8.1	38	1	1	7	14	16	18	19
20-34	40	7.7	45	1	2	5	11	17	22	26
35-49	85	9.0	93	1	2	7	11	17	23	59
50-64	199	9.4	81	1	1	7	13	20	27	46
65+	310	10.8	90	1	2	8	15	24	29	42
GRAND TOTAL	**653**	**9.9**	**84**	**1**	**2**	**7**	**14**	**22**	**28**	**43**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	3	6.7	22	3	3	5	10	12	12	12
65+	4	5.5	20	2	2	4	8	12	12	12
B. *Operated*										
0-19 YRS	24	3.5	11	1	2	2	3	7	12	16
20-34	20	3.0	8	<1	<1	2	4	7	10	12
35-49	25	3.8	13	1	1	2	4	10	12	15
50-64	23	7.7	63	1	2	3	11	17	28	30
65+	20	9.1	119	<1	1	3	17	22	32	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	7.3	44	3	3	4	12	15	15	15
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	12	9.0	54	<1	1	8	15	19	23	24
50-64	17	12.8	386	<1	1	7	17	28	64	82
65+	11	7.9	44	1	2	5	9	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.3	16	2	2	5	10	12	12	12
B. *Operated*	112	5.3	45	<1	1	3	5	14	20	35
2. MULTIPLE DX										
A. *Not Operated*	3	7.3	44	3	3	4	12	15	15	15
B. *Operated*	46	9.3	171	1	1	5	12	19	25	82
1. SINGLE DX	120	5.4	43	<1	1	3	6	13	19	34
2. MULTIPLE DX	49	9.2	162	1	1	5	12	19	24	82
A. NOT OPERATED	11	6.5	20	2	2	4	11	13	15	15
B. OPERATED	158	6.5	84	<1	1	3	9	17	22	41
TOTAL 0-19 YRS	27	3.4	10	1	2	2	3	6	11	16
20-34	24	3.3	8	<1	<1	2	4	8	10	12
35-49	37	5.5	31	<1	1	3	9	15	17	24
50-64	43	9.6	188	1	1	5	12	21	30	82
65+	38	8.2	78	1	2	4	12	21	23	42
GRAND TOTAL	**169**	**6.5**	**80**	**1**	**1**	**3**	**9**	**16**	**22**	**40**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	46	1	1	4	6	18	21	21
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	5	5.6	41	2	2	3	7	17	17	17
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	239	3.7	12	1	1	3	4	6	9	19
20-34	210	3.4	9	<1	<1	3	4	7	9	15
35-49	222	3.2	9	<1	<1	2	4	7	10	16
50-64	189	3.2	10	<1	<1	2	4	6	9	14
65+	98	3.8	11	<1	1	3	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	7	6.9	19	2	2	6	11	13	13	13
65+	2	10.5	113	3	3	10	18	18	18	18
B. *Operated*										
0-19 YRS	39	5.7	23	1	2	4	8	13	17	20
20-34	62	5.1	41	1	1	4	5	10	15	41
35-49	88	4.4	24	<1	<1	3	5	9	16	24
50-64	109	6.3	111	<1	1	3	7	12	18	67
65+	70	7.1	56	1	2	5	9	15	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.9	37	1	1	3	7	17	19	21
B. *Operated*	958	3.4	10	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	16	5.7	26	<1	1	4	8	13	16	18
B. *Operated*	368	5.7	59	<1	1	3	7	13	18	41
1. SINGLE DX	977	3.5	11	<1	<1	3	4	7	10	17
2. MULTIPLE DX	384	5.7	57	<1	1	3	7	13	18	40
A. NOT OPERATED	35	5.8	31	1	1	3	8	17	18	21
B. OPERATED	1326	4.1	25	<1	<1	3	4	8	12	22
TOTAL 0-19 YRS	287	4.1	15	1	1	3	5	7	11	20
20-34	277	3.9	17	<1	<1	3	4	8	11	20
35-49	315	3.5	13	<1	<1	2	4	8	11	20
50-64	310	4.4	48	<1	1	3	4	9	13	32
65+	172	5.2	33	<1	1	3	6	13	16	33
GRAND TOTAL	**1361**	**4.1**	**25**	**<1**	**<1**	**3**	**5**	**9**	**12**	**22**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	15	1	1	3	6	12	13	13
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	7.0	19	4	4	5	10	12	12	12
B. *Operated*										
0-19 YRS	232	3.3	22	<1	<1	2	4	6	12	28
20-34	94	3.6	17	<1	<1	2	4	8	12	24
35-49	51	3.3	8	<1	<1	2	5	9	9	10
50-64	48	4.9	66	<1	<1	3	5	10	15	54
65+	33	4.0	25	<1	<1	2	4	9	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.8	151	<1	<1	4	12	26	70	99+
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	4	26.3	738	<1	<1	21	47	62	62	62
50-64										
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	37	5.5	60	<1	<1	2	6	17	20	40
20-34	36	4.9	47	<1	<1	3	6	9	14	40
35-49	23	8.3	246	<1	<1	3	10	14	37	77
50-64	31	4.2	22	<1	<1	3	6	8	9	26
65+	38	7.8	68	<1	<1	5	9	16	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.4	16	1	1	5	7	12	13	13
B. *Operated*	458	3.6	24	<1	<1	2	4	8	12	28
2. MULTIPLE DX										
A. *Not Operated*	31	10.1	231	<1	<1	4	12	39	61	99+
B. *Operated*	165	6.0	78	<1	<1	3	7	13	18	45
1. SINGLE DX	477	3.7	24	<1	<1	2	4	8	12	27
2. MULTIPLE DX	196	6.7	103	<1	<1	3	8	15	23	70
A. NOT OPERATED	50	8.3	153	<1	1	4	11	21	56	99+
B. OPERATED	623	4.2	40	<1	<1	2	5	9	13	33
TOTAL 0-19 YRS	306	4.1	38	<1	<1	2	4	9	14	41
20-34	132	3.9	25	<1	<1	2	4	8	12	32
35-49	79	6.0	130	<1	<1	2	6	11	15	73
50-64	80	4.7	49	<1	<1	3	5	9	13	46
65+	76	5.9	49	<1	<1	4	8	15	18	40
GRAND TOTAL	**673**	**4.5**	**49**	**<1**	**<1**	**2**	**5**	**10**	**15**	**42**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	19.0		19	19	19	19	19	19	19
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	61	2.1	2	<1	<1	2	2	4	5	7
20-34	181	1.8	1	<1	<1	2	2	3	3	7
35-49	102	2.2	2	<1	<1	2	3	3	4	8
50-64	22	2.6	3	<1	<1	2	3	5	6	7
65+	18	3.9	4	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	53	2.1	1	<1	<1	2	3	3	5	6
35-49	78	2.6	4	<1	<1	2	3	5	6	12
50-64	32	3.3	4	<1	1	3	4	7	8	9
65+	18	4.1	13	<1	1	3	5	7	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	7.7	96	2	2	2	15	19	19	19
B. *Operated*	384	2.1	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	12	1	1	1	6	7	7	7
B. *Operated*	189	2.7	4	<1	<1	2	3	5	6	12
1. SINGLE DX	387	2.1	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX	192	2.7	4	<1	<1	2	3	5	6	12
A. NOT OPERATED	6	5.3	50	1	1	2	7	18	19	19
B. OPERATED	573	2.3	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	69	2.1	2	<1	<1	2	2	4	5	7
20-34	237	1.8	1	<1	<1	2	2	3	4	6
35-49	181	2.5	4	<1	<1	2	3	4	5	13
50-64	55	3.0	3	<1	<1	3	4	6	8	9
65+	37	4.1	9	1	2	3	5	7	8	17
GRAND TOTAL	**579**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	8	2.9	2	<1	<1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	111	6.1	6	1	2	7	8	9	9	11
35-49	408	6.8	7	1	2	7	8	9	10	15
50-64	76	6.6	14	<1	1	7	8	10	10	21
65+	9	9.7	41	2	2	9	11	20	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	3.3	13	<1	<1	2	3	9	12	12
35-49	24	3.4	10	<1	1	2	3	9	11	14
50-64	3	9.3	36	3	3	10	14	15	15	15
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	287	7.5	11	1	4	7	9	10	12	21
35-49	1717	8.0	10	2	6	8	9	11	13	18
50-64	414	8.6	25	2	5	8	10	13	15	28
65+	41	11.2	66	3	6	9	13	18	22	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.6	2	<1	<1	2	4	4	4	4
B. *Operated*	606	6.7	8	1	2	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	37	4.0	15	<1	<1	3	4	10	13	15
B. *Operated*	2461	8.1	14	2	5	8	9	11	14	21
1. SINGLE DX	616	6.6	8	1	2	7	8	9	10	15
2. MULTIPLE DX	2498	8.0	14	2	5	8	9	11	14	20
A. NOT OPERATED	47	3.7	12	<1	<1	3	4	10	12	15
B. OPERATED	3067	7.8	13	2	5	8	9	11	13	20
TOTAL 0-19 YRS	5	7.0	8	3	3	9	9	9	9	9
20-34	408	7.0	11	1	2	7	8	10	12	17
35-49	2157	7.7	10	2	5	7	9	11	13	18
50-64	493	8.3	23	1	2	8	9	12	15	26
65+	51	10.9	60	2	5	9	12	18	24	53
GRAND TOTAL	**3114**	**7.8**	**13**	**2**	**4**	**8**	**9**	**11**	**13**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	6.3	13	<1	1	7	8	10	13	13
50-64	6	3.5	12	1	1	2	5	9	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	13	6.2	10	2	2	6	8	11	11	11
35-49	45	7.8	9	2	4	7	10	12	13	14
50-64	9	7.0	8	2	2	7	9	10	10	10
65+	6	9.2	79	2	2	6	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	19	5.2	14	<1	1	7	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	73	7.5	14	2	2	7	9	11	14	21
1. SINGLE DX	20	5.2	13	<1	1	6	8	9	11	13
2. MULTIPLE DX	73	7.5	14	2	2	7	9	11	14	21
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	92	7.0	15	1	2	7	9	11	13	20
TOTAL 0-19 YRS										
20-34	15	5.9	10	2	2	6	8	11	11	11
35-49	57	7.5	10	1	2	7	9	12	13	14
50-64	15	5.6	12	1	1	7	9	10	10	10
65+	6	9.2	79	2	2	6	18	22	22	22
GRAND TOTAL	**93**	**7.0**	**15**	**1**	**2**	**7**	**9**	**11**	**13**	**20**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	6.4	6	3	4	6	7	11	12	12
20-34	169	6.0	3	4	4	6	7	8	9	13
35-49	49	7.0	4	4	5	7	8	9	10	14
50-64	27	8.7	10	4	5	8	11	13	14	17
65+	20	10.2	8	6	6	10	13	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	20	7.4	6	4	5	7	8	9	13	16
20-34	135	6.7	6	4	5	6	8	9	11	16
35-49	117	7.9	8	4	5	7	9	11	12	19
50-64	61	9.3	10	6	6	9	11	14	15	20
65+	48	13.4	55	7	7	11	16	23	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	302	6.7	6	4	4	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	381	8.4	18	4	5	7	9	12	16	26
1. SINGLE DX	303	6.7	6	4	4	6	8	10	12	14
2. MULTIPLE DX	381	8.4	18	4	5	7	9	12	16	26
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	683	7.6	13	4	5	7	9	11	14	22
TOTAL 0-19 YRS	57	6.7	6	4	4	6	8	10	12	16
20-34	305	6.3	5	4	4	6	7	8	10	14
35-49	166	7.6	7	4	5	7	9	10	12	19
50-64	88	9.2	10	5	6	9	11	14	15	19
65+	68	12.4	43	6	7	11	14	22	26	40
GRAND TOTAL	**684**	**7.6**	**13**	**4**	**5**	**7**	**9**	**11**	**14**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	8	3.0	5	<1	<1	2	5	6	7	7
35-49	9	5.3	13	<1	<1	6	9	10	10	10
50-64	4	2.3		2	2	2	3	3	3	3
65+	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	9	5.9	32	1	1	5	7	16	18	18
35-49	7	5.6	24	1	1	4	8	14	15	15
50-64	3	9.0	21	5	5	8	12	14	14	14
65+	5	7.0	10	3	3	6	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	4.0	9	<1	<1	3	6	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	24	6.4	22	1	2	5	9	14	16	18
1. SINGLE DX	28	4.0	9	<1	<1	3	6	9	9	10
2. MULTIPLE DX	26	6.1	22	1	2	5	8	14	16	18
A. NOT OPERATED	2	2.0		2	2	2	2	2	2	2
B. OPERATED	52	5.1	16	<1	1	4	7	10	14	18
TOTAL 0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	18	4.4	20	<1	<1	2	5	10	16	18
35-49	16	5.4	17	<1	1	5	8	10	13	15
50-64	7	5.1	20	2	2	3	7	13	14	14
65+	9	5.6	12	2	2	6	9	10	11	11
GRAND TOTAL	**54**	**5.0**	**16**	**<1**	**1**	**4**	**7**	**10**	**14**	**18**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	7	5.7	33	<1	<1	4	6	16	18	18
35-49	7	2.7	4	<1	<1	2	3	6	7	7
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	4	4.5	19	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	1.8		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	9.3	23	3	3	10	13	13	13	13
65+	3	6.0	39	<1	<1	4	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	24	3.8	15	<1	1	3	4	8	13	18
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	13	5.1	24	<1	1	2	9	13	13	13
1. SINGLE DX	25	3.7	14	<1	<1	3	4	7	13	18
2. MULTIPLE DX	13	5.1	24	<1	1	2	9	13	13	13
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	37	4.3	18	<1	1	3	5	12	13	18
TOTAL 0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	12	4.0	23	<1	<1	2	4	10	17	18
35-49	8	2.6	4	<1	<1	2	3	6	7	7
50-64	7	6.4	25	1	1	5	12	13	13	13
65+	7	5.1	23	<1	<1	3	9	13	13	13
GRAND TOTAL	**38**	**4.2**	**17**	**<1**	**<1**	**3**	**5**	**12**	**13**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	5	2.2	7	<1	<1	<1	2	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	9	4.7	15	<1	<1	3	7	10	12	12
65+	9	3.8	14	<1	<1	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	41	<1	<1	5	10	10	10	10
35-49	1	8.0		8	8	8	8	8	8	8
50-64	15	10.0	83	1	2	6	15	25	29	31
65+	20	7.1	88	<1	1	4	6	19	30	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	3.5	11	<1	<1	2	5	8	12	12
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	39	8.0	79	<1	1	5	9	20	28	40
1. SINGLE DX	28	3.5	11	<1	<1	2	5	8	12	12
2. MULTIPLE DX	41	7.8	76	<1	1	5	8	19	28	40
A. NOT OPERATED	2	3.0	8	1	1	3	5	5	5	5
B. OPERATED	67	6.1	55	<1	<1	3	7	16	21	38
TOTAL 0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	7	3.1	14	<1	<1	<1	5	9	10	10
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	24	8.0	63	1	1	5	12	19	27	31
65+	31	5.8	62	<1	1	3	6	15	20	40
GRAND TOTAL	**69**	**6.0**	**54**	**<1**	**<1**	**3**	**7**	**15**	**20**	**38**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.3	1	1	1	2	3	4	5	5
20-34	8	2.5	5	<1	<1	1	4	6	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	5.8	17	2	2	5	9	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	17.0		17	17	17	17	17	17	17
35-49	2	13.0	242	2	2	13	24	24	24	24
50-64	2	16.0	18	13	13	16	19	19	19	19
65+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	2.9	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	8	10.3	82	2	2	8	18	22	24	24
1. SINGLE DX	28	2.9	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX	9	9.2	81	1	1	3	17	22	24	24
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	36	4.5	30	<1	1	2	4	13	18	24
TOTAL 0-19 YRS	14	2.3	1	1	1	2	3	3	5	5
20-34	10	3.8	26	<1	<1	1	5	12	17	17
35-49	4	7.8	118	2	2	3	13	24	24	24
50-64	6	9.2	42	2	2	9	13	18	19	19
65+	3	2.3		2	2	2	3	3	3	3
GRAND TOTAL	**37**	**4.4**	**30**	**<1**	**1**	**2**	**4**	**13**	**18**	**24**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	30th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	8.0	29	1	1	8	11	14	14	14
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	6.5	13	4	4	6	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	15	11.7	56	2	3	10	13	26	28	29
35-49	10	13.2	26	3	5	14	16	19	22	22
50-64	24	17.6	113	3	7	14	25	33	40	42
65+	10	19.6	90	10	10	16	25	35	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	15.3	56	8	8	15	21	23	23	23
50-64	2	12.5	221	2	2	12	23	23	23	23
65+	16	7.7	51	1	2	4	11	19	22	24
B. *Operated*										
0-19 YRS	4	15.8	26	11	11	14	19	23	23	23
20-34	22	28.1	291	9	9	27	37	52	63	68
35-49	14	20.0	174	5	6	15	33	36	47	50
50-64	31	25.2	332	8	10	18	33	47	60	93
65+	31	26.8	338	8	9	25	31	50	74	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	7.6	17	1	2	8	9	13	14	14
B. *Operated*	59	15.7	86	3	7	13	19	30	36	42
2. MULTIPLE DX										
A. *Not Operated*	22	9.0	62	1	2	6	15	23	24	24
B. *Operated*	102	25.2	293	8	9	20	33	48	62	88
1. SINGLE DX	66	14.8	85	3	4	13	17	29	33	42
2. MULTIPLE DX	124	22.3	290	3	5	18	28	44	60	86
A. NOT OPERATED	29	8.6	51	1	2	8	12	21	23	24
B. OPERATED	161	21.7	237	6	8	17	28	41	49	82
TOTAL 0-19 YRS	4	15.8	26	11	11	14	19	23	23	23
20-34	38	21.0	260	3	7	13	29	47	55	68
35-49	31	15.8	108	3	6	14	17	33	35	50
50-64	58	21.3	244	4	8	17	26	41	47	90
65+	59	19.7	275	2	3	16	27	38	53	82
GRAND TOTAL	190	19.7	231	3	5	16	26	38	48	80

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	13	4.5	2	3	3	4	5	7	7	7
20-34	90	4.5	1	3	3	4	5	6	7	9
35-49	112	4.9	3	3	3	5	6	7	7	10
50-64	83	5.0	3	3	3	5	6	7	8	11
65+	21	6.3	3	4	4	6	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	4	10.3	38	2	2	12	15	15	15	15
65+	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	28	4.9	4	3	3	5	5	6	8	14
35-49	40	6.0	13	3	4	5	6	10	13	22
50-64	64	6.3	9	4	4	6	7	9	13	19
65+	42	9.3	89	4	5	7	8	15	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	319	4.9	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	31	2	2	5	12	15	15	15
B. *Operated*	177	6.7	30	4	4	5	7	10	14	34
1. SINGLE DX	320	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX	185	6.7	30	3	4	5	7	11	15	32
A. NOT OPERATED	9	6.7	28	2	2	4	10	15	15	15
B. OPERATED	496	5.6	13	3	3	5	6	8	10	17
TOTAL 0-19 YRS	16	4.8	3	3	3	4	6	7	8	9
20-34	119	4.6	2	3	3	4	5	6	7	11
35-49	152	5.2	5	3	3	5	6	7	8	15
50-64	152	5.7	7	3	4	5	6	8	10	17
65+	66	8.2	60	4	4	6	8	12	16	54
GRAND TOTAL	505	5.6	13	3	3	5	6	8	10	17

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	66	2	2	4	14	17	17	17
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	3.7		3	3	4	4	4	4	4
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	9	11.9	49	5	5	10	15	23	27	27
35-49	4	9.3	36	4	4	8	14	17	17	17
50-64	12	9.3	25	3	4	8	12	16	20	21
65+	7	11.9	71	5	5	9	17	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	4	5	5	5	7	9	9	9
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	11.5	76	4	4	11	19	20	20	20
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	7	17.1	50	8	8	19	23	25	25	25
35-49	26	12.8	95	4	5	10	16	28	35	42
50-64	24	14.2	83	4	5	14	19	23	30	43
65+	18	14.5	119	3	4	9	25	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	27	2	2	4	8	15	17	17
B. *Operated*	33	10.7	39	4	5	10	13	20	26	27
2. MULTIPLE DX										
A. *Not Operated*	12	7.5	32	2	3	5	8	19	20	20
B. *Operated*	77	14.0	89	4	5	11	20	27	33	43
1. SINGLE DX	41	9.8	40	3	4	9	12	19	24	27
2. MULTIPLE DX	89	13.1	86	4	4	10	19	25	33	43
A. NOT OPERATED	20	6.9	29	2	2	5	8	17	19	20
B. OPERATED	110	13.0	76	4	5	10	18	25	29	42
TOTAL 0-19 YRS	10	8.2	23	2	3	7	12	15	17	17
20-34	19	12.6	60	2	4	10	19	25	26	27
35-49	34	11.4	84	4	4	8	16	24	32	42
50-64	41	12.4	65	4	4	11	17	22	24	43
65+	26	13.4	103	4	4	8	20	29	33	34
GRAND TOTAL	**130**	**12.1**	**73**	**4**	**4**	**9**	**17**	**24**	**28**	**42**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.0	2	1	1	3	4	5	5	5
20-34	740	4.0	5	1	2	3	6	8	8	10
35-49	207	5.3	12	2	2	5	7	9	10	15
50-64	41	5.6	16	1	1	4	8	10	11	19
65+	8	6.1	26	3	3	4	7	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.1	5	<1	<1	1	2	6	8	8
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.7	2	<1	<1	2	3	5	5	5
20-34	492	5.5	12	2	2	5	7	9	11	16
35-49	244	6.9	11	2	3	7	8	10	13	18
50-64	51	7.2	24	2	2	7	9	12	16	28
65+	18	10.1	44	3	4	9	10	19	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1010	4.3	8	1	2	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	12	2.2	5	<1	<1	1	3	5	8	8
B. *Operated*	811	6.1	14	2	2	6	8	10	13	19
1. SINGLE DX	1010	4.3	8	1	2	3	6	8	9	12
2. MULTIPLE DX	823	6.1	14	2	2	6	8	10	13	19
A. NOT OPERATED	12	2.2	5	<1	<1	1	3	5	8	8
B. OPERATED	1821	5.1	11	1	2	5	7	9	10	16
TOTAL 0-19 YRS	20	2.9	2	<1	1	3	4	5	5	5
20-34	1242	4.6	8	1	2	4	7	8	9	14
35-49	453	6.2	12	2	2	6	8	9	12	17
50-64	92	6.5	21	1	2	6	9	11	13	24
65+	26	8.8	41	3	3	7	10	18	21	29
GRAND TOTAL	**1833**	**5.1**	**11**	**1**	**2**	**5**	**7**	**9**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	7	3.4	8	1	1	2	4	8	9	9
65+	12	7.4	129	1	1	2	8	24	38	40
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	9	2.4	4	<1	<1	2	3	5	7	7
35-49	23	5.5	8	1	2	6	7	9	10	11
50-64	31	6.5	27	1	1	6	9	14	18	22
65+	30	9.1	107	<1	1	5	9	30	33	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	6.3	14	2	2	6	9	11	11	11
65+	10	18.1	335	3	3	10	22	50	53	53
B. *Operated*										
0-19 YRS										
20-34	9	7.3	13	1	2	8	9	12	13	13
35-49	24	7.2	44	1	1	6	8	15	23	30
50-64	47	10.5	97	1	2	7	12	27	33	44
65+	69	12.4	187	2	2	8	15	25	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.0	70	<1	1	2	5	10	24	40
B. *Operated*	95	6.6	48	<1	1	5	8	13	25	34
2. MULTIPLE DX										
A. *Not Operated*	14	14.7	266	2	3	8	20	48	52	53
B. *Operated*	149	10.6	128	1	2	7	13	23	33	51
1. SINGLE DX	119	6.3	53	<1	1	4	8	12	24	36
2. MULTIPLE DX	163	11.0	139	1	2	7	13	23	37	53
A. NOT OPERATED	38	8.6	159	1	1	4	9	21	45	53
B. OPERATED	244	9.1	100	1	2	6	11	20	30	50
TOTAL 0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	20	4.5	14	<1	1	3	8	9	11	13
35-49	50	6.1	27	<1	1	5	7	10	15	30
50-64	89	8.3	67	1	2	6	11	17	28	41
65+	121	11.5	176	1	2	7	15	29	42	61
GRAND TOTAL	**282**	**9.0**	**108**	**1**	**1**	**6**	**11**	**20**	**31**	**51**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.2	30	<1	<1	5	6	8	19	23
20-34	11	6.5	17	2	2	7	9	12	16	16
35-49	13	4.2	6	1	2	4	5	8	9	9
50-64	22	8.2	193	<1	1	4	7	19	43	64
65+	68	5.9	79	<1	<1	3	8	12	15	59
B. *Operated*										
0-19 YRS	28	6.0	92	1	1	3	6	11	16	52
20-34	62	7.1	39	1	2	5	9	14	18	36
35-49	60	7.3	30	1	2	6	9	16	18	27
50-64	93	6.6	33	1	2	5	9	14	18	29
65+	87	7.5	42	1	2	5	11	17	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.6	30	1	1	3	8	12	18	24
20-34	9	4.4	22	<1	1	3	5	12	16	16
35-49	14	5.9	30	1	1	4	10	15	16	17
50-64	37	8.9	137	1	2	6	10	20	28	65
65+	79	12.4	171	1	2	7	17	32	47	91
B. *Operated*										
0-19 YRS	21	15.6	222	2	2	10	21	41	47	51
20-34	48	8.9	33	2	2	8	12	17	21	24
35-49	51	13.7	196	2	3	9	15	26	44	75
50-64	86	14.2	195	1	2	10	18	31	42	74
65+	155	14.4	199	2	2	11	18	37	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	6.1	79	<1	<1	4	7	11	16	64
B. *Operated*	330	7.0	41	1	2	5	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	162	9.6	130	1	1	6	12	21	34	68
B. *Operated*	361	13.6	178	2	2	10	17	31	44	75
1. SINGLE DX	459	6.8	52	<1	1	5	9	14	18	32
2. MULTIPLE DX	523	12.4	166	1	2	9	16	29	42	73
A. NOT OPERATED	291	8.1	110	<1	1	5	9	17	29	66
B. OPERATED	691	10.5	123	1	2	7	13	22	33	62
TOTAL 0-19 YRS	87	8.1	111	1	1	5	9	19	36	52
20-34	130	7.5	35	1	2	6	10	16	18	27
35-49	138	9.2	101	1	2	7	11	18	24	61
50-64	238	9.9	132	1	2	6	12	22	31	64
65+	389	11.0	148	<1	1	7	14	26	39	71
GRAND TOTAL	**982**	**9.7**	**121**	**1**	**2**	**6**	**12**	**21**	**31**	**65**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	<1	<1	3	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	4.4	13	1	1	3	7	10	10	10
50-64										
65+	5	5.2	13	2	2	3	8	10	10	10
B. *Operated*										
0-19 YRS	6	4.8	3	3	3	4	6	8	8	8
20-34	46	4.5	1	2	3	5	5	6	6	7
35-49	86	5.0	2	3	3	5	6	7	8	9
50-64	64	5.2	3	3	4	5	6	7	8	13
65+	40	6.8	13	3	4	6	8	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	10	2	2	4	7	9	9	9
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9
50-64	10	6.7	10	1	2	7	8	11	12	12
65+	8	7.8	54	2	2	5	9	21	24	24
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	5.3	3	2	3	5	6	7	9	9
35-49	31	5.0	2	3	3	5	6	7	8	8
50-64	54	7.5	30	3	4	6	8	13	19	32
65+	36	10.3	88	4	5	7	10	25	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	9	<1	1	3	5	10	10	10
B. *Operated*	242	5.3	5	3	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	25	6.4	24	1	1	5	8	12	16	24
B. *Operated*	135	7.4	40	3	4	6	8	12	19	35
1. SINGLE DX	258	5.2	5	2	3	5	6	8	9	13
2. MULTIPLE DX	160	7.3	37	3	3	6	8	12	18	32
A. NOT OPERATED	41	5.5	19	1	1	4	8	10	12	24
B. OPERATED	377	6.1	18	3	4	5	6	9	11	28
TOTAL 0-19 YRS	15	4.3	4	<1	2	4	5	8	9	9
20-34	63	4.5	2	2	2	5	5	6	7	9
35-49	123	5.0	3	2	3	5	6	7	8	10
50-64	128	6.3	16	3	4	5	7	10	13	28
65+	89	8.2	49	3	4	6	9	13	24	42
GRAND TOTAL	**418**	**6.0**	**18**	**2**	**3**	**5**	**6**	**9**	**12**	**28**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	7	1	3	5	8	9	10	10
20-34	41	6.6	23	2	2	5	9	14	15	22
35-49	34	4.4	12	1	1	3	6	10	12	13
50-64	34	8.1	47	2	2	6	12	18	22	31
65+	22	9.2	36	3	4	7	12	22	52	99+
B. *Operated*										
0-19 YRS	11	6.0	5	2	3	6	8	9	9	9
20-34	63	6.2	13	3	4	5	6	11	15	21
35-49	66	5.5	8	2	3	5	6	9	10	19
50-64	46	5.9	6	3	3	5	7	8	10	17
65+	15	8.4	107	3	3	6	8	11	36	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.6	46	1	2	7	11	21	24	25
20-34	46	6.8	42	1	2	4	8	16	22	31
35-49	45	8.2	51	1	2	6	11	14	20	40
50-64	98	11.7	125	2	4	9	13	21	37	61
65+	113	12.2	96	3	3	9	17	29	33	69
B. *Operated*										
0-19 YRS	6	6.2	21	2	2	5	7	14	15	15
20-34	22	7.3	22	3	4	6	8	14	18	24
35-49	28	6.6	13	3	4	6	7	12	14	19
50-64	36	9.0	30	3	4	7	12	16	21	26
65+	40	15.3	174	3	4	10	22	34	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	6.7	27	1	2	5	9	13	17	31
B. *Operated*	201	6.1	17	3	3	5	7	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	321	10.5	91	2	3	8	12	22	31	55
B. *Operated*	132	10.0	80	3	4	7	12	21	29	46
1. SINGLE DX	354	6.3	21	2	2	5	7	11	15	27
2. MULTIPLE DX	453	10.4	88	2	3	8	12	22	31	53
A. NOT OPERATED	474	9.3	74	2	2	7	11	20	28	52
B. OPERATED	333	7.6	45	3	4	6	8	14	20	38
TOTAL 0-19 YRS	58	6.8	21	2	2	6	9	11	17	25
20-34	172	6.6	24	2	3	5	8	14	16	25
35-49	173	6.2	22	1	2	5	7	11	13	26
50-64	214	9.4	76	2	3	7	11	17	23	55
65+	190	12.2	109	3	4	9	16	29	35	84
GRAND TOTAL	**807**	**8.6**	**63**	**2**	**3**	**6**	**10**	**17**	**25**	**44**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	8.8	29	1	2	8	12	15	20	25
20-34	116	7.5	20	1	2	7	10	14	17	19
35-49	138	7.2	22	2	3	6	9	13	14	28
50-64	215	8.8	43	2	2	7	11	15	19	40
65+	311	9.8	55	2	[illegible]	8	13	18	22	41
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	4	4.0	1	3	3	4	5	5	5	5
65+	4	13.3	3	11	11	13	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	8.1	64	1	1	5	11	19	25	39
20-34	101	7.6	26	2	3	6	10	14	18	24
35-49	223	8.7	44	1	3	7	11	16	21	37
50-64	575	10.6	72	2	4	9	13	19	24	53
65+	1186	12.7	119	3	4	10	16	24	33	78
B. *Operated*										
0-19 YRS	5	10.8	82	2	2	9	14	26	26	26
20-34	8	11.0	27	5	5	10	16	18	18	18
35-49	18	17.9	205	4	7	12	25	32	50	62
50-64	44	18.1	114	7	7	15	23	32	41	49
65+	79	22.4	315	5	7	17	32	45	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	8.7	39	2	3	7	11	15	20	30
B. *Operated*	11	8.4	27	3	3	5	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2217	11.2	95	2	3	9	14	21	29	64
B. *Operated*	154	19.6	230	6	7	15	25	42	52	99+
1. SINGLE DX	1003	8.7	39	2	3	7	11	15	20	30
2. MULTIPLE DX	2371	11.8	108	2	3	9	15	23	31	69
A. NOT OPERATED	3209	10.5	79	2	3	8	13	20	26	57
B. OPERATED	165	18.9	225	5	6	15	24	41	50	99
TOTAL 0-19 YRS	349	8.5	43	1	2	7	11	16	22	31
20-34	226	7.6	23	2	3	7	10	15	18	22
35-49	381	8.6	48	2	3	7	11	15	21	37
50-64	838	10.5	70	2	3	9	13	19	25	48
65+	1580	12.6	122	2	4	10	16	24	33	78
GRAND TOTAL	3374	10.9	89	2	3	9	14	21	28	60

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	6.5	30	1	1	5	9	15	18	23
20-34	85	6.4	36	2	2	6	8	11	14	40
35-49	25	6.8	17	<1	1	7	10	12	14	16
50-64	38	8.3	44	2	2	7	10	18	23	32
65+	23	14.1	104	2	3	11	19	31	34	39
B. *Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	6.9	61	2	2	5	9	15	17	36
20-34	92	7.8	35	1	2	6	10	16	22	27
35-49	60	10.9	60	2	3	8	17	21	26	38
50-64	58	11.9	71	3	5	9	16	26	34	95
65+	91	17.1	159	5	6	15	24	36	75	99+
B. *Operated*										
0-19 YRS	4	11.3	24	5	5	11	14	17	17	17
20-34	4	13.3	159	5	5	9	49	99+	99+	99+
35-49	9	17.3	87	3	6	16	27	29	29	29
50-64	6	20.2	113	9	9	19	31	32	32	32
65+	11	34.4	457	13	16	29	39	72	82	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	7.2	40	1	2	6	9	15	18	32
B. *Operated*	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	425	10.5	92	2	3	8	15	23	29	99+
B. *Operated*	34	22.1	274	5	7	19	30	41	78	99+
1. SINGLE DX	347	7.2	40	1	2	6	9	15	18	32
2. MULTIPLE DX	459	11.4	114	2	3	8	16	26	31	99+
A. NOT OPERATED	770	9.0	72	2	2	7	11	20	26	59
B. OPERATED	36	21.2	275	4	6	18	29	39	77	99+
TOTAL 0-19 YRS	302	6.7	43	1	2	5	9	15	17	23
20-34	183	7.2	38	2	2	6	9	14	20	45
35-49	94	10.4	58	2	3	8	16	20	27	35
50-64	102	11.1	70	2	3	9	14	25	31	69
65+	125	18.1	198	4	6	16	25	38	66	99+
GRAND TOTAL	806	9.6	87	2	2	7	12	21	28	77

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	7.5	39	1	2	7	10	13	14	27
20-34	118	7.4	26	2	3	6	8	13	15	30
35-49	123	8.8	48	2	3	8	10	13	20	39
50-64	222	9.5	52	2	3	8	12	19	22	31
65+	283	10.5	45	3	4	9	13	21	24	34
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	8	5.5	11	1	1	5	8	10	11	11
35-49	12	13.3	133	3	3	8	24	31	34	34
50-64	22	6.5	41	2	2	5	7	11	23	31
65+	21	8.3	68	1	2	5	9	19	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	7.9	55	1	2	6	10	17	23	37
20-34	242	8.9	62	1	2	7	11	16	22	46
35-49	309	9.3	53	2	3	8	11	17	22	37
50-64	702	11.3	93	3	4	9	14	20	29	59
65+	1210	14.1	149	3	4	10	17	28	38	72
B. *Operated*										
0-19 YRS	13	14.5	377	3	3	10	13	31	68	77
20-34	72	13.6	223	1	3	8	16	27	40	78
35-49	99	18.4	279	3	4	13	25	43	64	99+
50-64	171	23.9	402	4	6	18	39	77	99+	99+
65+	286	24.1	398	4	6	20	37	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	9.1	45	2	3	8	11	17	22	33
B. *Operated*	66	8.1	65	2	2	5	9	22	30	35
2. MULTIPLE DX										
A. *Not Operated*	2588	12.0	115	2	3	9	14	23	32	66
B. *Operated*	641	21.8	372	3	5	16	32	71	99+	99+
1. SINGLE DX	979	9.0	46	2	3	8	11	17	23	34
2. MULTIPLE DX	3229	13.9	181	2	4	10	17	31	48	99+
A. NOT OPERATED	3501	11.2	98	2	3	9	14	22	29	62
B. OPERATED	707	20.5	359	3	4	15	31	69	99+	99+
TOTAL 0-19 YRS	308	7.9	60	1	2	7	10	14	19	39
20-34	440	9.2	82	2	2	7	11	16	23	49
35-49	543	11.0	107	2	3	8	12	22	31	71
50-64	1117	12.8	154	3	4	9	15	27	45	99+
65+	1800	15.0	189	3	4	11	19	32	52	99+
GRAND TOTAL	**4208**	**12.8**	**154**	**2**	**3**	**9**	**15**	**27**	**40**	**99+**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	8	5.8	15	1	1	5	8	11	12	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.5	4	<1	1	2	5	7	7	7
20-34	63	4.5	8	<1	1	5	6	8	9	16
35-49	7	3.3	11	<1	<1	2	6	9	9	9
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.5	206	2	2	4	18	32	32	32
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	60	5.9	11	<1	1	6	7	10	12	17
35-49	18	6.3	14	1	2	6	9	12	13	14
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	12	<1	1	3	7	10	12	12
B. *Operated*	86	4.1	8	<1	<1	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	9	6.6	95	1	1	4	5	22	32	32
B. *Operated*	82	5.8	12	<1	1	6	8	10	12	16
1. SINGLE DX	98	4.2	9	<1	<1	4	6	8	9	15
2. MULTIPLE DX	91	5.9	19	<1	1	5	8	10	13	26
A. NOT OPERATED	21	5.5	46	<1	1	3	7	10	21	32
B. OPERATED	168	5.0	11	<1	<1	5	7	9	11	16
TOTAL 0-19 YRS	24	4.5	38	<1	<1	3	5	7	18	32
20-34	135	5.1	10	<1	1	5	7	9	11	17
35-49	26	5.6	15	<1	<1	6	8	11	12	14
50-64	4	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**189**	**5.0**	**14**	**<1**	**<1**	**5**	**7**	**9**	**11**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	5.0	19	1	1	4	7	12	15	19
20-34	37	4.0	9	<1	<1	4	6	8	10	13
35-49	51	3.8	12	<1	1	2	5	9	11	18
50-64	38	6.0	34	<1	<1	4	9	17	19	22
65+	47	5.9	37	1	1	4	7	13	16	37
B. *Operated*										
0-19 YRS	6	11.7	170	<1	<1	5	21	33	34	34
20-34	10	7.7	79	2	2	4	10	21	31	31
35-49	8	11.5	14	6	7	11	14	17	17	17
50-64	7	11.6	174	<1	1	6	13	35	40	40
65+	3	6.0	25	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	4.5	19	1	1	3	6	9	12	25
20-34	85	6.1	81	1	1	4	7	12	16	58
35-49	92	6.2	36	1	1	4	7	15	20	28
50-64	123	8.6	90	1	1	6	11	18	26	52
65+	180	11.1	98	1	2	8	14	25	37	84
B. *Operated*										
0-19 YRS	12	10.2	42	1	1	11	15	18	20	20
20-34	9	16.2	158	5	7	14	16	36	48	48
35-49	18	14.4	84	<1	1	15	21	31	69	99+
50-64	27	13.8	113	5	5	10	20	25	34	51
65+	16	23.8	585	4	8	15	24	73	85	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	4.9	22	<1	1	4	6	11	15	19
B. *Operated*	34	9.9	88	<1	2	6	12	22	33	40
2. MULTIPLE DX										
A. *Not Operated*	603	7.8	75	1	1	5	10	18	25	48
B. *Operated*	82	15.6	203	1	4	13	19	30	49	96
1. SINGLE DX	298	5.5	32	<1	1	4	7	12	16	33
2. MULTIPLE DX	685	8.7	96	1	1	6	11	20	27	55
A. NOT OPERATED	867	6.9	60	1	1	4	9	16	22	44
B. OPERATED	116	13.9	175	1	3	10	17	29	38	92
TOTAL 0-19 YRS	232	5.2	26	1	1	4	6	11	16	24
20-34	141	6.3	73	<1	1	4	7	13	16	50
35-49	169	6.6	42	1	1	4	8	17	21	31
50-64	195	8.9	89	1	1	6	11	19	26	51
65+	246	10.8	131	1	2	8	13	24	35	88
GRAND TOTAL	**983**	**7.7**	**79**	**1**	**1**	**5**	**10**	**18**	**24**	**49**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	34	2	2	5	8	11	22	25
20-34	6	4.2	11	1	1	3	8	8	8	8
35-49	6	11.2	32	3	3	12	16	17	17	17
50-64	3	10.0	3	8	8	11	11	11	11	11
65+	10	14.7	55	8	8	13	17	25	32	32
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+	2	14.0	288	2	2	14	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.3	75	2	3	8	13	25	29	37
20-34	5	12.4	141	3	3	11	18	32	32	32
35-49	14	21.7	555	1	2	12	36	46	79	89
50-64	17	12.3	60	1	4	10	17	24	26	27
65+	65	20.0	218	2	4	15	29	38	46	74
B. *Operated*										
0-19 YRS	3	16.3	212	6	6	10	27	33	33	33
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	36.0	431	14	14	34	52	61	61	61
50-64	5	17.8	115	4	4	23	25	29	29	29
65+	9	31.8	659	7	8	28	50	72	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	9.3	46	1	2	8	11	17	22	32
B. *Operated*	7	7.7	75	1	1	6	9	23	26	26
2. MULTIPLE DX										
A. *Not Operated*	125	17.2	215	2	3	13	25	37	41	80
B. *Operated*	22	26.3	430	5	7	23	33	60	69	80
1. SINGLE DX	46	9.0	49	1	2	8	11	17	25	32
2. MULTIPLE DX	147	18.5	255	2	4	13	26	38	46	80
A. NOT OPERATED	164	15.3	185	2	3	11	22	33	39	74
B. OPERATED	29	21.8	404	2	3	13	30	54	62	80
TOTAL 0-19 YRS	43	9.6	73	2	2	7	11	25	28	37
20-34	14	7.9	62	1	1	7	10	15	28	32
35-49	25	21.0	429	2	3	14	28	44	68	89
50-64	25	13.1	65	3	4	11	21	25	27	29
65+	86	20.5	254	2	4	16	28	41	49	79
GRAND TOTAL	**193**	**16.3**	**222**	**2**	**3**	**11**	**24**	**36**	**44**	**79**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	13.0	55	2	3	15	17	21	22	38
20-34	12	20.3	423	1	7	14	19	47	76	81
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	12.8	105	2	4	10	17	25	33	99+
20-34	8	11.0	39	2	3	11	13	20	23	23
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	23.0	345	3	5	20	29	54	60	60
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	14.0	111	2	3	15	17	21	25	69
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	90	12.6	99	2	3	10	17	24	32	99+
B. *Operated*	8	21.6	311	3	5	17	26	51	60	60
1. SINGLE DX	83	14.0	109	2	3	15	17	21	25	68
2. MULTIPLE DX	98	13.3	120	2	3	11	17	25	34	99+
A. NOT OPERATED	171	13.3	105	2	3	13	17	23	29	95
B. OPERATED	10	19.3	266	3	5	13	22	45	60	60
TOTAL 0-19 YRS	160	13.3	95	2	3	13	17	23	30	97
20-34	21	16.3	268	1	4	13	17	27	55	81
35-49										
50-64										
65+										
GRAND TOTAL	**181**	**13.6**	**114**	**2**	**3**	**13**	**17**	**23**	**31**	**94**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	9.5	114	1	2	7	11	16	31	53
20-34	12	6.8	21	1	3	5	8	14	17	18
35-49	17	7.1	33	1	1	6	13	19	68	99+
50-64	5	11.8	102	4	4	5	21	26	26	26
65+	3	5.7	52	1	1	2	11	14	14	14
B. *Operated*										
0-19 YRS	7	8.9	6	6	6	9	10	12	13	13
20-34	100	10.1	27	6	7	9	11	15	18	38
35-49	72	8.9	5	6	6	8	10	12	13	16
50-64	8	8.4	7	5	6	8	9	13	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	10.8	66	3	4	8	15	28	47	99+
20-34	33	6.5	48	1	2	4	7	15	17	36
35-49	41	10.1	48	2	3	9	12	21	24	33
50-64	41	13.8	145	2	3	10	16	31	45	51
65+	25	16.1	313	3	5	9	16	45	66	69
B. *Operated*										
0-19 YRS	4	11.0	27	6	6	11	15	16	16	16
20-34	52	11.9	32	5	7	11	13	18	24	35
35-49	50	15.4	104	6	7	12	18	30	44	50
50-64	14	18.2	306	5	7	13	17	63	91	99+
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	8.2	66	1	2	6	11	17	23	95
B. *Operated*	187	9.5	17	6	7	8	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*	164	11.3	123	2	2	9	14	24	34	68
B. *Operated*	121	14.1	96	6	7	12	15	24	40	73
1. SINGLE DX	246	9.2	29	3	5	8	10	14	17	42
2. MULTIPLE DX	285	12.5	113	2	3	10	15	24	36	68
A. NOT OPERATED	223	10.5	109	2	2	8	13	22	32	77
B. OPERATED	308	11.3	53	6	7	9	12	17	23	52
TOTAL 0-19 YRS	57	10.1	73	2	3	8	13	19	29	96
20-34	197	9.8	35	2	4	9	11	16	19	36
35-49	180	10.8	53	3	4	9	13	19	24	48
50-64	68	13.9	161	2	4	10	16	32	51	93
65+	29	15.3	285	1	3	9	16	37	65	69
GRAND TOTAL	**531**	**11.0**	**77**	**2**	**4**	**9**	**13**	**19**	**27**	**63**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	7.5	59	1	1	5	9	19	25	39
20-34	20	6.5	49	<1	1	5	9	23	62	99+
35-49	11	6.8	54	<1	1	4	7	20	24	24
50-64	15	5.1	14	<1	1	4	7	10	13	14
65+	15	9.0	31	3	3	8	10	18	21	22
B. *Operated*										
0-19 YRS	17	6.6	26	1	2	6	9	13	18	21
20-34	58	5.6	23	2	2	4	7	9	14	32
35-49	54	5.4	11	1	1	4	7	10	12	18
50-64	27	9.9	74	2	2	8	13	25	28	35
65+	11	5.8	29	1	1	5	6	13	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	8.5	55	1	2	6	11	18	21	43
20-34	37	7.0	25	1	2	5	9	15	16	22
35-49	41	6.7	46	2	3	4	8	12	14	44
50-64	47	6.5	21	1	2	6	9	13	15	23
65+	63	14.1	129	3	4	10	19	27	38	60
B. *Operated*										
0-19 YRS	26	13.7	72	4	5	13	19	24	31	39
20-34	74	6.8	15	3	4	6	8	11	16	25
35-49	91	7.5	76	2	2	6	8	11	18	61
50-64	57	11.6	105	1	2	9	13	21	35	52
65+	31	19.7	257	4	5	17	24	41	55	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	7.2	49	1	1	5	9	18	23	47
B. *Operated*	167	6.3	30	1	2	5	8	12	18	32
2. MULTIPLE DX										
A. *Not Operated*	286	9.0	68	2	3	6	11	18	24	44
B. *Operated*	279	10.1	101	2	4	7	12	19	27	55
1. SINGLE DX	305	6.7	39	1	2	5	8	14	20	34
2. MULTIPLE DX	565	9.5	85	2	3	7	11	19	26	51
A. NOT OPERATED	424	8.4	62	1	2	6	10	18	24	43
B. OPERATED	446	8.7	78	2	3	6	10	18	23	52
TOTAL 0-19 YRS	218	8.6	60	1	2	6	11	19	23	40
20-34	189	6.4	23	2	2	5	7	12	17	32
35-49	197	6.7	51	1	2	5	8	11	15	48
50-64	146	9.0	68	1	2	7	10	19	24	48
65+	120	14.2	156	2	3	10	19	27	40	67
GRAND TOTAL	**870**	**8.5**	**70**	**1**	**2**	**6**	**10**	**18**	**24**	**47**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.5	14	4	4	7	10	13	14	14
35-49	16	3.0	4	1	1	3	4	6	7	8
50-64	30	4.9	20	1	1	4	5	9	13	24
65+	56	7.6	21	2	2	6	11	15	17	18
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	5	7.4	49	2	2	4	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.8	4	5	5	6	8	10	10	10
35-49	16	7.7	20	2	3	7	12	14	15	16
50-64	60	8.8	99	1	1	6	9	22	32	49
65+	116	11.8	92	2	3	9	15	22	33	49
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	10.0	43	4	4	9	15	17	17	17
50-64	8	8.5	29	3	3	8	13	16	16	16
65+	8	22.6	273	3	4	19	33	47	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	6.2	21	1	2	4	9	13	16	21
B. *Operated*	9	6.0	31	2	2	4	8	15	19	19
2. MULTIPLE DX										
A. *Not Operated*	197	10.4	88	2	3	7	14	22	32	48
B. *Operated*	20	14.2	166	3	3	11	17	33	44	52
1. SINGLE DX	119	6.2	21	1	2	4	9	13	16	21
2. MULTIPLE DX	217	10.8	96	2	3	7	14	22	33	51
A. NOT OPERATED	307	8.9	68	2	2	6	11	18	23	44
B. OPERATED	29	11.7	137	2	2	8	16	27	38	52
TOTAL 0-19 YRS										
20-34	15	6.9	9	4	4	6	9	11	13	14
35-49	36	5.6	20	1	1	4	8	13	15	17
50-64	100	7.5	71	1	1	5	9	16	24	46
65+	185	10.9	85	2	3	8	14	21	31	50
GRAND TOTAL	**336**	**9.1**	**74**	**2**	**2**	**6**	**11**	**18**	**24**	**46**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	27	2	2	4	5	10	20	22
20-34	7	3.9	6	2	2	2	6	8	8	8
35-49	9	4.7	14	2	2	3	5	11	14	14
50-64	12	4.8	21	1	1	3	6	14	15	15
65+	42	11.6	87	1	2	9	17	29	34	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	7.5	194	1	1	4	6	11	34	78
20-34	50	5.1	25	1	1	4	6	11	16	25
35-49	52	6.6	34	1	1	5	8	15	17	27
50-64	117	8.4	100	1	2	6	10	15	26	63
65+	440	13.6	178	2	3	10	17	32	45	99+
B. *Operated*										
0-19 YRS	3	33.0	1744	5	5	13	64	81	81	81
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	10.6	85	<1	1	8	16	25	29	29
50-64	10	27.2	984	1	3	12	48	78	99	99
65+	22	25.1	210	7	8	24	39	50	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	8.2	64	1	2	5	12	22	29	79
B. *Operated*	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	726	11.1	156	1	2	7	14	26	39	81
B. *Operated*	46	22.6	440	2	4	16	31	50	84	99+
1. SINGLE DX	85	8.2	64	1	2	5	12	21	29	77
2. MULTIPLE DX	772	11.8	180	1	2	7	14	28	42	82
A. NOT OPERATED	809	10.8	147	1	2	7	13	26	37	81
B. OPERATED	48	22.1	430	2	4	16	30	50	82	99+
TOTAL 0-19 YRS	83	8.1	227	1	1	4	6	14	36	80
20-34	58	5.1	22	1	1	4	6	11	14	25
35-49	71	6.9	40	1	1	5	9	16	21	29
50-64	139	9.4	176	1	2	6	11	16	31	80
65+	506	13.9	177	2	3	10	18	33	46	99+
GRAND TOTAL	**857**	**11.4**	**169**	**1**	**2**	**7**	**14**	**28**	**40**	**82**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	7.9	32	1	2	7	10	14	21	27
20-34	17	4.6	18	<1	1	3	5	10	15	18
35-49	27	5.3	15	1	1	5	7	11	14	17
50-64	17	9.3	49	1	2	8	12	21	24	25
65+	90	8.2	39	1	2	7	10	16	20	32
B. *Operated*										
0-19 YRS	7	9.0	12	6	6	9	10	15	16	16
20-34	8	7.4	17	1	2	8	10	13	14	14
35-49	7	5.6	18	2	2	5	7	13	14	14
50-64	10	10.4	56	3	3	9	15	20	25	25
65+	13	13.6	25	6	7	13	18	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	9.2	128	1	2	7	10	15	22	72
20-34	36	5.0	20	1	1	4	6	9	16	22
35-49	56	7.0	26	1	1	6	11	14	16	24
50-64	65	9.9	54	1	2	8	13	17	28	35
65+	366	11.3	98	2	3	9	14	21	29	91
B. *Operated*										
0-19 YRS	12	10.1	42	2	3	8	14	21	22	22
20-34	18	13.4	106	2	3	10	18	29	38	42
35-49	42	12.1	85	1	3	11	14	23	36	42
50-64	39	14.5	63	5	7	12	17	24	32	43
65+	126	16.3	104	5	6	14	22	29	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	7.6	34	1	2	6	10	15	19	25
B. *Operated*	45	9.8	33	2	3	9	14	18	20	25
2. MULTIPLE DX										
A. *Not Operated*	620	10.1	90	2	2	8	13	18	26	67
B. *Operated*	237	14.7	93	4	5	12	18	28	35	73
1. SINGLE DX	286	7.9	34	1	2	7	10	16	20	25
2. MULTIPLE DX	857	11.4	95	2	3	9	14	22	30	69
A. NOT OPERATED	861	9.4	75	1	2	8	12	18	23	49
B. OPERATED	282	13.9	87	3	5	12	17	26	34	65
TOTAL 0-19 YRS	206	8.7	77	1	2	7	10	15	21	46
20-34	79	7.1	50	1	1	5	9	16	20	39
35-49	132	8.2	49	1	2	7	11	15	20	40
50-64	131	11.2	60	1	3	10	15	22	28	37
65+	595	11.9	95	2	3	10	15	23	30	84
GRAND TOTAL	**1143**	**10.5**	**82**	**1**	**2**	**9**	**14**	**20**	**27**	**51**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	5	5.6	7	2	2	5	7	9	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.6	16	2	2	4	8	12	13	13
20-34	8	9.6	46	3	3	7	15	20	21	21
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.0	5	2	3	6	8	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	7.7	31	2	2	7	10	17	20	21
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	7	6.0	5	2	3	6	8	9	9	9
2. MULTIPLE DX	18	7.8	29	2	2	7	9	16	20	21
A. NOT OPERATED	24	7.2	24	2	2	6	9	13	19	21
B. OPERATED	1	9.0		9	9	9	9	9	9	9
TOTAL 0-19 YRS	10	5.9	13	2	2	5	8	11	13	13
20-34	14	8.1	31	2	3	7	9	18	20	21
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
GRAND TOTAL	**25**	**7.3**	**23**	**2**	**2**	**7**	**9**	**13**	**19**	**21**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.1	25	1	1	2	5	9	11	31
20-34	21	5.3	30	1	1	4	6	12	18	24
35-49	22	4.7	15	1	1	3	7	10	14	15
50-64	35	6.5	67	1	2	4	9	13	20	44
65+	174	6.6	50	1	1	4	9	15	18	40
B. *Operated*										
0-19 YRS	13	10.0	91	1	2	7	11	29	31	31
20-34	14	13.6	98	3	3	10	22	25	33	36
35-49	8	10.3	80	1	2	8	12	25	30	30
50-64	20	11.5	27	3	4	11	16	18	20	22
65+	41	16.0	117	4	6	13	19	30	40	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	7.2	51	1	2	6	9	14	19	43
20-34	39	5.4	21	1	1	4	8	13	16	18
35-49	56	7.5	77	1	1	4	10	16	24	44
50-64	113	8.5	71	1	1	6	11	18	26	43
65+	525	10.0	93	1	2	7	13	21	29	66
B. *Operated*										
0-19 YRS	11	13.5	56	1	4	13	22	46	92	99+
20-34	21	11.4	74	3	3	8	16	26	30	33
35-49	23	11.8	55	1	2	12	17	20	26	29
50-64	65	16.2	137	4	4	14	21	32	40	60
65+	185	19.2	177	5	6	16	26	38	49	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	5.7	42	1	1	3	7	12	17	39
B. *Operated*	96	13.4	91	3	4	11	18	23	33	50
2. MULTIPLE DX										
A. *Not Operated*	831	9.1	82	1	1	7	12	19	27	50
B. *Operated*	305	17.3	154	4	5	15	23	34	44	76
1. SINGLE DX	445	7.4	63	1	1	4	10	17	22	42
2. MULTIPLE DX	1136	11.3	115	1	2	8	15	25	34	56
A. NOT OPERATED	1180	8.1	73	1	1	6	11	17	24	46
B. OPERATED	401	16.4	142	3	5	14	21	33	40	59
TOTAL 0-19 YRS	219	6.3	47	1	1	4	8	14	21	42
20-34	95	7.9	56	1	1	6	10	20	24	35
35-49	109	8.0	65	1	1	6	11	18	25	42
50-64	233	10.6	97	1	2	8	15	22	31	48
65+	925	11.5	121	1	2	8	15	26	35	56
GRAND TOTAL	**1581**	**10.2**	**103**	**1**	**2**	**7**	**14**	**22**	**31**	**51**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	37	<1	<1	2	5	13	20	22
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.7	18	<1	1	3	6	13	14	14
20-34	14	4.5	15	1	2	3	6	10	13	14
35-49	7	6.3	25	1	1	5	8	15	16	16
50-64	1	17.0		17	17	17	17	17	17	17
65+	5	18.8	153	9	9	13	23	40	40	40
B. *Operated*										
0-19 YRS										
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.5	68	<1	1	3	9	22	25	28
B. *Operated*	1	48.0		48	48	48	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*	43	6.8	52	1	1	4	10	15	17	40
B. *Operated*	3	12.0	21	7	7	13	15	16	16	16
1. SINGLE DX	20	8.6	151	<1	1	3	10	25	38	48
2. MULTIPLE DX	46	7.1	51	1	2	4	10	16	17	40
A. NOT OPERATED	62	6.7	56	1	1	3	9	16	21	39
B. OPERATED	4	21.0	338	7	7	14	32	48	48	48
TOTAL 0-19 YRS	30	6.0	88	<1	1	2	8	13	22	48
20-34	19	5.1	17	1	2	3	8	12	14	14
35-49	8	8.1	48	1	2	5	12	19	21	21
50-64	3	12.0	61	3	3	16	17	17	17	17
65+	6	20.2	137	9	9	16	28	39	40	40
GRAND TOTAL	66	7.6	80	1	1	4	10	17	23	47

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	5.5	22	1	2	4	6	11	13	24
20-34	16	4.8	13	1	1	4	6	7	13	16
35-49	15	5.1	12	1	1	5	7	9	13	14
50-64	19	6.1	15	1	1	6	10	11	12	13
65+	28	7.7	65	<1	<1	5	11	21	27	29
B. *Operated*										
0-19 YRS	57	8.5	34	2	2	8	10	14	19	36
20-34	28	10.6	58	5	5	9	12	14	23	45
35-49	15	8.1	26	3	3	7	10	14	20	22
50-64	14	13.7	89	4	5	10	21	28	34	36
65+	24	11.9	45	4	5	10	13	21	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	5.8	31	1	1	4	7	12	17	30
20-34	44	5.4	25	1	1	4	8	10	16	25
35-49	45	7.0	45	1	1	5	9	12	24	31
50-64	48	8.8	62	1	2	6	12	18	19	46
65+	96	10.5	142	2	2	7	12	18	31	68
B. *Operated*										
0-19 YRS	25	9.2	33	3	4	7	11	18	22	25
20-34	32	12.7	56	4	4	12	16	26	28	29
35-49	34	12.8	86	3	4	10	17	28	35	38
50-64	40	14.4	86	4	5	12	17	28	35	41
65+	81	17.9	163	3	5	14	23	36	45	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	5.8	26	1	1	4	7	11	15	28
B. *Operated*	138	10.0	47	3	4	8	11	19	22	38
2. MULTIPLE DX										
A. *Not Operated*	322	7.8	73	1	2	5	10	17	21	49
B. *Operated*	212	14.6	112	3	5	12	19	29	37	50
1. SINGLE DX	344	7.5	39	1	2	6	10	14	19	36
2. MULTIPLE DX	534	10.5	100	1	2	7	14	23	31	49
A. NOT OPERATED	528	7.0	56	1	2	5	9	14	19	37
B. OPERATED	350	12.8	91	3	4	10	15	26	34	48
TOTAL 0-19 YRS	299	6.5	29	1	2	5	8	12	17	30
20-34	120	8.5	49	1	2	7	11	16	23	34
35-49	109	8.7	58	1	2	7	10	19	28	37
50-64	121	10.8	74	2	2	9	14	21	28	42
65+	229	12.9	143	1	2	10	16	29	37	63
GRAND TOTAL	878	9.3	78	1	2	7	11	19	28	44

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	2.1	2	1	1	2	3	4	5	7
20-34	49	2.1	2	<1	1	2	3	4	5	9
35-49	11	1.9	1	1	1	2	2	3	5	5
50-64	3	14.0	337	1	1	6	28	35	35	35
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	178	4.4	3	2	3	4	5	7	7	10
20-34	45	4.7	7	2	2	4	5	9	10	14
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	2.5	3	1	1	2	3	5	6	9
20-34	12	2.0	1	1	1	2	3	3	3	3
35-49	6	1.5	1	1	1	1	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	64	6.0	27	3	3	5	6	9	14	37
20-34	22	5.0	5	2	3	5	6	8	9	11
35-49	5	5.4	9	3	3	4	8	10	10	10
50-64	3	8.3	8	5	5	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	2.1	3	1	1	2	3	4	5	7
B. *Operated*	226	4.4	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	204	2.5	3	1	1	2	3	5	6	9
B. *Operated*	94	5.8	21	3	3	5	7	9	11	30
1. SINGLE DX	938	2.7	5	1	1	2	3	5	6	9
2. MULTIPLE DX	298	3.5	11	1	1	3	4	7	9	14
A. NOT OPERATED	916	2.2	3	1	1	2	3	4	5	8
B. OPERATED	320	4.8	9	2	3	4	6	7	9	15
TOTAL 0-19 YRS	1072	2.8	5	1	1	2	4	5	6	9
20-34	128	3.5	6	1	1	3	4	7	9	12
35-49	24	2.6	5	1	1	2	3	5	8	10
50-64	9	8.9	110	1	1	6	10	25	35	35
65+	3	4.3	4	2	2	5	6	6	6	6
GRAND TOTAL	1236	2.9	6	1	1	2	4	5	7	10

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.5	13	1	1	3	6	8	13	17
20-34	8	3.5	6	2	2	3	4	8	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	45	4.4	22	<1	1	3	5	11	15	22
20-34	24	2.9	5	<1	<1	2	4	6	8	10
35-49	8	3.4	2	1	1	3	4	5	6	6
50-64	5	6.0	5	4	4	6	7	9	9	9
65+	3	4.0	7	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.5	13	1	2	4	8	11	13	15
20-34	7	3.6	5	1	1	4	5	7	7	7
35-49	1	20.0		20	20	20	20	20	20	20
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	1	29.0		29	29	29	29	29	29	29
B. *Operated*										
0-19 YRS	18	6.5	17	1	2	6	8	13	15	16
20-34	13	3.8	8	1	1	2	5	8	9	9
35-49	3	6.3	70	1	1	2	12	16	16	16
50-64	7	4.4	9	2	2	4	4	10	11	11
65+	9	6.3	24	2	2	5	9	14	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.4	12	1	1	3	6	9	12	17
B. *Operated*	85	4.0	14	<1	1	3	4	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	51	6.0	26	1	2	5	8	12	15	29
B. *Operated*	50	5.5	17	1	2	4	8	11	16	17
1. SINGLE DX	142	4.2	13	<1	1	3	5	8	12	21
2. MULTIPLE DX	101	5.7	21	1	2	4	8	11	15	24
A. NOT OPERATED	108	5.2	19	1	1	4	7	10	14	24
B. OPERATED	135	4.5	16	<1	1	3	6	9	13	21
TOTAL 0-19 YRS	149	5.0	16	1	1	4	7	10	14	21
20-34	52	3.3	6	<1	1	2	4	7	9	10
35-49	13	5.2	35	1	1	3	5	17	19	20
50-64	15	5.3	6	2	3	4	7	9	10	11
65+	14	7.8	56	1	2	5	10	18	27	29
GRAND TOTAL	243	4.8	17	1	1	3	6	9	13	21

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	10.2	41	2	2	10	16	18	18	18
20-34	12	12.8	133	1	1	7	21	28	36	37
35-49	8	11.5	57	3	4	10	16	23	25	25
50-64	5	4.0	5	1	1	4	6	6	6	6
65+	9	16.4	464	1	2	10	16	52	71	71
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.9	243	2	2	7	20	41	45	45
20-34	18	13.9	108	<1	<1	14	21	27	33	36
35-49	7	9.6	14	6	6	8	13	15	15	15
50-64	23	17.0	337	1	2	13	19	47	62	67
65+	36	11.8	62	2	4	10	15	24	34	99+
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	23.0		23	23	23	23	23	23	23
65+	2	18.0	200	8	8	18	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	11.9	162	1	1	7	17	24	31	71
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	92	13.5	151	1	2	10	17	31	43	86
B. *Operated*	4	15.8	134	4	4	15	25	28	28	28
1. SINGLE DX	40	11.9	162	1	1	7	17	24	31	71
2. MULTIPLE DX	96	13.6	149	1	2	10	18	30	41	84
A. NOT OPERATED	132	13.0	154	1	2	9	17	28	37	76
B. OPERATED	4	15.8	134	4	4	15	25	28	28	28
TOTAL 0-19 YRS	14	12.3	150	2	2	8	16	32	42	45
20-34	31	13.1	113	<1	1	9	21	26	36	37
35-49	15	10.6	35	3	5	8	15	17	23	25
50-64	29	15.0	293	1	2	8	18	40	60	67
65+	47	13.0	137	1	4	10	15	27	39	99+
GRAND TOTAL	**136**	**13.1**	**152**	**1**	**2**	**9**	**17**	**28**	**37**	**75**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	3	<1	<1	2	3	4	7	7
20-34	23	13.1	550	<1	1	3	13	40	81	93
35-49	23	9.1	68	1	2	8	13	27	54	99+
50-64	41	16.3	254	2	4	12	19	35	55	78
65+	230	19.5	419	2	3	12	29	63	90	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	47.7	2050	8	8	38	82	97	97	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	27.5	164	10	12	28	42	80	99+	99+
20-34	36	17.7	347	2	2	12	28	59	91	99+
35-49	17	15.8	183	2	3	12	20	40	47	49
50-64	79	18.6	317	2	3	13	30	54	99+	99+
65+	588	21.8	438	3	5	16	41	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	69.0		69	69	84	99+	99+	99+	99+
35-49	1	36.0		36	36	36	36	36	36	36
50-64	7	14.7	69	2	3	18	23	77	99+	99+
65+	40	41.3	605	12	16	59	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	17.3	383	1	2	10	22	52	79	99+
B. *Operated*	4	36.3	1888	2	2	38	98	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	728	21.2	413	3	4	16	39	98	99+	99+
B. *Operated*	49	37.9	608	7	13	47	99+	99+	99+	99+
1. SINGLE DX	333	17.5	399	1	2	10	23	52	84	99+
2. MULTIPLE DX	777	22.2	441	3	4	17	42	99+	99+	99+
A. NOT OPERATED	1057	20.0	406	2	3	14	33	81	99+	99+
B. OPERATED	53	37.8	670	6	12	44	99+	99+	99+	99+
TOTAL 0-19 YRS	20	12.4	223	<1	1	3	26	44	72	99+
20-34	60	16.8	463	1	2	9	28	74	99+	99+
35-49	41	12.6	135	1	2	9	18	35	45	99+
50-64	128	17.5	282	2	3	12	24	52	88	99+
65+	861	22.2	464	3	4	16	41	99+	99+	99+
GRAND TOTAL	**1110**	**20.8**	**433**	**2**	**3**	**15**	**37**	**90**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	8	25.0	139	13	13	29	36	79	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	34.5	613	17	17	34	52	52	52	52
65+	48	20.6	475	4	4	13	27	61	98	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	43.0		43	43	99+	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	25.0	139	13	13	29	36	79	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	21.2	476	4	4	14	28	61	98	99+
B. *Operated*	1	43.0		43	43	99+	99+	99+	99+	99+
1. SINGLE DX	8	25.0	139	13	13	29	36	79	99+	99+
2. MULTIPLE DX	51	21.6	476	4	4	16	36	98	99+	99+
A. NOT OPERATED	58	21.7	428	4	4	16	31	61	99	99+
B. OPERATED	1	43.0		43	43	99+	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	2	34.5	613	17	17	34	52	52	52	52
65+	57	21.6	427	4	4	16	34	98	99+	99+
GRAND TOTAL	**59**	**22.1**	**428**	**4**	**4**	**17**	**35**	**98**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.7	55	<1	<1	1	8	18	21	21
20-34	73	3.7	14	1	1	3	5	7	9	23
35-49	138	5.4	31	1	1	4	7	11	14	35
50-64	99	6.3	34	1	2	4	8	13	19	31
65+	29	11.6	336	1	2	6	13	22	37	98
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	164	5.0	20	1	1	3	6	12	15	20
35-49	293	7.2	82	1	2	5	9	15	22	58
50-64	257	10.2	137	2	2	7	12	25	39	99+
65+	110	17.6	464	2	2	10	21	53	83	99+
B. *Operated*										
0-19 YRS										
20-34	3	7.0	25	2	2	7	11	12	12	12
35-49	12	17.7	567	2	2	10	15	59	78	81
50-64	17	20.2	296	2	4	21	32	87	99+	99+
65+	9	37.6	666	9	9	37	57	75	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.8	57	1	1	4	7	12	17	34
B. *Operated*	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	826	9.1	151	1	2	5	11	20	33	99
B. *Operated*	41	22.3	487	2	3	15	36	71	88	99+
1. SINGLE DX	348	5.9	57	1	1	4	7	12	17	34
2. MULTIPLE DX	867	9.7	175	1	2	6	11	22	40	99+
A. NOT OPERATED	1172	8.1	126	1	2	5	9	18	27	87
B. OPERATED	43	21.8	470	2	3	15	33	69	86	99+
TOTAL 0-19 YRS	9	5.4	43	<1	<1	2	7	16	21	21
20-34	241	4.7	18	1	1	3	6	10	14	20
35-49	443	6.9	81	1	1	4	8	14	20	51
50-64	374	9.6	124	2	2	6	11	24	36	99+
65+	148	17.6	476	2	2	9	20	52	80	99+
GRAND TOTAL	**1215**	**8.6**	**144**	**1**	**2**	**5**	**10**	**19**	**31**	**92**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	12.1	574	<1	<1	3	12	25	77	95
20-34	33	10.4	304	<1	1	2	9	34	50	77
35-49	9	2.8	8	<1	<1	1	4	7	9	9
50-64	7	5.6	19	<1	<1	4	9	11	12	12
65+	5	7.8	41	<1	<1	5	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	12.6	229	1	2	7	13	40	50	56
20-34	49	13.8	266	<1	1	7	19	31	43	91
35-49	24	9.7	98	2	2	5	13	24	31	36
50-64	23	9.1	74	1	2	4	15	22	27	33
65+	28	16.6	329	2	4	10	19	39	63	80
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	47.0	1058	24	24	47	70	70	70	70
35-49										
50-64	4	19.0	371	3	3	13	30	47	47	47
65+	1	36.0		36	36	36	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	9.1	275	<1	<1	3	9	25	43	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	145	12.7	216	1	2	7	16	30	42	81
B. *Operated*	8	26.5	535	3	4	19	41	63	70	70
1. SINGLE DX	69	9.1	275	<1	<1	3	9	25	43	92
2. MULTIPLE DX	153	13.4	239	1	2	7	18	33	45	80
A. NOT OPERATED	214	11.6	237	<1	1	6	15	28	43	84
B. OPERATED	8	26.5	535	3	4	19	41	63	70	70
TOTAL 0-19 YRS	37	12.2	351	<1	1	6	13	34	52	95
20-34	84	13.2	314	<1	1	6	19	32	49	86
35-49	33	7.8	83	<1	1	4	8	23	28	36
50-64	34	9.5	101	<1	2	5	14	22	31	47
65+	34	15.9	297	2	3	10	17	37	57	80
GRAND TOTAL	**222**	**12.1**	**253**	**<1**	**1**	**6**	**15**	**31**	**44**	**83**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	24.1	234	3	4	21	35	41	54	60
20-34	192	21.5	339	1	3	16	30	50	63	95
35-49	154	20.6	369	1	2	15	26	45	65	84
50-64	79	16.8	151	2	4	14	25	34	40	91
65+	28	17.4	288	2	3	13	21	28	68	75
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	35.8	531	6	6	38	56	64	69	70
20-34	111	26.1	409	2	6	22	38	60	84	99+
35-49	82	25.0	380	1	4	22	34	52	68	82
50-64	62	23.4	346	1	3	21	32	54	67	97
65+	26	27.3	599	2	4	17	45	64	81	87
B. *Operated*										
0-19 YRS										
20-34	4	29.3	93	16	16	32	54	99+	99+	99+
35-49	6	37.7	89	24	24	39	46	48	48	48
50-64	5	37.6	875	4	4	34	65	73	73	73
65+	2	30.5	13	28	28	30	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	20.3	312	1	3	15	27	45	61	87
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	293	25.7	409	2	5	22	38	57	75	99+
B. *Operated*	17	34.8	280	8	15	33	46	70	89	99+
1. SINGLE DX	469	20.3	312	1	3	15	27	45	61	87
2. MULTIPLE DX	310	26.2	405	2	5	22	39	59	75	99+
A. NOT OPERATED	762	22.4	356	1	3	18	30	50	66	95
B. OPERATED	17	34.8	280	8	15	33	46	70	89	99+
TOTAL 0-19 YRS	28	29.1	381	4	6	22	41	60	63	70
20-34	307	23.3	365	1	4	19	33	52	71	99+
35-49	242	22.5	374	1	3	18	30	48	65	83
50-64	146	20.3	272	1	4	16	28	45	62	99+
65+	56	22.4	441	2	4	16	29	51	73	87
GRAND TOTAL	**779**	**22.6**	**357**	**1**	**3**	**18**	**31**	**50**	**67**	**98**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	27.3	386	5	6	20	49	53	54	54
20-34	28	21.9	405	2	4	19	23	60	65	79
35-49	10	7.9	36	1	2	6	9	17	23	23
50-64	6	17.8	161	5	5	13	31	35	36	36
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	23.7	121	11	11	29	30	31	31	31
20-34	12	25.2	454	2	5	16	39	61	64	65
35-49	3	20.7	94	10	10	23	27	29	29	29
50-64	2	65.0	2	64	64	65	66	66	66	66
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	19.3	325	2	4	15	23	51	63	79
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	28.3	446	4	8	26	39	64	65	66
B. *Operated*										
1. SINGLE DX	50	19.3	325	2	4	15	23	51	63	79
2. MULTIPLE DX	20	28.3	446	4	8	26	39	64	65	66
A. NOT OPERATED	70	21.8	370	2	5	15	29	56	64	76
B. OPERATED										
TOTAL 0-19 YRS	9	26.1	275	5	7	22	35	52	54	54
20-34	40	22.9	411	2	4	19	28	61	64	79
35-49	13	10.8	74	1	3	8	14	24	28	29
50-64	8	29.6	592	5	6	23	50	65	66	66
65+										
GRAND TOTAL	**70**	**21.8**	**370**	**2**	**5**	**15**	**29**	**56**	**64**	**76**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	20.4	424	1	1	15	31	49	73	99+
20-34	645	18.7	330	1	2	14	28	45	67	99+
35-49	286	17.9	242	1	2	13	27	42	50	78
50-64	153	17.8	263	1	3	14	23	43	74	99+
65+	41	18.5	327	2	3	11	22	41	61	86
B. *Operated*										
0-19 YRS										
20-34	4	39.8	468	21	21	34	55	70	70	70
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	26.6	557	1	2	22	41	73	88	99+
20-34	361	22.2	406	2	3	17	32	60	73	99+
35-49	173	17.6	239	2	3	13	27	36	51	96
50-64	127	23.6	369	3	5	19	36	59	86	99+
65+	39	20.3	333	3	4	14	29	51	62	75
B. *Operated*										
0-19 YRS										
20-34	14	31.2	257	8	9	36	49	96	99+	99+
35-49	11	28.3	325	6	11	22	43	57	59	59
50-64	5	31.6	36	25	25	32	37	38	38	38
65+	4	35.0	198	20	20	34	46	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	18.6	309	1	2	14	27	45	63	99+
B. *Operated*	4	39.8	468	21	21	34	55	70	70	70
2. MULTIPLE DX										
A. *Not Operated*	757	21.6	373	2	3	17	31	57	73	99+
B. *Operated*	34	30.8	227	8	13	29	43	58	87	99+
1. SINGLE DX	1243	18.6	311	1	2	14	27	45	64	99+
2. MULTIPLE DX	791	22.0	370	2	3	17	32	57	73	99+
A. NOT OPERATED	1996	19.7	336	1	3	14	28	48	70	99+
B. OPERATED	38	31.7	248	8	14	29	43	58	85	99+
TOTAL 0-19 YRS	171	22.4	474	1	2	17	34	61	77	99+
20-34	1024	20.2	361	1	2	15	29	52	71	99+
35-49	470	18.0	244	1	3	13	27	41	53	86
50-64	285	20.6	315	2	4	17	28	54	76	99+
65+	84	20.1	329	3	4	14	28	46	60	82
GRAND TOTAL	**2034**	**19.9**	**336**	**1**	**3**	**15**	**29**	**48**	**70**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	17.3	286	3	4	10	28	41	56	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	22.5	178	2	4	25	32	39	40	40
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	17.3	286	3	4	10	28	41	56	59
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	22.5	178	2	4	25	32	39	40	40
B. *Operated*										
1. SINGLE DX	12	17.3	286	3	4	10	28	41	56	59
2. MULTIPLE DX	11	22.5	178	2	4	25	32	39	40	40
A. NOT OPERATED	23	19.8	231	3	4	15	32	39	47	59
B. OPERATED										
TOTAL 0-19 YRS	23	19.8	231	3	4	15	32	39	47	59
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**23**	**19.8**	**231**	**3**	**4**	**15**	**32**	**39**	**47**	**59**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	10.7	132	1	1	7	13	29	30	48
20-34	250	12.9	177	1	2	7	19	32	42	59
35-49	290	15.9	210	1	3	13	21	36	46	75
50-64	427	18.3	211	2	3	15	25	37	46	86
65+	337	19.6	196	3	5	17	27	40	49	77
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	36.0		36	36	36	36	36	36	36
50-64	1	20.0		20	20	20	20	20	20	20
65+	3	42.7	1304	11	11	35	70	82	82	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	21.7	449	1	2	16	31	57	67	68
20-34	235	17.0	276	1	2	12	25	41	53	99+
35-49	269	17.5	259	2	3	12	26	39	50	74
50-64	401	20.2	261	3	4	17	29	39	51	84
65+	381	23.2	315	4	5	20	32	53	79	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	29.3	261	2	10	26	35	53	62	62
35-49	29	29.3	379	4	9	23	46	65	71	99+
50-64	36	26.5	197	8	13	24	38	64	99+	99+
65+	35	39.2	495	13	15	29	55	72	80	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1334	16.9	205	2	3	13	24	37	46	70
B. *Operated*	5	36.8	749	11	11	35	47	82	82	82
2. MULTIPLE DX										
A. *Not Operated*	1311	20.0	288	2	4	16	29	43	58	99+
B. *Operated*	111	31.3	367	8	11	26	46	66	80	99+
1. SINGLE DX	1339	17.0	208	2	3	13	24	37	46	72
2. MULTIPLE DX	1422	20.9	303	2	4	17	30	47	63	99+
A. NOT OPERATED	2645	18.4	248	2	3	15	26	39	52	92
B. OPERATED	116	31.6	378	8	11	26	46	68	82	99+
TOTAL 0-19 YRS	56	15.6	297	1	1	9	24	39	57	68
20-34	495	15.2	233	1	2	9	23	38	48	75
35-49	589	17.3	248	2	3	13	24	41	51	76
50-64	865	19.6	236	3	4	16	27	39	51	89
65+	756	22.4	290	4	5	19	30	48	64	99+
GRAND TOTAL	**2761**	**19.0**	**260**	**2**	**3**	**15**	**27**	**41**	**55**	**98**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	24.4	624	2	3	17	29	79	93	99+
20-34	264	19.7	277	2	4	15	26	50	63	99+
35-49	249	18.6	241	1	3	15	26	39	49	84
50-64	202	21.2	253	3	5	18	28	42	51	76
65+	92	21.7	285	2	3	19	30	46	63	91
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	23.0		23	23	23	23	23	23	23
50-64	2	23.0	18	20	20	23	26	26	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	31.0	511	2	3	30	43	60	73	83
20-34	215	24.9	347	2	5	22	36	52	65	99
35-49	170	22.7	290	3	7	18	29	47	60	83
50-64	182	25.3	301	5	7	22	36	55	68	99+
65+	127	22.6	313	2	4	18	29	50	63	87
B. *Operated*										
0-19 YRS	1	15.0		15	15	57	99+	99+	99+	99+
20-34	10	26.6	203	5	9	24	43	69	97	99+
35-49	10	43.0	451	18	19	36	60	72	82	82
50-64	12	46.0	286	25	25	42	66	76	95	99+
65+	8	32.6	604	5	6	34	62	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	20.1	274	2	4	16	27	43	57	99+
B. *Operated*	4	21.5	15	17	17	21	24	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	714	24.2	321	3	6	21	34	50	66	99+
B. *Operated*	41	37.2	408	7	14	38	60	82	99+	99+
1. SINGLE DX	840	20.1	272	2	4	17	27	43	57	99+
2. MULTIPLE DX	755	24.9	334	3	6	21	35	53	69	99+
A. NOT OPERATED	1550	22.0	299	2	5	18	30	48	61	99+
B. OPERATED	45	35.8	392	7	14	34	58	79	99+	99+
TOTAL 0-19 YRS	50	26.8	568	2	3	24	41	77	92	99+
20-34	490	22.1	312	2	5	18	30	51	63	99+
35-49	430	20.8	279	2	4	17	28	44	57	83
50-64	398	23.8	293	4	6	21	33	50	62	99+
65+	227	22.6	312	2	4	19	31	49	68	99+
GRAND TOTAL	**1595**	**22.4**	**307**	**2**	**5**	**18**	**31**	**49**	**63**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	16.3	550	1	1	7	18	58	80	80
20-34	141	14.4	245	1	2	9	18	36	55	83
35-49	95	14.9	272	1	2	9	19	38	54	90
50-64	72	15.8	288	1	2	12	20	36	61	99
65+	70	15.8	246	1	2	11	24	45	48	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	13.9	241	<1	1	7	22	37	49	59
20-34	118	18.3	336	1	2	12	26	50	69	99+
35-49	76	14.9	122	2	3	12	21	34	37	41
50-64	104	18.9	344	2	2	14	27	51	70	99+
65+	211	15.6	256	2	3	11	24	47	99+	99+
B. *Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	1	15.0		15	15	15	15	15	15	15
35-49	6	17.8	54	4	5	21	22	23	23	23
50-64	4	33.3	1118	3	3	28	60	74	74	74
65+	13	33.4	621	11	13	23	49	73	89	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	15.1	279	1	2	10	20	38	56	99+
B. *Operated*	2	20.5	313	8	8	20	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	541	16.6	272	1	2	12	25	42	77	99+
B. *Operated*	25	28.9	515	4	9	22	36	68	79	93
1. SINGLE DX	410	15.2	278	1	2	10	20	38	56	99+
2. MULTIPLE DX	566	17.1	288	1	3	12	25	44	77	99+
A. NOT OPERATED	949	16.0	275	1	2	11	23	41	67	99+
B. OPERATED	27	28.3	492	4	8	22	33	68	77	93
TOTAL 0-19 YRS	63	15.4	384	<1	1	7	21	38	66	80
20-34	260	16.2	288	1	2	10	22	43	62	99+
35-49	178	15.0	198	1	2	10	21	35	43	77
50-64	180	18.0	339	2	2	13	25	48	70	99+
65+	295	16.5	280	2	3	12	25	47	99+	99+
GRAND TOTAL	**976**	**16.3**	**284**	**1**	**2**	**11**	**23**	**42**	**68**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.4	43	<1	1	3	7	12	21	33
20-34	262	6.2	91	<1	1	3	7	13	18	58
35-49	262	5.4	31	1	1	3	6	13	17	29
50-64	175	6.4	40	1	1	5	8	14	16	35
65+	154	7.0	59	1	1	5	8	15	22	43
B. *Operated*										
0-19 YRS										
20-34	4	8.3	61	1	1	7	14	18	18	18
35-49	4	9.3	71	1	1	7	14	21	21	21
50-64	2	6.5	25	3	3	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	9.7	173	<1	1	5	10	32	42	59
20-34	360	7.6	86	<1	1	4	9	18	24	41
35-49	347	7.6	58	1	2	5	10	17	23	38
50-64	368	8.2	73	1	1	5	10	19	25	36
65+	391	7.8	52	1	2	6	10	16	20	40
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	15	9.7	103	1	1	7	11	33	34	34
35-49	14	9.9	73	2	3	7	13	27	28	28
50-64	14	16.9	168	3	3	15	21	41	45	46
65+	4	23.8	95	14	14	23	32	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	933	6.1	55	1	1	4	7	14	18	36
B. *Operated*	10	8.3	48	1	1	7	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	1542	7.9	72	1	1	5	10	18	23	42
B. *Operated*	48	12.9	127	1	3	9	18	32	35	46
1. SINGLE DX	943	6.1	55	1	1	4	7	14	18	36
2. MULTIPLE DX	1590	8.0	75	1	1	5	10	18	25	42
A. NOT OPERATED	2475	7.2	67	1	1	5	9	16	22	40
B. OPERATED	58	12.1	116	1	2	8	17	29	34	46
TOTAL 0-19 YRS	157	7.5	110	<1	1	4	8	20	33	52
20-34	641	7.1	89	<1	1	4	8	16	23	41
35-49	627	6.7	49	1	1	4	9	16	22	33
50-64	559	7.8	67	1	1	5	10	17	23	41
65+	549	7.7	56	1	2	6	10	16	21	40
GRAND TOTAL	2533	7.3	68	1	1	5	9	17	23	41

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	8.5	88	1	1	5	10	18	31	45
20-34	436	9.7	98	1	2	6	13	22	29	50
35-49	402	10.0	78	2	2	7	14	22	29	46
50-64	232	12.8	154	2	3	9	16	30	44	56
65+	134	12.7	111	2	3	10	16	27	35	51
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	13.8	184	1	2	8	22	33	44	81
20-34	522	14.2	229	1	2	9	19	34	49	73
35-49	494	12.7	137	2	2	9	17	30	38	62
50-64	394	14.3	133	2	3	11	20	30	39	58
65+	286	16.0	174	3	4	11	23	36	44	73
B. *Operated*										
0-19 YRS	6	12.3	132	2	2	9	25	27	27	37
20-34	29	25.4	286	5	6	25	36	47	52	72
35-49	30	21.9	303	2	3	22	25	42	56	82
50-64	26	23.1	337	4	5	15	36	49	57	71
65+	19	24.9	230	8	9	25	40	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1279	10.6	104	1	2	7	14	24	32	49
B. *Operated*	4	13.3	38	8	8	13	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	1793	14.1	172	2	3	10	19	32	42	67
B. *Operated*	110	23.1	284	3	5	23	35	48	60	99+
1. SINGLE DX	1283	10.6	104	1	2	7	14	24	32	49
2. MULTIPLE DX	1903	14.6	183	2	3	10	20	33	43	71
A. NOT OPERATED	3072	12.6	147	1	2	9	17	29	39	63
B. OPERATED	114	22.8	278	3	5	22	34	48	59	99+
TOTAL 0-19 YRS	178	11.5	147	1	2	7	16	31	39	60
20-34	988	12.6	182	1	2	8	16	29	39	70
35-49	927	11.8	122	2	2	8	16	28	35	55
50-64	652	14.1	152	2	3	10	10	31	43	59
65+	441	15.4	162	3	4	11	21	34	44	75
GRAND TOTAL	3186	13.0	158	1	2	9	17	30	40	64

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	8.7	142	<1	1	4	10	22	38	57
20-34	310	10.1	170	<1	1	5	14	27	45	89
35-49	149	9.1	170	1	1	5	11	26	34	99+
50-64	93	11.1	147	1	1	7	15	25	34	58
65+	45	10.7	61	2	3	9	15	19	28	36
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	13.2	271	1	1	5	24	40	42	42
35-49	4	5.8	17	1	1	5	8	11	11	11
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	3	5.0	16	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	14.4	249	1	1	8	21	34	51	90
20-34	515	14.4	273	1	1	8	19	36	47	80
35-49	274	12.9	216	1	2	8	16	31	43	82
50-64	168	14.5	215	1	2	10	20	32	49	89
65+	109	14.3	252	1	2	9	17	35	46	82
B. *Operated*										
0-19 YRS	7	18.7	370	1	1	19	23	50	57	57
20-34	35	19.2	260	4	4	14	28	36	39	87
35-49	11	17.6	65	7	8	17	23	30	31	31
50-64	17	23.1	448	1	2	17	32	65	87	99+
65+	7	18.3	133	3	4	22	26	33	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776	9.7	155	<1	1	5	13	26	38	80
B. *Operated*	16	8.6	112	1	1	5	10	23	37	42
2. MULTIPLE DX										
A. *Not Operated*	1267	14.1	247	1	2	9	19	35	47	84
B. *Operated*	77	19.7	262	2	4	16	28	37	60	96
1. SINGLE DX	792	9.7	154	<1	1	5	13	26	38	79
2. MULTIPLE DX	1344	14.4	249	1	2	9	20	35	47	87
A. NOT OPERATED	2043	12.4	216	1	1	7	16	31	45	83
B. OPERATED	93	17.8	253	1	3	14	24	36	59	94
TOTAL 0-19 YRS	388	11.8	209	<1	1	6	18	32	44	76
20-34	866	13.0	241	1	1	7	17	35	46	86
35-49	438	11.7	199	1	1	7	15	30	42	92
50-64	280	13.9	211	1	2	9	20	32	49	88
65+	164	13.3	193	1	2	9	16	29	40	75
GRAND TOTAL	2136	12.7	219	1	1	7	17	32	45	84

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	5.4	164	<1	<1	1	2	13	37	68
20-34	266	6.2	53	<1	1	3	7	17	25	35
35-49	535	6.0	38	1	1	4	7	13	19	30
50-64	378	6.4	40	1	1	4	8	14	18	27
65+	112	6.5	41	1	1	5	8	15	20	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.6	48	<1	<1	1	4	14	23	31
20-34	443	7.8	86	1	1	5	9	21	28	44
35-49	810	7.2	53	1	1	5	9	16	24	32
50-64	781	9.5	112	1	2	6	12	21	28	55
65+	349	11.5	144	1	2	8	15	27	40	78
B. *Operated*										
0-19 YRS	3	16.3	705	<1	<1	1	35	47	47	47
20-34	20	15.0	335	1	2	7	22	34	57	78
35-49	35	14.5	100	2	6	12	18	27	35	51
50-64	51	18.4	189	1	4	16	26	32	42	68
65+	18	27.6	489	4	5	21	52	68	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1336	6.2	46	1	1	4	7	14	21	33
B. *Operated*	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	2432	8.6	93	1	1	5	11	20	28	51
B. *Operated*	127	18.1	248	1	3	14	24	38	59	83
1. SINGLE DX	1338	6.2	46	1	1	4	7	14	21	33
2. MULTIPLE DX	2559	9.1	105	1	1	6	11	21	29	56
A. NOT OPERATED	3768	7.8	78	1	1	5	9	18	25	44
B. OPERATED	129	17.9	246	1	3	14	23	38	59	82
TOTAL 0-19 YRS	97	5.4	118	<1	<1	1	3	15	30	58
20-34	729	7.4	83	<1	1	4	9	20	25	41
35-49	1381	6.9	50	1	1	5	9	15	22	33
50-64	1211	8.9	98	1	2	6	11	19	27	53
65+	479	10.9	147	1	2	7	14	25	39	75
GRAND TOTAL	3897	8.1	87	1	1	5	10	19	26	49

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.3	2	8	8	9	10	11	11	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	10.2	92	<1	1	8	12	26	30	31
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	3	7.0	43	1	1	6	12	14	14	14
65+	3	10.0	16	6	6	10	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.3	19	<1	<1	8	10	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	9.4	63	<1	1	7	12	23	28	31
B. *Operated*	1	17.0		17	17	17	17	17	17	17
1. SINGLE DX	4	7.3	19	<1	<1	8	10	11	11	11
2. MULTIPLE DX	24	9.8	62	1	1	8	13	22	27	31
A. NOT OPERATED	27	9.1	56	<1	1	8	12	20	27	31
B. OPERATED	1	17.0		17	17	17	17	17	17	17
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	10.1	75	<1	1	9	11	25	29	31
35-49	3	6.7	30	<1	<1	7	11	12	12	12
50-64	4	9.5	54	1	1	10	15	17	17	17
65+	3	10.0	16	6	6	10	13	14	14	14
GRAND TOTAL	**28**	**9.4**	**56**	**<1**	**1**	**8**	**12**	**20**	**26**	**31**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	11.2	107	1	1	8	19	27	32	32
20-34	14	3.6	8	<1	1	3	5	8	10	10
35-49	12	11.8	180	1	2	7	14	32	46	48
50-64	1	18.0		18	18	18	18	18	18	18
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.5	107	3	3	5	10	27	34	34
20-34	46	13.9	219	1	2	8	22	38	49	60
35-49	30	16.2	168	2	3	13	22	33	43	52
50-64	12	14.0	45	5	6	14	17	25	26	26
65+	5	10.6	61	2	2	10	18	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	18.8	27	11	11	21	22	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	8.7	102	1	1	5	11	21	30	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	101	14.1	166	2	2	9	20	32	41	56
B. *Operated*	5	18.0	23	11	11	21	21	22	22	22
1. SINGLE DX	37	8.7	102	1	1	5	11	21	30	48
2. MULTIPLE DX	106	14.3	160	2	2	10	21	30	41	56
A. NOT OPERATED	138	12.6	154	1	2	8	18	29	39	53
B. OPERATED	5	18.0	23	11	11	21	21	22	22	22
TOTAL 0-19 YRS	18	10.4	102	1	2	6	13	29	33	34
20-34	61	11.5	185	1	1	6	14	33	44	59
35-49	46	15.3	159	2	3	12	21	29	44	52
50-64	13	14.3	42	5	6	15	17	24	26	26
65+	5	10.6	61	2	2	10	18	19	19	19
GRAND TOTAL	**143**	**12.8**	**150**	**1**	**2**	**9**	**19**	**29**	**39**	**53**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	1.2		<1	<1	1	1	2	2	4
20-34	36	1.5	4	<1	<1	1	1	2	3	13
35-49	25	2.8	9	<1	<1	1	4	6	10	13
50-64	18	1.5	1	<1	<1	1	2	4	57	99+
65+	12	2.3	6	<1	<1	2	2	6	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	1.9	26	<1	<1	1	1	2	3	33
20-34	109	3.2	40	<1	<1	1	3	5	12	38
35-49	67	3.9	52	<1	<1	2	3	7	16	44
50-64	52	5.3	22	1	1	4	7	10	13	23
65+	33	5.4	41	1	1	3	7	16	21	28
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	4	2.8	12	<1	<1	1	5	8	8	8
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	6.0	50	1	1	6	11	11	11	11
65+	3	17.7	690	2	2	3	37	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	1.5	3	<1	<1	1	1	2	5	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	345	3.6	37	<1	<1	2	3	7	12	32
B. *Operated*	14	7.4	171	<1	1	2	8	25	43	48
1. SINGLE DX	215	1.5	3	<1	<1	1	1	2	5	13
2. MULTIPLE DX	359	3.7	43	<1	<1	2	3	8	14	45
A. NOT OPERATED	560	2.8	25	<1	<1	1	2	6	9	29
B. OPERATED	14	7.4	171	<1	1	2	8	25	43	48
TOTAL 0-19 YRS	212	1.5	10	<1	<1	1	1	2	3	7
20-34	149	2.8	31	<1	<1	1	2	4	10	31
35-49	93	3.8	44	<1	<1	2	3	8	14	39
50-64	72	4.4	19	<1	1	3	7	10	13	82
65+	48	5.4	70	1	1	2	5	13	22	48
GRAND TOTAL	**574**	**2.9**	**29**	**<1**	**<1**	**1**	**2**	**6**	**10**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.8	87	<1	<1	1	2	5	24	44
20-34	16	5.1	44	<1	<1	2	8	11	21	26
35-49	4	6.0	23	<1	<1	6	10	11	11	11
50-64	2	10.0	50	5	5	10	15	15	15	15
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.5	221	<1	<1	3	7	23	37	70
20-34	35	7.6	57	1	1	5	10	20	24	29
35-49	25	7.0	63	1	1	5	8	14	24	38
50-64	16	16.4	514	1	2	8	16	41	77	91
65+	13	15.0	582	2	3	8	12	37	82	93
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64										
65+	3	37.7	1346	15	15	18	64	80	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.8	61	<1	<1	2	5	11	18	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	113	9.7	220	1	1	5	11	23	29	92
B. *Operated*	7	18.0	790	<1	<1	6	17	68	80	80
1. SINGLE DX	44	4.8	61	<1	<1	2	5	11	18	44
2. MULTIPLE DX	120	10.2	251	1	1	5	11	23	33	92
A. NOT OPERATED	157	8.4	180	<1	1	4	10	20	26	90
B. OPERATED	7	18.0	790	<1	<1	6	17	68	80	80
TOTAL 0-19 YRS	47	6.2	154	<1	<1	2	6	19	26	70
20-34	53	6.7	52	<1	1	4	9	18	25	29
35-49	29	6.8	56	1	1	5	9	13	21	38
50-64	18	15.7	461	1	2	8	15	38	72	91
65+	17	18.4	695	3	4	10	16	69	88	93
GRAND TOTAL	**164**	**8.8**	**205**	**<1**	**1**	**4**	**10**	**20**	**27**	**89**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	4.8	14	<1	1	3	7	11	12	15
20-34	42	4.4	16	<1	<1	3	7	8	12	21
35-49	34	3.9	7	1	1	3	5	7	9	13
50-64	29	4.8	15	1	1	3	8	11	11	12
65+	13	4.0	7	<1	1	4	5	8	10	10
B. Operated										
0-19 YRS										
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49	2	4.0		4	4	4	4	4	4	4
50-64	4	6.5	34	2	2	4	10	15	15	15
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	5.3	57	1	1	4	6	9	11	47
20-34	61	5.8	78	1	1	3	6	11	20	55
35-49	43	6.6	51	<1	1	5	8	16	20	36
50-64	56	6.0	16	1	2	5	9	11	14	17
65+	57	8.5	75	2	2	6	11	17	22	50
B. Operated										
0-19 YRS	6	15.5	219	4	4	11	17	41	44	44
20-34	11	13.2	63	3	3	13	17	26	28	28
35-49	1	17.0		17	17	17	17	17	17	17
50-64	3	12.3	81	3	3	13	19	21	21	21
65+	3	10.7	32	6	6	9	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	4.5	13	<1	1	3	6	10	11	15
B. Operated	8	7.3	29	2	2	5	11	16	16	16
2. MULTIPLE DX										
A. Not Operated	254	6.5	56	1	1	4	8	14	18	47
B. Operated	24	13.5	88	3	3	13	17	24	33	44
1. SINGLE DX	172	4.6	14	<1	1	3	7	10	12	16
2. MULTIPLE DX	278	7.1	63	1	1	4	9	15	19	46
A. NOT OPERATED	418	5.7	40	1	1	4	7	11	15	36
B. OPERATED	32	11.9	79	3	3	9	16	22	28	44
TOTAL 0-19 YRS	89	5.7	50	1	1	4	7	11	14	46
20-34	116	6.1	59	<1	1	3	7	15	20	42
35-49	80	5.5	33	1	1	4	7	13	17	32
50-64	92	5.8	19	1	1	5	9	11	15	19
65+	73	7.8	64	2	2	5	10	16	19	48
GRAND TOTAL	**450**	**6.1**	**45**	**1**	**1**	**4**	**8**	**13**	**17**	**37**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	16.6	293	1	2	10	31	34	52	98
20-34	146	6.6	57	1	1	4	8	15	20	40
35-49	100	6.2	28	<1	1	5	10	14	16	24
50-64	52	8.5	195	1	1	4	9	15	35	80
65+	29	6.4	38	1	1	4	9	18	22	22
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	21.3	440	1	2	14	33	53	69	91
20-34	209	9.9	154	1	1	6	13	27	38	66
35-49	155	7.9	82	1	1	5	10	18	22	91
50-64	93	11.0	166	1	2	7	14	22	32	77
65+	62	13.3	149	1	3	10	14	27	41	60
B. Operated										
0-19 YRS	6	34.0	858	<1	2	46	70	95	99+	99+
20-34	7	9.1	52	1	2	5	16	19	19	19
35-49	4	8.0	55	3	3	5	12	19	19	19
50-64	2	33.0	648	15	15	33	51	51	51	51
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	503	10.2	169	1	1	5	13	31	34	77
B. Operated	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	677	12.6	229	1	1	7	16	33	49	74
B. Operated	20	19.0	439	1	2	14	26	64	86	99+
1. SINGLE DX	504	10.2	169	1	1	5	13	31	34	77
2. MULTIPLE DX	697	12.8	236	1	1	7	16	33	50	77
A. NOT OPERATED	1180	11.6	205	1	1	6	14	32	43	78
B. OPERATED	21	19.0	417	1	2	14	19	62	86	99+
TOTAL 0-19 YRS	340	19.1	377	1	2	11	32	48	65	99+
20-34	362	8.6	115	1	1	5	11	20	34	62
35-49	259	7.2	61	1	1	5	10	17	19	47
50-64	148	10.5	185	1	1	6	13	21	33	81
65+	92	11.1	122	1	2	9	13	22	31	58
GRAND TOTAL	**1201**	**11.7**	**209**	**1**	**1**	**6**	**14**	**32**	**45**	**77**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	386	13.2	233	1	2	8	18	33	47	85
20-34	428	10.3	184	1	1	6	13	24	35	95
35-49	302	10.7	126	1	1	7	14	25	34	53
50-64	294	13.1	135	1	2	10	18	28	37	59
65+	201	14.2	137	2	3	10	19	32	41	60
B. *Operated*										
0-19 YRS	7	10.1	112	1	1	5	17	26	28	28
20-34	6	8.0	107	2	2	4	5	27	29	29
35-49	6	8.2	38	3	3	7	8	19	20	20
50-64	6	22.5	240	7	7	19	39	42	42	42
65+	3	7.7	22	4	4	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	438	17.3	298	1	2	11	25	42	57	99
20-34	530	12.3	211	1	1	7	15	31	42	85
35-49	448	11.6	151	1	2	7	16	26	37	61
50-64	398	13.6	171	2	3	9	17	30	38	72
65+	433	15.1	186	3	3	11	20	34	49	99+
B. *Operated*										
0-19 YRS	22	28.0	826	2	3	19	34	88	91	95
20-34	38	19.9	483	1	2	13	26	49	70	96
35-49	32	25.3	319	5	9	22	32	49	63	83
50-64	27	20.2	137	4	6	18	24	34	44	58
65+	30	27.2	273	7	8	24	37	48	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1611	12.1	172	1	2	8	15	28	38	78
B. *Operated*	28	11.6	132	1	2	7	17	29	39	42
2. MULTIPLE DX										
A. *Not Operated*	2247	13.9	208	1	2	9	18	33	44	81
B. *Operated*	149	23.8	394	2	5	19	30	49	66	95
1. SINGLE DX	1639	12.0	171	1	2	8	16	28	38	77
2. MULTIPLE DX	2396	14.5	225	1	2	9	19	34	46	85
A. NOT OPERATED	3858	13.1	194	1	2	8	17	32	42	80
B. OPERATED	177	21.8	371	2	4	17	27	47	56	93
TOTAL 0-19 YRS	853	15.7	287	1	2	10	23	38	53	90
20-34	1002	11.7	212	1	1	7	14	28	41	94
35-49	788	11.8	155	1	2	7	16	27	38	61
50-64	725	13.7	157	2	3	10	18	30	38	63
65+	667	15.4	180	3	3	11	20	34	47	95
GRAND TOTAL	**4035**	**13.5**	**204**	**1**	**2**	**8**	**18**	**32**	**43**	**83**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	8.5	89	<1	1	6	19	99+	99+	99+
20-34	7	7.6	80	1	1	4	8	23	27	27
35-49	5	32.4	645	5	5	29	53	67	67	67
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	13.1	238	2	3	8	16	35	88	99+
20-34	33	12.7	167	1	2	7	20	28	59	99+
35-49	10	10.4	41	<1	2	10	14	19	21	21
50-64	10	27.6	1045	2	3	15	33	85	94	94
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	3	12.7	254	2	2	5	24	31	31	31
20-34	4	12.5	54	3	3	13	18	20	20	20
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	12.3	256	1	1	6	24	59	99+	99+
B. *Operated*	3	6.0	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	106	13.8	278	1	2	8	19	33	78	99+
B. *Operated*	9	10.4	103	1	1	5	17	27	31	31
1. SINGLE DX	30	11.7	234	1	1	6	18	54	96	99+
2. MULTIPLE DX	115	13.5	264	1	2	8	19	32	73	99+
A. NOT OPERATED	133	13.5	272	1	2	8	19	34	87	99+
B. OPERATED	12	9.3	80	1	2	6	13	23	30	31
TOTAL 0-19 YRS	69	11.9	200	1	2	8	16	35	99	99+
20-34	44	11.8	143	1	2	7	19	27	38	99+
35-49	16	16.7	322	<1	1	13	19	46	61	67
50-64	12	23.7	941	1	2	9	28	82	92	94
65+	4	3.8	4	1	1	4	5	5	5	5
GRAND TOTAL	**145**	**13.2**	**257**	**1**	**2**	**8**	**19**	**33**	**77**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	11.1	69	1	2	11	14	18	21	37
20-34	15	9.1	22	1	3	10	12	15	16	17
35-49	10	7.5	24	1	2	6	9	15	18	18
50-64	10	14.4	146	1	1	13	19	34	34	34
65+	5	21.2	533	5	5	14	30	61	61	61
B. Operated										
0-19 YRS	7	13.6	9	10	10	13	15	18	19	19
20-34	3	16.0	163	2	2	19	25	27	27	27
35-49	13	6.0	26	2	2	4	8	11	19	21
50-64	8	14.8	134	1	1	15	19	32	37	37
65+	2	14.5	265	3	3	14	26	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	14.1	103	2	4	12	17	22	27	67
20-34	19	13.4	138	4	6	10	16	20	41	58
35-49	14	17.6	333	2	3	14	21	49	62	66
50-64	11	13.9	115	2	2	11	20	31	33	33
65+	9	10.9	74	2	2	6	20	22	23	23
B. Operated										
0-19 YRS	10	26.1	262	6	9	25	33	52	54	54
20-34	9	20.3	216	4	5	22	27	42	51	51
35-49	9	24.9	188	1	5	24	34	43	45	45
50-64	9	23.1	683	1	1	15	30	67	84	84
65+	3	34.0	859	11	11	45	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	11.2	80	1	2	11	14	18	23	51
B. Operated	33	11.2	77	2	2	9	16	23	27	37
2. MULTIPLE DX										
A. Not Operated	144	14.1	126	2	3	12	17	23	28	67
B. Operated	40	24.5	339	2	5	24	32	52	75	99+
1. SINGLE DX	226	11.2	79	1	2	10	14	19	26	43
2. MULTIPLE DX	184	16.4	189	2	3	13	20	29	48	86
A. NOT OPERATED	337	12.4	101	1	2	11	16	21	27	62
B. OPERATED	73	18.4	263	2	2	14	26	42	53	96
TOTAL 0-19 YRS	261	12.8	94	1	3	12	15	21	27	54
20-34	46	13.5	124	2	4	11	16	26	33	58
35-49	46	13.5	196	2	2	8	20	32	45	66
50-64	38	16.4	254	1	1	14	21	34	40	84
65+	19	17.6	333	2	3	14	23	64	83	99+
GRAND TOTAL	410	13.8	138	2	2	12	17	24	33	71

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.5	6	1	1	3	5	6	6	6
35-49	3	16.0	147	3	3	18	25	27	27	27
50-64	33	12.5	101	3	4	9	18	28	36	36
65+	85	17.7	315	3	4	13	22	49	66	99+
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	49.0	882	28	28	49	70	70	70	70
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	32.3	316	13	13	36	45	48	48	48
20-34	3	9.0	97	1	1	6	16	20	20	20
35-49	6	10.3	59	3	3	9	16	20	21	21
50-64	44	16.0	183	3	5	11	20	33	49	59
65+	262	17.1	256	3	4	13	22	54	95	99+
B. Operated										
0-19 YRS										
20-34										
35-49	1	53.0		53	53	53	53	53	53	53
50-64	10	20.3	404	5	5	14	24	51	72	72
65+	23	24.3	327	7	9	23	29	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	15.8	251	3	4	11	20	35	58	99+
B. Operated	3	36.7	897	12	12	28	59	70	70	70
2. MULTIPLE DX										
A. Not Operated	318	16.9	243	3	4	12	22	52	71	99+
B. Operated	34	24.0	358	6	7	22	29	78	99+	99+
1. SINGLE DX	129	16.2	270	3	4	11	21	37	59	99+
2. MULTIPLE DX	352	17.5	258	3	4	13	23	54	80	99+
A. NOT OPERATED	444	16.5	245	3	4	12	21	49	62	99+
B. OPERATED	37	25.0	390	6	7	22	30	78	99+	99+
TOTAL 0-19 YRS	4	25.0	426	3	3	24	42	48	48	48
20-34	7	5.9	44	1	1	5	6	17	20	20
35-49	10	16.3	239	3	3	15	21	40	53	53
50-64	88	15.2	175	3	4	11	19	32	39	67
65+	372	17.8	282	3	4	13	23	56	99	99+
GRAND TOTAL	481	17.2	261	3	4	13	23	52	71	99+

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	14.4	68	3	4	15	24	78	99+	99+
20-34	132	10.2	82	1	2	9	13	19	35	99+
35-49	99	13.0	223	2	2	9	14	28	40	89
50-64	56	12.9	132	3	3	10	17	24	29	69
65+	6	26.5	431	5	6	24	37	56	58	58
B. *Operated*										
0-19 YRS	3	14.3	57	9	9	11	20	23	23	23
20-34	25	7.0	20	1	1	7	11	19	32	99+
35-49	30	12.4	242	3	3	7	12	31	58	67
50-64	7	9.3	55	2	2	6	18	20	21	21
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	65	12.9	260	1	2	9	17	49	99+	99+
35-49	101	13.4	175	2	3	10	17	27	59	99+
50-64	86	15.1	183	2	3	11	21	41	59	99+
65+	10	20.5	263	2	2	23	44	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	22	14.8	205	2	3	9	26	32	47	58
35-49	32	15.5	126	4	5	14	19	33	47	99+
50-64	32	24.3	611	3	3	16	43	93	99+	99+
65+	2	19.0	18	16	16	22	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	12.0	148	2	3	9	14	25	39	96
B. *Operated*	66	10.0	130	2	2	7	12	21	36	94
2. MULTIPLE DX										
A. *Not Operated*	264	14.1	201	2	3	10	20	40	94	99+
B. *Operated*	88	18.6	332	3	4	14	28	57	99	99+
1. SINGLE DX	366	11.7	145	2	3	9	14	24	39	98
2. MULTIPLE DX	352	15.2	236	2	3	10	22	44	94	99+
A. NOT OPERATED	564	13.0	174	2	3	10	17	32	54	99+
B. OPERATED	154	14.9	262	2	3	9	19	42	83	99+
TOTAL 0-19 YRS	12	13.7	50	4	7	11	21	42	89	99+
20-34	244	11.0	137	1	2	9	14	28	51	99+
35-49	262	13.4	193	2	3	9	16	31	48	99+
50-64	181	15.8	251	2	3	11	21	45	81	99+
65+	19	21.4	279	2	3	22	43	99+	99+	99+
GRAND TOTAL	718	13.4	193	2	3	10	17	34	58	99+

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	525	4.3	21	1	1	3	5	9	12	20
20-34	343	4.3	23	1	1	3	5	9	14	20
35-49	134	4.2	18	1	1	3	6	9	15	21
50-64	85	4.8	31	1	1	3	6	10	17	28
65+	73	5.3	34	1	1	4	6	10	17	32
B. *Operated*										
0-19 YRS	6	7.2	25	2	2	7	8	15	16	16
20-34	6	11.0	119	2	2	8	12	30	32	32
35-49	6	14.5	226	3	3	7	24	39	41	41
50-64	5	4.0	8	2	2	2	6	8	8	8
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	435	7.5	72	1	1	5	9	17	23	48
20-34	312	6.7	88	1	1	4	8	16	25	77
35-49	238	7.6	100	1	1	4	8	16	24	59
50-64	202	8.7	119	1	2	6	11	16	24	74
65+	195	11.7	177	2	2	8	14	26	37	93
B. *Operated*										
0-19 YRS	14	7.7	25	1	2	9	12	13	19	16
20-34	20	16.0	283	<1	1	8	28	35	51	66
35-49	20	13.3	399	3	3	7	13	20	59	95
50-64	14	17.3	427	2	3	10	18	34	73	84
65+	9	18.9	329	3	4	18	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	4.4	23	1	1	3	5	9	14	25
B. *Operated*	24	9.5	97	2	2	7	11	25	35	41
2. MULTIPLE DX										
A. *Not Operated*	1382	8.1	104	1	1	5	10	17	25	69
B. *Operated*	77	14.3	296	2	2	10	17	37	89	99+
1. SINGLE DX	1184	4.5	25	1	1	3	6	9	14	27
2. MULTIPLE DX	1459	8.4	116	1	1	5	10	18	27	76
A. NOT OPERATED	2542	6.4	70	1	1	4	8	14	20	45
B. OPERATED	101	13.2	251	2	2	9	16	35	71	99+
TOTAL 0-19 YRS	980	5.8	46	1	1	4	7	13	17	37
20-34	681	5.8	65	1	1	3	6	13	21	42
35-49	398	6.8	93	1	1	4	7	15	22	51
50-64	306	7.9	112	1	1	5	10	16	24	74
65+	278	10.3	153	1	2	6	13	25	30	99+
GRAND TOTAL	2643	6.7	79	1	1	4	8	18	22	58

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	9.1	158	1	1	5	10	23	43	99+
20-34	83	7.4	57	1	2	4	10	16	24	36
35-49	68	6.5	81	2	2	4	7	11	17	95
50-64	63	9.3	158	2	2	6	13	34	88	99+
65+	75	14.9	218	2	3	11	21	51	88	99+
B. *Operated*										
0-19 YRS	76	6.6	26	1	2	5	9	15	17	22
20-34	71	7.8	43	1	1	6	12	18	21	27
35-49	48	6.6	34	<1	<1	5	10	15	20	23
50-64	45	8.7	66	<1	1	5	12	18	27	34
65+	37	9.5	55	2	2	7	11	20	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	8.4	124	1	2	6	10	19	60	99+
20-34	107	9.8	99	1	2	7	14	24	47	99+
35-49	78	10.3	155	3	3	7	14	25	91	99+
50-64	187	14.4	229	2	3	10	18	40	69	99+
65+	343	19.2	366	3	4	13	28	62	99+	99+
B. *Operated*										
0-19 YRS	125	11.4	192	1	2	5	15	29	39	68
20-34	113	13.3	267	<1	1	8	17	43	75	99+
35-49	93	10.9	137	1	2	7	13	31	41	99+
50-64	126	14.2	309	<1	2	9	17	30	63	99+
65+	110	19.0	328	2	4	14	30	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	9.4	142	1	2	6	12	24	47	99+
B. *Operated*	277	7.6	42	<1	1	6	10	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	901	14.1	257	2	3	9	18	48	86	99+
B. *Operated*	567	13.8	257	1	2	9	19	35	66	99+
1. SINGLE DX	683	8.7	102	1	2	6	11	20	30	99+
2. MULTIPLE DX	1468	14.0	257	2	2	9	18	43	73	99+
A. NOT OPERATED	1307	12.7	226	2	2	8	16	38	72	99+
B. OPERATED	844	11.8	195	1	2	7	15	29	47	99+
TOTAL 0-19 YRS	504	9.1	136	1	2	5	10	22	38	99+
20-34	374	9.9	135	1	2	6	14	24	42	99+
35-49	287	9.0	114	1	2	6	11	23	36	99+
50-64	421	13.0	229	1	2	9	16	33	66	99+
65+	565	18.0	325	2	4	12	26	58	99	99+
GRAND TOTAL	**2151**	**12.3**	**214**	**1**	**2**	**8**	**15**	**33**	**64**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.7	4	<1	1	2	4	6	7	10
20-34	228	3.3	10	<1	1	2	4	7	9	18
35-49	193	2.8	7	1	1	2	3	5	7	17
50-64	68	3.5	8	1	1	2	4	8	11	12
65+	16	6.4	25	<1	1	6	8	14	17	18
B. *Operated*										
0-19 YRS	3	6.7	10	3	3	8	9	9	9	9
20-34	18	4.3	3	2	2	4	6	7	8	8
35-49	16	5.7	29	1	1	4	6	15	18	20
50-64	6	8.2	35	3	3	6	15	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.2	10	1	1	3	5	7	11	17
20-34	151	4.3	12	1	1	3	5	8	9	21
35-49	152	4.9	23	1	1	3	6	10	15	21
50-64	66	5.0	31	1	1	3	6	8	16	31
65+	27	7.5	23	2	2	7	10	14	17	21
B. *Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	18	9.2	33	2	3	8	11	19	23	23
35-49	15	5.9	21	1	2	5	7	13	17	19
50-64	7	9.9	146	1	1	6	10	31	36	36
65+	2	22.0	2	21	21	22	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	3.2	9	1	1	2	4	7	8	15
B. *Operated*	43	5.5	18	1	2	4	7	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	451	4.8	19	1	1	4	6	9	13	22
B. *Operated*	45	8.5	52	2	2	6	10	21	23	36
1. SINGLE DX	657	3.3	9	1	1	2	4	7	9	16
2. MULTIPLE DX	496	5.1	23	1	1	4	6	10	15	23
A. NOT OPERATED	1065	3.8	14	1	1	3	5	8	10	21
B. OPERATED	88	7.0	37	2	2	5	9	15	21	31
TOTAL 0-19 YRS	170	3.3	7	1	1	2	4	7	9	13
20-34	415	4.0	13	1	1	3	5	8	9	22
35-49	376	3.9	16	1	1	3	5	8	11	21
50-64	147	4.6	27	1	1	3	5	10	14	32
65+	45	7.8	32	1	2	7	10	16	21	23
GRAND TOTAL	**1153**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	8	2.9	5	<1	<1	2	3	7	8	8
20-34	150	1.9	1	<1	<1	2	2	3	4	7
35-49	165	2.3	4	<1	<1	2	2	4	4	13
50-64	214	2.2	2	<1	<1	2	3	4	4	8
65+	112	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	5.0	21	1	1	4	8	10	10	10
50-64	4	2.5	9	<1	<1	<1	4	7	7	7
65+	10	6.4	24	1	1	6	8	14	17	17
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	29	3.8	33	<1	<1	2	4	5	14	31
35-49	52	3.6	14	<1	1	2	4	7	14	20
50-64	108	3.7	13	<1	1	3	4	7	12	21
65+	93	4.9	55	1	1	3	5	9	11	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.4	6	1	1	3	4	8	9	9
B. *Operated*	649	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	19	4.9	20	<1	<1	4	8	11	14	17
B. *Operated*	284	4.1	29	<1	1	3	4	8	11	23
1. SINGLE DX	657	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX	303	4.1	28	<1	1	3	4	8	12	23
A. NOT OPERATED	27	4.4	16	<1	<1	3	7	10	12	17
B. OPERATED	933	2.8	11	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	12	2.9	4	<1	<1	2	4	5	8	8
20-34	180	2.2	6	<1	<1	2	2	3	4	11
35-49	221	2.7	7	<1	<1	2	3	4	6	16
50-64	328	2.7	6	<1	<1	2	3	4	6	14
65+	219	3.7	27	<1	1	3	4	7	10	19
GRAND TOTAL	**960**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.9	14	1	1	3	7	10	12	15
20-34	63	5.4	22	<1	1	4	7	12	17	89
35-49	62	8.6	72	1	2	6	11	18	27	41
50-64	67	7.1	43	1	2	5	9	13	21	38
65+	80	8.2	47	2	2	6	11	19	25	30
B. *Operated*										
0-19 YRS	40	3.6	6	<1	1	3	5	8	9	10
20-34	182	4.5	15	1	1	3	6	8	11	24
35-49	202	5.0	21	1	2	4	6	10	13	25
50-64	186	5.3	60	1	1	3	6	10	15	46
65+	101	5.3	26	<1	1	3	7	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	7.1	29	1	2	6	9	16	19	21
20-34	40	5.9	40	1	1	4	8	11	14	38
35-49	70	9.8	61	2	2	8	12	19	24	89
50-64	138	9.6	79	1	2	7	14	21	25	66
65+	140	12.9	201	2	3	8	14	28	46	67
B. *Operated*										
0-19 YRS	21	5.6	32	1	1	3	6	15	20	23
20-34	96	7.9	146	2	2	5	7	14	19	73
35-49	120	7.4	42	2	2	6	9	14	18	34
50-64	161	8.3	76	2	2	5	10	18	24	53
65+	105	11.1	175	1	2	6	15	28	40	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	7.1	44	1	2	5	9	15	21	38
B. *Operated*	711	4.9	29	1	1	3	6	9	14	25
2. MULTIPLE DX										
A. *Not Operated*	407	10.3	116	1	2	7	13	20	35	63
B. *Operated*	503	8.5	101	2	2	5	9	17	27	62
1. SINGLE DX	1012	5.6	35	1	1	4	7	11	16	29
2. MULTIPLE DX	910	9.3	109	2	2	6	11	19	28	62
A. NOT OPERATED	708	9.0	88	1	2	6	11	18	26	57
B. OPERATED	1214	6.4	62	1	2	4	7	13	19	43
TOTAL 0-19 YRS	109	4.9	18	1	1	3	6	10	15	22
20-34	381	5.6	53	1	1	4	6	11	15	55
35-49	454	6.9	42	1	2	5	9	14	19	37
50-64	552	7.5	70	1	2	5	9	16	23	48
65+	426	9.8	132	1	2	6	12	20	32	61
GRAND TOTAL	**1922**	**7.3**	**73**	**1**	**2**	**5**	**9**	**15**	**23**	**51**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	7.3	102	1	1	2	15	19	19	19
65+	4	5.3	44	1	1	3	9	15	15	15
B. *Operated*										
0-19 YRS	23	5.4	9	<1	2	5	7	9	11	14
20-34	64	7.0	13	2	3	6	9	12	15	16
35-49	54	6.1	7	2	3	6	8	10	11	11
50-64	113	6.3	11	2	2	6	8	11	12	16
65+	100	7.5	22	2	2	6	11	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.0	28	1	1	9	10	11	11	11
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	13	7.5	10	4	4	7	9	11	15	16
20-34	33	7.5	27	2	3	6	9	15	19	24
35-49	41	8.7	31	3	3	8	10	16	22	28
50-64	110	7.6	23	2	3	7	9	13	15	30
65+	136	8.8	26	2	4	7	11	16	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.5	43	<1	<1	2	10	17	19	19
B. *Operated*	354	6.7	14	2	2	6	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	7	4.1	17	1	1	2	7	11	11	11
B. *Operated*	333	8.2	25	2	3	7	10	15	17	27
1. SINGLE DX	365	6.7	15	2	2	6	9	11	14	18
2. MULTIPLE DX	340	8.1	25	2	3	7	10	15	17	27
A. NOT OPERATED	18	5.0	32	<1	1	2	9	14	17	19
B. OPERATED	687	7.4	20	2	3	7	9	13	16	24
TOTAL 0-19 YRS	38	6.2	11	1	2	6	8	9	13	16
20-34	99	7.1	18	2	3	6	9	12	16	22
35-49	97	7.1	19	2	3	7	9	11	13	27
50-64	229	7.0	18	2	2	6	9	11	14	20
65+	242	8.1	25	2	3	7	11	15	17	26
GRAND TOTAL	**705**	**7.4**	**20**	**2**	**3**	**6**	**9**	**13**	**16**	**24**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	9.0		9	9	9	9	9	9	9
50-64	9	1.8	1	1	1	1	3	3	3	3
65+	20	4.4	12	<1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	10.0	39	3	3	9	14	18	18	18
35-49	22	5.0	7	2	2	4	7	9	10	10
50-64	94	5.8	14	2	2	5	8	11	14	19
65+	127	6.7	30	2	2	5	9	13	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	19	7.5	167	1	1	4	8	12	39	59
B. *Operated*										
0-19 YRS	7	9.1	61	2	3	7	9	23	26	26
20-34	8	8.4	12	3	4	8	10	13	14	14
35-49	14	9.4	17	3	4	10	12	15	16	16
50-64	54	9.1	39	2	2	8	13	17	21	30
65+	124	8.7	56	2	2	7	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.8	10	1	1	2	6	9	10	10
B. *Operated*	248	6.3	22	2	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	24	6.3	137	1	1	3	6	9	27	59
B. *Operated*	207	8.8	47	2	2	7	12	16	22	29
1. SINGLE DX	279	6.0	22	1	2	5	8	12	14	24
2. MULTIPLE DX	231	8.6	56	2	2	7	11	16	22	35
A. NOT OPERATED	55	4.9	66	1	1	3	6	9	10	57
B. OPERATED	455	7.4	35	2	2	6	10	14	18	28
TOTAL 0-19 YRS	9	8.6	51	2	2	7	10	20	26	26
20-34	15	7.7	21	2	2	8	11	14	17	18
35-49	38	6.6	15	2	2	6	9	12	15	16
50-64	158	6.7	26	1	2	5	9	13	17	22
65+	290	7.5	49	1	2	6	9	14	18	30
GRAND TOTAL	**510**	**7.2**	**39**	**2**	**2**	**6**	**9**	**14**	**18**	**28**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	4	4.3	12	1	1	3	6	9	9	9
50-64	6	3.0	4	1	1	3	4	6	6	6
65+	9	6.1	91	1	1	3	6	21	31	31
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	6	7.7	46	3	3	5	8	20	21	21
35-49	11	6.5	11	3	4	6	6	12	15	15
50-64	32	6.3	20	2	3	5	7	10	19	21
65+	58	6.7	17	2	2	6	7	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	4	3.0	6	1	1	3	5	6	6	6
35-49	3	7.3	57	2	2	4	13	16	16	16
50-64	16	4.6	11	1	1	4	6	10	11	12
65+	22	7.2	40	1	2	6	9	14	23	28
B. *Operated*										
0-19 YRS	3	9.3	9	6	6	10	11	12	12	12
20-34	8	8.5	31	2	2	8	12	16	18	18
35-49	6	4.7	6	3	3	4	6	9	9	9
50-64	34	7.8	35	2	4	6	9	14	16	34
65+	74	9.4	56	2	3	8	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.5	40	1	1	3	6	7	18	31
B. *Operated*	110	6.6	18	2	3	6	7	12	17	22
2. MULTIPLE DX										
A. *Not Operated*	47	5.9	27	1	1	4	8	11	17	28
B. *Operated*	125	8.7	45	2	3	7	11	16	20	41
1. SINGLE DX	132	6.3	22	1	2	6	7	11	17	24
2. MULTIPLE DX	172	7.9	42	2	2	6	10	15	20	39
A. NOT OPERATED	69	5.4	31	1	1	4	7	10	16	30
B. OPERATED	235	7.7	34	2	3	6	10	14	19	35
TOTAL 0-19 YRS	8	6.9	12	2	3	6	10	11	12	12
20-34	21	6.5	30	1	1	5	9	15	19	21
35-49	24	5.8	14	2	3	5	6	10	15	16
50-64	88	6.3	24	1	2	5	7	12	15	29
65+	163	8.0	43	2	2	6	10	15	21	40
GRAND TOTAL	**304**	**7.2**	**34**	**2**	**2**	**6**	**9**	**13**	**19**	**32**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	4.3	8	<1	<1	4	6	7	7	7
65+	13	2.4	7	<1	<1	1	2	7	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	135	5.1	7	2	2	5	6	8	10	15
50-64	780	5.4	9	2	2	5	6	9	12	15
65+	2357	5.6	9	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	2.2	3	1	1	2	3	5	5	5
50-64	22	3.7	16	<1	1	2	4	10	14	15
65+	75	4.4	33	<1	1	3	5	12	21	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	83	5.9	13	2	3	5	7	9	12	23
50-64	621	5.7	14	2	2	5	7	10	13	20
65+	2576	6.6	33	2	3	5	7	12	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.8	7	<1	<1	2	3	7	8	9
B. *Operated*	3272	5.5	9	2	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	102	4.1	28	<1	1	2	5	10	15	99+
B. *Operated*	3280	6.4	29	2	2	5	7	11	15	30
1. SINGLE DX	3290	5.5	9	2	2	5	7	9	11	14
2. MULTIPLE DX	3382	6.3	30	2	2	5	7	11	15	30
A. NOT OPERATED	120	3.9	25	<1	1	2	5	9	15	99+
B. OPERATED	6552	5.9	19	2	2	5	7	10	13	23
TOTAL 0-19 YRS										
20-34										
35-49	224	5.3	9	2	2	5	7	8	11	16
50-64	1427	5.5	11	2	2	5	7	10	13	17
65+	5021	6.1	22	2	2	5	7	11	14	26
GRAND TOTAL	**6672**	**5.9**	**19**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.6	5	1	1	3	4	6	9	10
20-34	29	4.7	13	2	2	4	5	8	12	19
35-49	30	5.0	7	2	2	5	6	8	12	13
50-64	21	4.2	2	2	2	5	5	6	6	6
65+	24	4.3	4	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	9	5.4	13	2	2	4	7	11	13	13
20-34	30	5.4	7	2	3	5	7	10	10	11
35-49	24	6.4	20	2	2	5	8	12	15	22
50-64	22	7.3	35	2	3	6	7	14	21	30
65+	29	5.2	9	2	2	4	8	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*	136	4.3	7	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	11	<1	<1	2	6	9	9	9
B. *Operated*	114	5.9	16	2	2	5	7	10	13	25
1. SINGLE DX	138	4.4	7	2	2	4	5	7	9	14
2. MULTIPLE DX	120	5.8	16	2	2	5	7	10	13	24
A. NOT OPERATED	8	4.8	14	<1	<1	4	8	10	10	10
B. OPERATED	250	5.1	12	2	2	4	6	9	11	19
TOTAL 0-19 YRS	43	4.0	7	1	2	3	5	7	9	13
20-34	60	5.1	10	2	2	4	6	10	11	18
35-49	57	5.6	14	1	2	5	7	11	12	21
50-64	43	5.8	21	2	2	5	6	8	14	30
65+	55	4.8	7	2	2	4	6	8	9	15
GRAND TOTAL	**258**	**5.1**	**12**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	5	<1	<1	1	3	6	7	7
20-34	4	4.5	6	3	3	4	6	8	8	8
35-49	3	6.3	25	1	1	7	10	11	11	11
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	3	11.3	44	4	4	13	16	17	17	17
B. *Operated*										
0-19 YRS	1065	1.8		<1	1	2	2	2	3	4
20-34	225	2.2	1	1	2	2	2	3	3	6
35-49	76	2.2	1	1	1	2	2	3	3	6
50-64	31	3.4	11	1	2	2	3	6	8	19
65+	12	2.3		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	1.6	3	<1	<1	1	1	3	7	9
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	4	7.5	34	2	2	6	12	15	15	15
50-64	4	7.8	20	4	4	6	11	14	14	14
65+	10	9.7	152	2	2	5	14	28	42	42
B. *Operated*										
0-19 YRS	171	2.2	2	1	1	2	2	3	4	9
20-34	46	2.4	2	1	1	2	3	4	5	8
35-49	27	2.8	10	1	1	2	3	3	6	18
50-64	28	5.0	35	2	2	3	5	11	20	28
65+	18	8.4	113	2	2	5	7	20	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.6	19	<1	<1	3	7	11	14	17
B. *Operated*	1409	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	68	3.5	35	<1	<1	1	3	9	14	37
B. *Operated*	290	3.0	15	1	1	2	3	5	7	21
1. SINGLE DX	1432	2.0	1	1	1	2	2	3	3	7
2. MULTIPLE DX	358	3.1	19	<1	1	2	3	5	8	22
A. NOT OPERATED	91	3.8	31	<1	<1	1	4	9	14	32
B. OPERATED	1699	2.1	3	1	1	2	2	3	3	8
TOTAL 0-19 YRS	1288	1.9	1	<1	1	2	2	3	3	6
20-34	283	2.3	1	1	2	2	2	3	4	7
35-49	110	2.6	6	1	1	2	3	3	6	16
50-64	66	4.4	22	2	2	3	4	8	15	27
65+	43	7.2	91	2	2	3	8	17	29	45
GRAND TOTAL	**1790**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	2.9	11	<1	<1	1	4	7	8	19
20-34	57	3.5	9	<1	<1	3	4	7	11	13
35-49	36	4.8	28	<1	1	3	6	12	17	25
50-64	42	5.1	19	<1	1	3	7	11	16	18
65+	49	5.7	17	1	2	5	8	11	15	19
B. *Operated*										
0-19 YRS	80	2.7	9	<1	<1	2	3	7	9	16
20-34	132	3.1	5	<1	<1	2	5	7	8	10
35-49	167	2.5	4	<1	<1	2	3	5	6	8
50-64	212	3.0	6	<1	<1	2	4	6	8	13
65+	258	3.7	9	1	1	3	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	5.5	17	1	2	4	7	10	12	18
20-34	28	4.0	15	<1	1	3	5	9	12	18
35-49	24	4.3	16	<1	1	3	6	10	15	15
50-64	38	7.8	96	1	2	5	8	15	28	53
65+	82	8.9	77	1	2	7	10	20	25	48
B. *Operated*										
0-19 YRS	32	3.6	12	<1	<1	2	4	9	10	17
20-34	49	4.2	17	<1	<1	3	5	8	12	20
35-49	43	5.3	25	<1	1	3	8	11	12	28
50-64	113	5.2	30	<1	1	3	7	11	17	28
65+	196	6.4	67	1	2	4	7	14	18	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	3.9	16	<1	<1	3	5	9	12	19
B. *Operated*	849	3.1	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	311	6.4	45	1	1	4	8	12	16	36
B. *Operated*	433	5.5	44	<1	1	3	7	12	17	34
1. SINGLE DX	1178	3.3	9	<1	<1	2	4	7	9	17
2. MULTIPLE DX	744	5.9	44	<1	1	4	7	12	16	36
A. NOT OPERATED	640	5.1	32	<1	1	4	7	11	15	30
B. OPERATED	1282	3.9	21	<1	<1	3	4	8	11	21
TOTAL 0-19 YRS	396	3.8	14	<1	<1	3	5	9	10	18
20-34	266	3.5	9	<1	<1	3	5	7	9	17
35-49	270	3.4	13	<1	<1	2	4	7	10	19
50-64	405	4.3	25	<1	<1	3	5	9	12	26
65+	585	5.5	41	1	2	3	7	11	15	35
GRAND TOTAL	**1922**	**4.3**	**25**	**<1**	**1**	**3**	**5**	**9**	**12**	**25**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.5	8	<1	1	4	5	8	11	14
20-34	105	5.3	12	1	2	4	7	10	12	18
35-49	57	5.3	12	1	2	4	7	9	13	19
50-64	40	5.0	11	1	1	4	6	9	11	18
65+	38	6.0	12	2	2	5	8	11	12	16
B. *Operated*										
0-19 YRS	32	3.3	6	<1	<1	3	5	6	8	10
20-34	39	5.1	24	2	2	3	6	10	17	25
35-49	28	5.1	8	2	2	5	7	8	10	13
50-64	47	6.1	19	1	2	5	7	14	15	20
65+	59	5.4	16	1	2	4	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.4	19	1	2	4	7	10	11	27
20-34	57	6.8	31	1	2	5	10	13	14	35
35-49	54	5.4	13	2	2	4	7	10	15	18
50-64	58	7.2	38	2	3	6	8	13	19	37
65+	87	8.2	97	1	2	5	9	15	19	59
B. *Operated*										
0-19 YRS	24	5.0	15	1	2	4	7	9	12	19
20-34	53	9.4	49	2	2	7	12	18	21	38
35-49	52	7.1	23	2	2	6	9	15	19	19
50-64	88	7.8	65	2	2	6	8	15	19	52
65+	109	8.5	59	2	2	6	10	20	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	5.1	11	1	2	4	7	9	12	16
B. *Operated*	205	5.1	16	<1	2	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	346	6.6	44	1	2	5	8	12	16	38
B. *Operated*	326	8.0	51	2	2	6	9	17	20	38
1. SINGLE DX	541	5.1	13	1	2	4	7	9	12	19
2. MULTIPLE DX	672	7.3	48	2	2	5	9	14	19	38
A. NOT OPERATED	682	5.9	28	1	2	5	7	11	14	26
B. OPERATED	531	6.9	39	2	2	5	8	14	19	31
TOTAL 0-19 YRS	242	4.7	13	<1	1	4	6	9	11	16
20-34	254	6.5	28	2	2	5	8	13	17	25
35-49	191	5.8	15	2	2	5	7	10	15	19
50-64	233	6.8	40	2	2	5	8	14	18	29
65+	293	7.5	57	2	2	5	9	14	21	44
GRAND TOTAL	**1213**	**6.3**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	3.7	8	<1	<1	3	5	8	10	11
20-34	[illegible]	5.3	40	<1	<1	3	6	13	22	23
35-49	8	5.5	29	1	1	2	10	14	14	14
50-64	5	4.8	8	1	1	6	7	8	8	8
65+	7	5.6	21	1	1	4	9	13	13	13
B. *Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	4	7.0	33	2	2	5	11	15	15	15
35-49	5	3.8	2	2	2	4	5	5	5	5
50-64	6	5.7	5	2	2	6	7	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	9	<1	1	2	5	9	9	9
20-34	7	3.1	6	<1	<1	3	5	7	7	7
35-49	12	5.3	7	1	2	5	7	9	10	10
50-64	10	5.6	9	2	2	5	8	9	10	10
65+	20	7.5	40	1	2	6	11	49	99+	99+
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	8	9.1	39	2	3	8	13	19	20	20
35-49	9	6.8	70	1	1	4	7	20	28	28
50-64	12	7.8	75	1	2	6	8	17	31	34
65+	9	7.3	26	1	1	8	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.7	19	<1	1	3	6	11	13	23
B. *Operated*	22	4.8	9	1	2	4	7	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	64	5.4	20	1	1	5	8	10	19	99+
B. *Operated*	41	7.4	49	1	2	6	9	15	24	34
1. SINGLE DX	73	4.7	16	<1	1	4	6	9	13	21
2. MULTIPLE DX	105	6.2	32	1	1	5	8	13	21	99+
A. NOT OPERATED	115	5.1	19	<1	1	4	7	11	15	99+
B. OPERATED	63	6.5	36	1	2	5	8	13	18	33
TOTAL 0-19 YRS	44	3.5	7	<1	1	3	5	8	9	11
20-34	30	6.0	33	<1	<1	5	7	16	20	23
35-49	34	5.5	27	1	2	4	7	10	14	28
50-64	33	6.3	32	1	2	6	8	9	10	34
65+	37	7.1	31	1	2	6	11	17	67	99+
GRAND TOTAL	**178**	**5.6**	**26**	**1**	**1**	**4**	**8**	**11**	**16**	**80**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	891	4.3	15	1	1	3	5	8	11	21
20-34	19	4.0	7	1	1	3	6	9	10	10
35-49	7	5.1	10	1	1	6	7	9	10	10
50-64	5	7.4	23	3	3	6	10	15	15	15
65+	8	9.3	51	3	3	6	13	21	24	24
B. *Operated*										
0-19 YRS	1020	1.9	3	<1	<1	1	2	3	5	10
20-34	177	2.8	3	<1	<1	3	3	5	6	9
35-49	124	3.4	14	<1	1	2	3	5	7	22
50-64	80	3.1	3	1	1	3	4	5	7	10
65+	31	2.6	4	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1606	5.1	20	1	1	4	6	10	13	25
20-34	42	4.5	9	1	2	3	6	8	9	18
35-49	23	4.6	8	1	2	5	6	8	10	12
50-64	15	7.2	33	<1	1	6	11	13	19	21
65+	25	5.9	13	1	1	5	8	10	12	16
B. *Operated*										
0-19 YRS	1089	2.9	19	<1	1	2	2	5	8	18
20-34	273	4.4	12	1	2	3	6	8	10	20
35-49	137	4.7	30	1	2	3	6	8	11	37
50-64	128	4.5	11	2	2	3	6	9	10	17
65+	47	5.9	47	1	2	3	7	13	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	4.4	15	1	1	3	5	9	12	21
B. *Operated*	1432	2.2	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1711	5.1	20	1	1	4	6	10	13	24
B. *Operated*	1674	3.5	19	1	1	2	3	7	9	22
1. SINGLE DX	2362	3.1	10	<1	<1	2	3	6	8	16
2. MULTIPLE DX	3385	4.3	20	1	1	3	5	9	11	23
A. NOT OPERATED	2641	4.8	18	1	1	4	6	9	13	24
B. OPERATED	3106	2.9	13	<1	1	2	3	6	8	17
TOTAL 0-19 YRS	4606	3.7	17	<1	1	2	4	8	10	20
20-34	511	3.9	9	<1	1	3	5	7	8	18
35-49	291	4.2	21	1	1	3	5	7	9	31
50-64	228	4.3	11	1	2	3	5	9	10	17
65+	111	5.2	30	1	1	3	7	10	15	30
GRAND TOTAL	**5747**	**3.8**	**16**	**<1**	**1**	**2**	**5**	**8**	**10**	**20**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	5.0	20	1	1	4	6	10	15	21
20-34	29	4.9	11	1	1	4	6	9	12	15
35-49	21	6.0	12	3	3	4	9	11	13	15
50-64	11	6.2	7	3	3	6	8	10	12	12
65+	6	5.3	11	2	2	4	7	11	11	11
B. *Operated*										
0-19 YRS	199	2.3	10	<1	<1	1	2	5	7	18
20-34	52	4.5	11	<1	<1	4	6	8	11	17
35-49	28	5.1	5	3	3	5	5	10	10	10
50-64	21	4.0	3	1	1	4	5	6	7	7
65+	9	4.3	12	<1	1	4	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	6.5	29	1	2	5	8	14	18	30
20-34	27	4.7	9	1	1	5	6	9	11	12
35-49	20	7.0	18	2	2	6	8	12	16	20
50-64	11	7.2	23	3	3	5	9	16	16	16
65+	12	6.8	41	1	2	5	8	15	24	25
B. *Operated*										
0-19 YRS	113	5.4	51	<1	1	2	6	12	21	40
20-34	52	4.3	7	2	2	4	5	6	9	17
35-49	32	6.0	23	2	2	5	6	11	20	23
50-64	31	5.2	5	2	3	5	6	8	10	11
65+	14	6.1	47	2	3	4	5	12	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	5.2	17	1	2	4	6	10	14	21
B. *Operated*	309	3.1	10	<1	<1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	315	6.4	27	1	2	5	8	13	18	27
B. *Operated*	242	5.3	32	<1	1	4	6	10	17	30
1. SINGLE DX	531	4.0	14	<1	<1	3	5	8	11	18
2. MULTIPLE DX	557	5.9	29	1	2	4	7	12	17	29
A. NOT OPERATED	537	5.9	23	1	2	5	7	12	16	25
B. OPERATED	551	4.0	21	<1	<1	3	5	8	11	23
TOTAL 0-19 YRS	712	4.8	28	<1	<1	3	6	11	16	27
20-34	160	4.5	9	<1	1	4	6	8	11	17
35-49	101	5.9	15	2	3	5	7	10	12	22
50-64	74	5.3	8	2	3	5	6	9	11	16
65+	41	5.8	31	1	2	4	7	11	17	29
GRAND TOTAL	**1088**	**5.0**	**23**	**<1**	**<1**	**4**	**6**	**10**	**14**	**24**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	4	1	1	3	5	6	7	7
20-34	72	3.4	7	1	1	3	4	6	8	15
35-49	91	4.4	16	1	1	4	5	8	11	24
50-64	144	4.0	10	1	1	3	5	7	11	18
65+	141	5.5	22	1	2	4	7	11	13	25
B. *Operated*										
0-19 YRS										
20-34	9	6.1	33	2	2	4	7	16	20	20
35-49	12	5.2	4	2	3	5	7	8	9	9
50-64	19	4.2	4	2	2	4	5	7	9	9
65+	5	4.6	7	3	3	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	7	1	1	3	4	9	10	10
20-34	28	4.6	19	2	2	3	5	9	14	22
35-49	51	5.4	25	1	1	4	7	10	13	32
50-64	150	5.8	21	1	2	4	8	12	15	20
65+	275	6.7	25	2	2	5	9	13	17	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	7.8	30	3	3	6	10	17	17	17
35-49	7	9.9	52	2	2	10	15	20	21	21
50-64	6	6.2	30	2	2	4	6	16	17	17
65+	14	11.9	43	3	4	11	16	20	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	4.4	15	1	1	3	5	8	12	23
B. *Operated*	45	4.9	10	2	2	4	6	9	9	20
2. MULTIPLE DX										
A. *Not Operated*	516	6.1	23	1	2	5	8	12	15	22
B. *Operated*	33	9.5	42	2	3	8	14	19	21	25
1. SINGLE DX	506	4.5	14	1	1	3	6	8	11	21
2. MULTIPLE DX	549	6.3	25	1	2	5	8	13	16	22
A. NOT OPERATED	977	5.3	20	1	2	4	7	11	14	22
B. OPERATED	78	6.8	29	2	2	5	9	16	19	24
TOTAL 0-19 YRS	26	3.5	5	1	1	3	4	7	8	10
20-34	114	4.1	13	1	1	3	5	8	12	21
35-49	161	5.0	20	1	1	4	6	9	13	29
50-64	319	4.9	16	1	2	4	6	10	13	19
65+	435	6.5	25	1	2	5	9	13	16	24
GRAND TOTAL	**1055**	**5.4**	**21**	**1**	**2**	**4**	**7**	**11**	**14**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	6	2.5	1	2	2	2	3	4	4	4
20-34	87	3.2	2	2	2	3	4	4	5	11
35-49	107	3.4	1	2	2	3	4	5	6	8
50-64	80	3.3	2	2	2	3	4	5	6	9
65+	22	3.3	1	2	2	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	3.3	2	2	2	3	3	5	7	8
35-49	37	3.1	3	2	2	3	3	5	8	9
50-64	44	3.4	2	2	2	3	4	5	6	8
65+	9	8.1	214	2	2	3	5	30	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	7	2	2	3	6	8	8	8
B. *Operated*	302	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	3.6	9	<1	<1	3	6	8	9	9
B. *Operated*	112	3.7	19	2	2	3	4	5	7	23
1. SINGLE DX	306	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX	122	3.7	18	1	2	3	4	6	7	20
A. NOT OPERATED	14	3.8	8	<1	1	3	6	8	9	9
B. OPERATED	414	3.4	6	2	2	3	4	5	6	9
TOTAL 0-19 YRS	8	2.9	1	2	2	3	4	4	4	4
20-34	110	3.2	2	2	2	3	4	5	6	10
35-49	149	3.3	2	2	2	3	4	5	6	8
50-64	128	3.4	2	2	2	3	4	5	6	9
65+	33	4.9	59	2	2	3	4	6	9	47
GRAND TOTAL	**428**	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	8	<1	<1	2	3	6	9	13
20-34	11	4.1	12	<1	<1	4	6	9	12	12
35-49	8	2.1	4	<1	<1	1	2	6	7	7
50-64	8	4.5	12	<1	<1	4	6	10	11	11
65+	6	4.7	10	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	316	2.4	3	<1	<1	2	3	4	6	9
20-34	217	2.7	3	<1	<1	2	3	4	6	8
35-49	144	2.6	3	<1	<1	2	3	4	6	9
50-64	97	2.6	3	<1	<1	2	3	5	6	10
65+	31	2.6	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	8.7	100	1	1	5	12	18	33	45
20-34	10	3.8	10	<1	<1	3	5	9	9	9
35-49	14	4.4	10	1	1	4	6	8	11	12
50-64	10	7.0	31	2	2	6	7	16	21	21
65+	17	7.8	58	1	2	5	9	20	27	30
B. *Operated*										
0-19 YRS	159	3.0	7	<1	<1	2	3	7	9	15
20-34	140	2.8	2	1	2	3	3	4	5	8
35-49	106	3.3	11	1	2	2	3	5	7	23
50-64	83	3.3	5	1	2	3	4	6	7	13
65+	30	6.9	56	2	2	4	9	20	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.4	9	<1	<1	2	5	7	10	13
B. *Operated*	805	2.5	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	78	6.9	56	1	1	5	9	13	22	41
B. *Operated*	518	3.3	10	<1	1	2	3	6	8	17
1. SINGLE DX	861	2.6	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX	596	3.7	17	<1	1	3	4	7	10	25
A. NOT OPERATED	134	5.4	39	<1	1	4	7	11	15	33
B. OPERATED	1323	2.8	6	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	525	2.9	11	<1	<1	2	3	6	8	16
20-34	378	2.8	3	<1	1	2	3	4	6	9
35-49	272	3.0	6	<1	1	2	3	5	7	12
50-64	198	3.2	6	<1	1	2	4	6	8	13
65+	84	5.4	38	1	1	3	6	11	23	30
GRAND TOTAL	**1457**	**3.1**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	10.7	73	2	3	7	14	23	31	35
20-34	12	5.4	10	2	2	4	7	10	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	10.8	45	2	3	10	15	21	23	23
20-34	3	8.3	30	3	3	8	12	14	14	14
35-49	4	6.0	18	2	2	5	9	11	11	11
50-64	11	5.5	10	2	2	4	7	11	12	12
65+	10	16.1	173	7	7	10	18	38	49	49
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.3		3	3	3	4	4	4	4
35-49	2	15.0	50	10	10	15	20	20	20	20
50-64	3	12.3	44	5	5	14	17	18	18	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	9.0	56	2	3	7	12	18	26	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	40	10.0	76	2	3	8	12	19	25	49
B. *Operated*	9	8.8	49	2	2	5	15	19	20	20
1. SINGLE DX	42	9.0	56	2	3	7	12	18	26	35
2. MULTIPLE DX	49	9.8	70	2	3	8	13	19	23	49
A. NOT OPERATED	82	9.5	65	2	3	8	12	18	25	45
B. OPERATED	9	8.8	49	2	2	5	15	19	20	20
TOTAL 0-19 YRS	40	10.5	63	2	2	8	14	21	27	35
20-34	18	5.6	13	2	3	4	8	12	14	14
35-49	7	8.7	36	2	2	8	11	18	20	20
50-64	15	7.3	24	2	3	5	11	14	17	18
65+	11	14.9	171	3	5	9	17	36	48	49
GRAND TOTAL	**91**	**9.4**	**63**	**2**	**3**	**7**	**13**	**19**	**24**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	6	2.7	2	1	1	2	3	5	5	5
35-49	6	4.3	11	1	1	4	8	8	8	8
50-64	16	7.5	51	1	1	5	9	22	23	23
65+	9	8.2	14	4	4	7	11	14	15	15
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	7.0	30	1	2	4	10	13	18	23
35-49	39	7.3	31	1	2	3	12	15	17	20
50-64	51	5.2	26	1	1	3	8	13	15	23
65+	16	9.9	47	1	2	12	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	70	1	1	8	15	21	21	21
20-34	22	5.6	37	1	1	4	7	10	20	29
35-49	43	7.7	25	1	2	7	11	14	15	24
50-64	105	9.5	83	1	2	7	12	17	22	52
65+	110	13.1	97	3	4	11	18	25	32	52
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	21	10.9	108	<1	1	10	13	21	34	48
35-49	68	10.8	100	1	1	11	15	20	27	51
50-64	119	11.9	113	1	2	11	17	25	35	48
65+	62	14.5	242	1	2	10	20	38	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	6.2	30	1	1	5	8	14	20	23
B. *Operated*	131	6.7	33	1	1	3	11	15	16	23
2. MULTIPLE DX										
A. *Not Operated*	284	10.3	81	1	2	8	13	20	27	48
B. *Operated*	272	12.1	139	1	1	11	16	25	37	59
1. SINGLE DX	170	6.6	32	1	1	4	11	15	17	23
2. MULTIPLE DX	556	11.2	110	1	2	9	15	23	32	52
A. NOT OPERATED	323	9.8	76	1	2	7	13	19	25	46
B. OPERATED	403	10.3	111	1	1	9	14	22	33	50
TOTAL 0-19 YRS	9	5.8	42	1	1	3	8	17	21	21
20-34	73	7.3	57	1	1	4	10	14	22	44
35-49	156	8.8	62	1	1	8	13	18	20	47
50-64	291	9.6	89	1	2	7	13	19	26	40
65+	197	13.1	136	2	2	10	17	27	36	59
GRAND TOTAL	**726**	**10.1**	**95**	**1**	**2**	**8**	**14**	**20**	**27**	**49**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	4	2	2	4	6	8	9	9
20-34	55	5.5	28	1	1	4	7	12	14	30
35-49	145	5.2	13	1	1	5	7	10	11	19
50-64	227	5.5	14	1	2	4	8	11	13	16
65+	324	6.3	22	1	2	5	8	12	14	23
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	6.5	20	1	2	6	9	12	15	17
35-49	13	4.5	11	2	2	3	5	8	13	14
50-64	11	7.6	34	3	3	6	10	18	18	18
65+	3	9.3	164	1	1	2	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	9.0	60	2	2	5	10	24	27	27
20-34	92	6.0	18	2	2	5	8	12	13	20
35-49	321	7.3	32	2	2	6	9	14	18	32
50-64	775	7.3	30	2	2	6	9	14	18	28
65+	1290	9.4	69	2	3	7	12	19	26	65
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	27	9.3	73	1	1	9	12	16	29	40
35-49	34	11.1	82	2	2	10	13	20	28	48
50-64	59	13.5	105	1	3	10	20	28	37	41
65+	61	13.4	92	2	2	12	21	29	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	5.7	18	1	2	5	8	11	13	20
B. *Operated*	44	6.3	29	1	2	4	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	2495	8.3	51	2	2	6	11	17	21	40
B. *Operated*	182	12.4	92	1	2	10	18	27	38	99+
1. SINGLE DX	811	5.8	19	1	2	5	8	11	14	20
2. MULTIPLE DX	2677	8.6	55	2	2	7	11	17	22	44
A. NOT OPERATED	3262	7.7	45	2	2	6	10	15	20	37
B. OPERATED	226	11.2	86	1	2	9	16	24	35	99+
TOTAL 0-19 YRS	35	6.6	36	2	2	5	8	11	24	27
20-34	190	6.4	29	1	2	5	9	12	15	29
35-49	513	6.9	32	1	2	5	9	13	17	29
50-64	1072	7.3	34	2	2	6	9	14	18	31
65+	1678	8.9	63	2	2	7	11	18	24	65
GRAND TOTAL	**3488**	**8.0**	**48**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	9	6.0	11	2	2	6	7	11	13	13
50-64	20	7.3	20	1	3	6	11	14	15	16
65+	51	9.1	37	4	4	7	10	15	25	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	32.0		32	32	32	32	32	32	32
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	15	7.6	25	2	4	6	9	12	20	23
50-64	87	10.6	84	3	3	8	13	19	35	48
65+	346	12.0	119	3	3	9	16	24	36	86
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	11	9.5	98	1	1	6	23	48	93	99+
65+	24	21.5	433	1	2	19	25	39	78	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	8.2	30	3	3	7	9	14	16	31
B. *Operated*	3	11.7	310	<1	<1	2	24	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	452	11.5	109	3	3	9	14	23	35	79
B. *Operated*	36	17.3	351	1	1	14	25	34	83	99+
1. SINGLE DX	84	8.4	37	2	3	7	10	15	19	32
2. MULTIPLE DX	488	11.9	129	2	3	9	16	25	36	87
A. NOT OPERATED	533	11.0	99	3	3	8	13	22	31	75
B. OPERATED	39	16.8	342	1	1	14	25	33	81	99+
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49	26	7.8	44	2	2	6	9	13	25	32
50-64	120	9.8	75	2	3	8	13	20	30	66
65+	421	12.2	132	3	3	9	16	25	35	87
GRAND TOTAL	**572**	**11.4**	**117**	**2**	**3**	**8**	**14**	**24**	**32**	**84**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	5	5.0	8	2	2	5	7	9	9	9
50-64	15	4.2	30	1	1	2	5	10	18	21
65+	15	8.9	38	1	1	7	16	17	18	18
B. *Operated*										
0-19 YRS										
20-34	4	14.5	58	4	4	16	19	22	22	22
35-49	8	8.3	65	2	2	6	10	22	26	26
50-64	7	10.9	86	1	1	8	14	26	29	29
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.3	62	1	1	5	15	20	21	21
20-34	4	10.8	21	5	5	11	14	16	16	16
35-49	17	8.8	71	1	2	6	14	22	27	29
50-64	37	9.8	58	1	2	8	14	21	24	32
65+	53	14.3	184	2	3	11	17	39	55	98
B. *Operated*										
0-19 YRS	5	10.4	19	3	3	13	13	13	13	13
20-34	11	10.2	60	1	2	9	18	21	22	22
35-49	25	15.4	128	2	4	12	22	28	37	46
50-64	47	15.3	157	1	2	13	21	32	42	56
65+	36	19.9	332	3	4	15	25	44	62	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	6.1	31	1	1	4	8	16	18	21
B. *Operated*	21	10.0	66	1	2	8	14	24	27	29
2. MULTIPLE DX										
A. *Not Operated*	117	11.6	120	2	2	9	16	23	36	73
B. *Operated*	124	16.0	193	1	3	12	21	32	44	72
1. SINGLE DX	60	7.5	46	1	1	5	10	17	21	29
2. MULTIPLE DX	241	13.9	161	1	2	10	19	29	42	70
A. NOT OPERATED	156	10.3	103	1	2	8	14	21	31	60
B. OPERATED	145	15.1	178	1	3	12	20	30	43	70
TOTAL 0-19 YRS	12	8.9	38	1	2	8	13	17	20	21
20-34	22	10.2	49	1	2	9	16	21	22	22
35-49	55	11.4	102	2	2	8	18	27	29	45
50-64	106	11.5	113	1	1	8	18	25	32	50
65+	106	15.3	223	2	3	11	18	40	53	90
GRAND TOTAL	**301**	**12.6**	**145**	**1**	**2**	**9**	**17**	**27**	**39**	**64**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	46	12.2	28	2	4	12	15	19	22	24
35-49	385	12.9	28	4	6	13	16	19	21	30
50-64	903	14.3	38	5	8	14	17	21	25	33
65+	849	15.3	60	4	7	14	19	24	28	38
B. *Operated*										
0-19 YRS										
20-34	2	11.5	5	10	10	11	13	13	13	13
35-49	14	13.0	47	4	5	13	16	19	28	31
50-64	25	16.3	152	1	1	16	21	34	40	54
65+	7	17.1	31	9	10	16	19	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.6	303	1	1	15	23	47	47	47
20-34	43	12.8	52	2	4	12	18	21	26	33
35-49	457	14.0	58	5	7	13	17	21	24	50
50-64	1592	15.7	58	7	8	14	18	24	29	42
65+	2293	17.2	101	6	8	15	20	28	36	69
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	7.6	87	1	1	4	9	24	29	29
35-49	60	16.3	74	4	6	15	20	28	34	44
50-64	172	19.7	134	6	10	17	25	33	40	75
65+	204	24.2	240	9	12	20	27	45	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2185	14.4	45	4	7	14	17	22	25	34
B. *Operated*	48	15.3	98	1	2	15	18	27	34	54
2. MULTIPLE DX										
A. *Not Operated*	4390	16.3	82	6	8	15	19	26	33	56
B. *Operated*	445	21.1	184	6	9	18	25	35	52	96
1. SINGLE DX	2233	14.4	46	4	7	14	17	22	26	34
2. MULTIPLE DX	4835	16.7	93	6	8	15	20	27	34	63
A. NOT OPERATED	6575	15.6	70	5	8	14	19	24	30	50
B. OPERATED	493	20.5	179	5	9	18	25	34	50	92
TOTAL 0-19 YRS	8	14.9	192	1	2	12	15	37	47	47
20-34	99	12.1	44	2	3	12	16	20	23	32
35-49	916	13.7	47	5	7	13	17	21	24	41
50-64	2692	15.5	59	6	8	14	18	24	28	42
65+	3353	17.1	103	6	8	15	20	27	35	70
GRAND TOTAL	**7068**	**16.0**	**80**	**5**	**8**	**14**	**19**	**25**	**31**	**55**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	2.6	1	1	1	3	3	4	5	5
35-49	151	4.7	18	1	1	4	6	9	12	23
50-64	318	5.1	13	1	1	4	7	10	12	16
65+	373	5.8	23	1	2	4	7	12	15	26
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	19	3.8	16	<1	<1	2	4	10	13	16
50-64	37	4.0	49	<1	<1	2	3	8	15	40
65+	6	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	21	2	2	4	7	13	13	13
20-34	12	4.6	7	2	2	4	5	9	11	11
35-49	218	5.9	20	1	2	5	8	12	15	21
50-64	865	6.4	27	1	2	5	8	12	16	23
65+	1449	8.1	43	2	2	7	10	15	20	30
B. *Operated*										
0-19 YRS										
20-34	12	4.0	5	2	2	3	4	8	10	10
35-49	154	7.0	47	<1	2	3	10	17	21	31
50-64	415	7.3	51	<1	1	3	11	15	20	33
65+	170	10.7	118	1	3	9	14	25	30	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	5.3	18	1	1	4	7	10	13	22
B. *Operated*	65	3.6	33	<1	<1	2	3	8	15	36
2. MULTIPLE DX										
A. *Not Operated*	2549	7.3	36	1	2	6	9	14	18	28
B. *Operated*	751	7.9	67	<1	2	4	11	17	25	41
1. SINGLE DX	922	5.2	20	1	1	4	7	10	13	22
2. MULTIPLE DX	3300	7.4	43	1	2	6	10	15	19	31
A. NOT OPERATED	3406	6.8	32	1	2	5	9	13	17	27
B. OPERATED	816	7.6	65	<1	1	4	11	17	23	40
TOTAL 0-19 YRS	7	5.0	18	<1	<1	4	7	12	13	13
20-34	40	3.6	5	1	1	3	4	6	9	11
35-49	542	5.8	28	1	1	4	8	12	16	25
50-64	1635	6.3	31	1	1	5	8	13	16	28
65+	1998	7.9	47	2	2	6	10	15	20	31
GRAND TOTAL	**4222**	**6.9**	**39**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	10	9.8	18	4	5	9	12	16	16	16
35-49	130	7.8	52	2	2	7	10	14	15	36
50-64	367	8.2	24	2	3	8	11	14	17	24
65+	421	8.3	31	2	3	7	11	14	18	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	8.5	37	<1	<1	10	14	15	15	15
50-64	16	15.2	71	3	7	14	18	32	34	34
65+	14	15.7	121	1	1	15	23	30	33	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	17	7.1	13	2	2	7	9	13	14	14
35-49	221	8.0	38	1	2	7	11	14	16	27
50-64	849	9.0	30	2	3	8	12	16	19	28
65+	1490	10.6	58	3	4	9	13	19	25	52
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	72	12.5	38	2	3	12	16	21	23	27
50-64	242	14.4	73	3	4	13	18	26	29	42
65+	164	18.7	147	3	6	17	24	39	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	929	8.2	31	2	3	7	11	14	17	26
B. *Operated*	41	13.6	85	<1	1	14	17	29	33	34
2. MULTIPLE DX										
A. *Not Operated*	2579	9.8	47	2	3	8	13	17	21	40
B. *Operated*	479	15.5	98	3	4	14	20	28	38	51
1. SINGLE DX	970	8.5	35	2	3	7	11	15	18	29
2. MULTIPLE DX	3058	10.7	60	2	3	9	14	19	25	46
A. NOT OPERATED	3508	9.4	44	2	3	8	12	17	21	35
B. OPERATED	520	15.4	97	2	4	14	20	28	38	50
TOTAL 0-19 YRS	3	14.0	61	9	9	10	20	23	23	23
20-34	28	7.9	16	2	3	7	11	14	16	16
35-49	434	8.7	45	1	2	8	12	15	18	27
50-64	1474	9.8	41	2	3	9	13	17	21	34
65+	2089	10.8	66	2	3	9	14	20	27	50
GRAND TOTAL	**4028**	**10.2**	**55**	**2**	**3**	**9**	**13**	**18**	**23**	**41**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	9	6	6	8	11	12	12	12
20-34	7	3.9	7	1	1	4	6	8	8	8
35-49	104	5.9	13	1	2	5	8	11	13	17
50-64	266	7.2	26	2	2	6	10	15	18	23
65+	365	8.1	36	2	2	7	10	16	20	28
B. *Operated*										
0-19 YRS	3	12.0	300	2	2	2	25	32	32	32
20-34	17	6.2	20	1	1	3	11	12	12	12
35-49	217	5.8	40	1	1	3	10	11	13	26
50-64	515	6.0	33	1	1	3	11	13	16	23
65+	142	6.6	62	1	1	2	12	14	17	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	15	7.8	67	1	2	6	8	15	29	34
35-49	225	7.4	27	1	2	6	10	16	18	22
50-64	1015	8.3	48	2	2	7	11	16	21	32
65+	2453	11.7	116	2	3	9	15	25	34	92
B. *Operated*										
0-19 YRS	3	13.7	89	3	3	17	20	21	21	21
20-34	34	7.9	124	1	1	4	10	13	23	63
35-49	329	7.3	54	<1	1	3	12	17	22	32
50-64	1035	8.2	66	1	1	4	13	19	23	34
65+	449	12.3	155	1	1	11	18	28	37	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	746	7.5	30	2	2	6	10	15	18	27
B. *Operated*	894	6.1	40	1	1	3	11	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	3711	10.5	95	2	3	8	13	21	30	68
B. *Operated*	1850	9.0	90	1	1	6	13	20	26	47
1. SINGLE DX	1640	6.7	36	1	1	5	11	13	17	25
2. MULTIPLE DX	5561	10.0	93	1	2	8	13	21	28	61
A. NOT OPERATED	4457	10.0	85	2	3	8	12	20	28	60
B. OPERATED	2744	8.1	75	1	1	4	12	18	24	42
TOTAL 0-19 YRS	13	9.7	79	2	2	6	13	23	30	32
20-34	73	7.1	76	1	1	4	10	12	15	56
35-49	875	6.8	39	1	1	5	10	15	18	29
50-64	2831	7.8	50	1	1	6	11	16	20	31
65+	3409	11.2	113	1	2	9	14	23	33	85
GRAND TOTAL	**7201**	**9.3**	**82**	**1**	**1**	**7**	**12**	**19**	**26**	**54**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	13.7	101	3	3	15	21	23	23	23
20-34	27	11.4	35	1	3	11	16	20	22	22
35-49	51	9.6	22	2	3	10	13	16	18	18
50-64	56	11.4	29	5	6	11	14	16	19	35
65+	58	16.8	94	7	8	15	20	27	34	57
B. *Operated*										
0-19 YRS	4	14.5	19	12	12	13	17	21	21	21
20-34	8	14.0	63	2	4	13	20	25	26	26
35-49	6	15.2	49	9	9	12	18	27	28	28
50-64	8	13.3	48	4	6	11	16	25	27	27
65+	5	10.2	26	5	5	8	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	85	5	5	5	17	21	21	21
20-34	26	11.9	39	2	3	11	14	22	25	27
35-49	50	12.9	21	3	7	13	16	19	21	22
50-64	128	15.1	109	4	6	14	18	23	28	66
65+	203	18.8	184	5	7	15	23	34	42	92
B. *Operated*										
0-19 YRS	2	20.0	2	19	19	20	21	21	21	21
20-34	8	20.5	491	10	10	13	16	58	75	75
35-49	28	19.0	117	7	9	16	23	32	47	53
50-64	41	18.4	213	7	8	14	20	33	48	82
65+	47	22.7	268	9	11	18	27	36	71	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	12.6	55	3	5	12	15	20	24	42
B. *Operated*	31	13.5	42	4	6	12	18	24	27	28
2. MULTIPLE DX										
A. *Not Operated*	410	16.4	136	4	6	14	20	28	36	78
B. *Operated*	126	20.3	223	8	9	15	23	33	55	83
1. SINGLE DX	226	12.7	53	3	5	12	16	22	25	39
2. MULTIPLE DX	536	17.3	159	5	7	14	20	30	37	81
A. NOT OPERATED	605	15.2	113	4	6	13	18	26	33	65
B. OPERATED	157	19.0	194	7	9	15	21	32	45	82
TOTAL 0-19 YRS	12	14.2	50	3	4	14	21	22	23	23
20-34	69	13.0	93	2	3	11	16	22	25	66
35-49	135	13.0	53	3	5	13	16	21	23	47
50-64	233	14.7	110	5	6	13	17	23	30	65
65+	313	18.9	180	5	8	15	23	33	42	88
GRAND TOTAL	**762**	**16.0**	**132**	**4**	**6**	**14**	**18**	**27**	**36**	**75**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	65	3	3	9	16	19	19	19
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	17.5	1	17	17	17	18	18	18	18
50-64										
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	20.5	204	8	8	17	31	40	40	40
20-34	10	23.6	161	2	2	28	33	36	37	37
35-49	6	32.3	61	21	22	32	35	44	45	45
50-64	11	30.4	121	11	16	29	36	47	48	48
65+	10	28.2	329	7	8	26	41	54	62	62
B. *Operated*										
0-19 YRS	2	43.5	41	39	39	43	48	48	48	48
20-34	4	46.8	679	28	28	37	63	85	85	85
35-49	4	46.3	128	32	32	47	54	59	59	59
50-64	5	44.0	132	28	28	42	54	57	57	57
65+	4	63.3	655	33	33	62	81	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	12.0	42	3	3	13	18	19	19	19
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	41	27.5	178	5	9	29	35	45	47	62
B. *Operated*	19	49.1	333	28	30	44	58	78	90	95
1. SINGLE DX	8	10.6	51	1	2	11	17	19	19	19
2. MULTIPLE DX	60	34.3	324	7	10	33	43	57	64	94
A. NOT OPERATED	48	25.3	187	3	7	27	35	44	47	62
B. OPERATED	20	46.7	431	14	28	43	57	76	90	95
TOTAL 0-19 YRS	9	22.2	265	3	5	19	39	45	48	48
20-34	15	28.5	401	2	3	29	35	41	74	85
35-49	13	31.9	241	3	14	32	44	52	58	59
50-64	16	34.6	159	14	20	33	44	52	56	57
65+	15	36.5	645	7	9	33	55	67	88	95
GRAND TOTAL	**68**	**31.5**	**350**	**3**	**8**	**30**	**41**	**56**	**62**	**93**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	11	<1	<1	2	3	6	12	13
20-34	23	3.3	36	<1	<1	2	3	5	15	30
35-49	49	1.9	1	<1	1	2	2	4	4	5
50-64	86	2.9	9	<1	1	2	3	6	8	18
65+	90	5.5	54	<1	1	3	6	10	20	40
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	170	<1	<1	3	3	31	34	34
20-34	41	2.7	6	<1	1	2	3	6	9	11
35-49	56	4.5	40	<1	1	2	5	9	20	32
50-64	107	4.4	12	1	1	3	6	10	12	15
65+	153	7.4	63	1	1	6	9	15	22	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	8.6	51	3	3	6	11	21	21	21
50-64	11	6.1	25	1	1	3	10	13	14	14
65+	7	19.6	184	4	4	16	34	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.6	27	<1	1	2	4	7	11	30
B. *Operated*	4	4.3	15	2	2	3	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	363	5.5	42	1	1	3	7	11	16	31
B. *Operated*	23	10.7	107	1	2	8	14	29	36	36
1. SINGLE DX	264	3.6	27	<1	1	2	4	8	11	30
2. MULTIPLE DX	386	5.8	47	1	1	4	7	12	19	33
A. NOT OPERATED	623	4.7	37	<1	1	3	6	10	14	30
B. OPERATED	27	9.8	98	1	2	6	13	26	36	36
TOTAL 0-19 YRS	19	4.2	59	<1	<1	2	3	9	25	34
20-34	64	2.9	17	<1	1	2	3	6	9	27
35-49	111	3.6	26	<1	1	2	4	7	10	30
50-64	206	3.8	12	1	1	3	4	9	11	16
65+	250	7.1	67	1	1	5	9	15	23	38
GRAND TOTAL	**650**	**4.9**	**40**	**1**	**1**	**3**	**6**	**10**	**16**	**32**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	38	2.8	8	1	1	2	3	6	10	13
35-49	66	3.0	4	1	1	2	4	6	7	9
50-64	141	3.8	17	<1	1	2	4	8	11	22
65+	195	5.5	26	1	1	4	7	12	16	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.9	91	1	1	2	9	24	28	28
20-34	41	5.2	30	1	1	3	7	13	15	28
35-49	103	5.1	17	1	1	4	7	10	14	19
50-64	428	6.0	26	1	1	5	8	12	16	26
65+	1001	9.2	96	1	2	7	11	18	28	72
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	5	10.4	32	1	1	11	14	16	16	16
50-64	31	15.1	153	3	4	11	18	37	45	49
65+	52	17.9	234	3	4	14	27	46	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	4.3	19	1	1	3	5	9	13	21
B. *Operated*	5	3.2	3	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1581	8.0	73	1	2	6	10	16	21	53
B. *Operated*	89	16.4	193	3	4	13	22	43	68	99+
1. SINGLE DX	447	4.3	19	1	1	3	5	9	13	21
2. MULTIPLE DX	1670	8.4	83	1	2	6	10	17	25	68
A. NOT OPERATED	2023	7.2	63	1	1	5	9	15	20	47
B. OPERATED	94	15.7	192	2	3	12	21	40	63	99+
TOTAL 0-19 YRS	10	6.3	74	<1	<1	2	7	21	28	28
20-34	80	4.2	22	1	1	2	5	11	14	24
35-49	175	4.4	14	1	1	3	6	10	11	18
50-64	602	6.0	36	1	1	4	8	12	17	28
65+	1250	9.0	95	1	2	6	11	18	28	75
GRAND TOTAL	**2117**	**7.5**	**72**	**1**	**1**	**5**	**9**	**16**	**21**	**53**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.5	32	1	1	2	4	6	8	33
20-34	50	3.0	3	1	1	3	4	6	6	8
35-49	102	3.9	13	<1	1	3	5	8	11	20
50-64	189	5.3	29	1	1	4	7	12	16	30
65+	244	5.1	26	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	4	5.3	12	<1	<1	5	8	9	9	9
35-49	12	7.9	71	1	2	5	10	18	30	32
50-64	30	6.9	25	2	2	5	10	15	17	19
65+	135	7.5	29	2	3	6	9	14	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	15	1	1	4	7	11	13	15
20-34	83	4.7	27	1	1	3	5	11	14	29
35-49	161	4.7	19	1	1	3	6	10	13	27
50-64	447	6.8	39	1	2	5	8	14	18	27
65+	958	8.8	74	2	2	6	11	18	24	46
B. *Operated*										
0-19 YRS	5	23.8	174	8	8	25	33	41	41	41
20-34	13	7.5	23	<1	1	8	11	13	15	16
35-49	25	9.4	58	1	1	8	12	22	26	30
50-64	106	10.5	43	3	3	10	14	20	22	33
65+	467	12.3	96	3	4	10	15	23	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	4.7	24	1	1	3	6	10	13	22
B. *Operated*	183	7.3	30	2	3	6	9	14	19	29
2. MULTIPLE DX										
A. *Not Operated*	1674	7.6	59	1	2	5	9	15	22	36
B. *Operated*	616	11.9	86	3	3	10	15	22	31	60
1. SINGLE DX	800	5.3	27	1	1	4	7	11	15	25
2. MULTIPLE DX	2290	8.8	70	1	2	7	11	18	24	41
A. NOT OPERATED	2291	6.8	51	1	1	5	9	14	20	35
B. OPERATED	799	10.8	77	3	3	9	14	20	28	46
TOTAL 0-19 YRS	64	5.7	61	1	1	3	6	13	27	40
20-34	150	4.4	19	1	1	3	5	10	12	23
35-49	300	5.0	24	1	1	3	7	11	13	29
50-64	772	7.0	39	1	2	5	9	15	19	29
65+	1804	9.1	75	1	2	7	12	19	25	47
GRAND TOTAL	**3090**	**7.9**	**61**	**1**	**2**	**6**	**10**	**16**	**22**	**38**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.9	5	2	2	4	7	8	8	8
20-34	7	4.9	6	3	3	4	5	9	10	10
35-49	12	5.9	25	1	1	5	8	14	17	18
50-64	113	8.0	32	2	3	6	10	18	21	24
65+	824	9.7	84	2	3	7	12	19	27	57
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+	4	10.5	68	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	8.3	88	2	2	6	9	15	41	99+
20-34	16	12.2	170	3	4	7	11	32	44	49
35-49	110	10.0	51	2	3	8	14	18	27	35
50-64	926	11.5	97	3	3	9	14	22	30	54
65+	4832	13.5	161	3	4	10	16	29	42	99+
B. *Operated*										
0-19 YRS	4	24.3	36	16	16	25	28	30	30	30
20-34	4	9.3	44	2	2	8	13	18	18	18
35-49	15	17.2	127	2	3	16	25	31	38	40
50-64	72	18.7	189	2	4	15	26	37	50	61
65+	277	21.6	197	5	7	20	31	48	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	964	9.4	77	2	3	7	11	18	24	54
B. *Operated*	5	12.6	73	2	2	16	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	5929	13.1	149	3	4	10	16	27	39	91
B. *Operated*	372	20.8	191	4	7	19	30	45	65	99+
1. SINGLE DX	969	9.4	77	2	3	7	11	18	24	54
2. MULTIPLE DX	6301	13.5	155	3	4	10	17	29	41	99+
A. NOT OPERATED	6893	12.6	141	3	4	9	15	26	37	87
B. OPERATED	377	20.7	191	4	6	19	29	45	65	99+
TOTAL 0-19 YRS	57	8.9	91	2	2	6	10	25	35	96
20-34	27	9.9	114	3	3	6	10	26	35	49
35-49	137	10.5	63	2	3	8	14	22	28	37
50-64	1112	11.6	100	2	3	9	15	22	31	53
65+	5937	13.3	157	3	4	10	16	29	41	99+
GRAND TOTAL	**7270**	**13.0**	**147**	**3**	**4**	**9**	**16**	**28**	**39**	**97**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	6.8	49	1	2	4	7	20	24	30
20-34	83	4.7	10	1	2	4	6	9	11	17
35-49	74	6.8	49	1	2	5	9	12	15	43
50-64	89	6.4	22	1	2	5	8	14	16	19
65+	61	10.2	105	2	3	8	14	22	47	99+
B. *Operated*										
0-19 YRS	24	3.9	8	2	2	3	4	9	10	11
20-34	21	6.2	37	<1	<1	3	11	13	18	24
35-49	61	6.8	34	1	2	3	10	16	19	24
50-64	88	5.5	31	1	1	2	11	13	15	21
65+	28	6.8	79	<1	1	3	11	14	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.5	27	1	1	4	7	12	18	23
20-34	73	8.1	45	2	2	6	10	16	18	39
35-49	155	9.4	91	2	3	7	11	18	29	50
50-64	268	10.9	74	2	3	9	15	22	26	45
65+	366	11.3	90	2	3	9	14	24	32	53
B. *Operated*										
0-19 YRS	19	7.9	99	1	2	3	12	20	32	40
20-34	27	16.3	353	1	2	12	17	53	60	69
35-49	87	8.7	68	1	2	6	13	19	25	38
50-64	199	11.0	101	1	2	9	15	23	31	49
65+	159	13.8	160	1	1	12	21	29	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	6.8	45	1	2	5	9	14	18	46
B. *Operated*	222	5.9	36	1	1	3	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	884	10.5	81	2	3	8	13	21	29	48
B. *Operated*	491	11.7	132	1	2	10	16	26	33	57
1. SINGLE DX	566	6.4	42	1	1	4	9	14	18	37
2. MULTIPLE DX	1375	10.9	100	1	2	8	14	23	31	53
A. NOT OPERATED	1228	9.4	74	2	2	7	12	20	26	46
B. OPERATED	713	9.9	109	1	1	6	14	22	30	52
TOTAL 0-19 YRS	102	6.1	45	1	2	3	7	14	22	35
20-34	204	7.6	83	1	2	5	9	14	19	57
35-49	377	8.3	69	1	2	6	11	17	24	44
50-64	644	9.6	74	1	1	8	13	20	26	44
65+	614	11.7	111	1	2	9	15	25	35	88
GRAND TOTAL	**1941**	**9.6**	**87**	**1**	**2**	**7**	**13**	**21**	**28**	**49**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	18	19.0	515	2	4	11	27	91	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64	15	10.5	214	3	4	7	10	15	50	62
65+	71	14.4	269	2	3	9	21	36	92	99+
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	32.0	676	2	2	47	74	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	16.4	450	2	2	10	20	84	99+	99+
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	87	13.6	256	2	3	8	20	33	85	99+
B. *Operated*	6	20.3	451	1	1	13	47	90	99+	99+
1. SINGLE DX	23	16.5	430	2	2	11	19	82	99+	99+
2. MULTIPLE DX	93	14.1	266	2	3	8	20	43	91	99+
A. NOT OPERATED	109	14.2	292	2	3	9	20	42	92	99+
B. OPERATED	7	20.0	377	1	1	15	47	84	99+	99+
TOTAL 0-19 YRS	2	11.5	5	10	10	11	13	13	13	13
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	19	9.5	174	2	3	5	10	14	41	62
65+	93	15.9	327	2	3	10	23	64	99+	99+
GRAND TOTAL	**116**	**14.6**	**296**	**2**	**3**	**10**	**20**	**47**	**96**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	8.7	213	<1	<1	2	8	35	38	38
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	7	14.9	72	7	7	11	22	28	29	29
35-49	5	19.2	32	10	11	21	25	92	99+	99+
50-64	10	19.9	235	3	5	15	23	47	48	48
65+	5	30.0	105	21	21	29	34	47	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.3	55	1	1	5	13	17	17	17
35-49	2	13.5	181	4	4	13	23	23	23	23
50-64	2	19.5	313	7	7	19	32	32	32	32
65+	6	41.7	1633	5	7	59	98	99+	99+	99+
B. *Operated*										
0-19 YRS	3	45.0	219	28	28	52	54	55	55	55
20-34	5	25.4	402	13	13	17	30	61	61	61
35-49	15	22.2	211	3	5	25	37	99+	99+	99+
50-64	13	33.7	452	8	10	30	55	81	96	99+
65+	6	25.0	172	14	14	19	35	46	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.2	111	<1	<1	1	3	17	35	38
B. *Operated*	27	20.3	145	7	8	20	27	47	53	99+
2. MULTIPLE DX										
A. *Not Operated*	14	24.6	929	1	2	17	60	99+	99+	99+
B. *Operated*	42	28.2	321	6	10	27	47	77	99+	99+
1. SINGLE DX	39	15.7	182	<1	1	13	24	42	47	99+
2. MULTIPLE DX	56	27.3	461	3	6	25	47	98	99+	99+
A. NOT OPERATED	26	15.7	630	<1	<1	6	27	94	99+	99+
B. OPERATED	69	25.1	264	6	8	23	36	61	99+	99+
TOTAL 0-19 YRS	4	34.0	630	1	1	40	53	55	55	55
20-34	22	14.2	204	<1	1	10	17	32	47	61
35-49	23	19.9	172	2	4	23	33	99+	99+	99+
50-64	28	24.4	398	1	3	20	37	59	80	99+
65+	18	30.7	658	3	8	26	47	98	99+	99+
GRAND TOTAL	**95**	**22.5**	**376**	**1**	**2**	**20**	**34**	**67**	**99+**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	55.0		55	55	55	55	55	55	55
35-49										
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	2	43.5	3445	2	2	85	96	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	43.5	359	20	20	50	74	99+	99+	99+
50-64	2	28.5	1513	1	1	99+	99+	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	31.0	1387	2	2	32	85	98	99+	99+
B. *Operated*	6	38.5	578	2	12	65	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	11	35.1	859	1	2	56	99+	99+	99+	99+
A. NOT OPERATED	5	31.0	1387	2	2	32	85	98	99+	99+
B. OPERATED	6	38.5	578	2	12	65	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	55.0		55	55	77	99+	99+	99+	99+
35-49	4	43.5	359	20	20	50	74	99+	99+	99+
50-64	4	17.5	670	1	2	56	99+	99+	99+	99+
65+	2	43.5	3445	2	2	85	96	99+	99+	99+
GRAND TOTAL	**11**	**35.1**	**859**	**1**	**2**	**56**	**99+**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	25.5	365	12	12	25	39	39	39	39
65+	10	17.6	242	1	4	18	41	99+	99+	99+
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	3	12.7	17	8	8	14	15	16	16	16
35-49	3	14.3	6	12	12	14	16	17	17	17
50-64	10	9.8	27	4	4	11	15	51	96	99+
65+	14	19.6	599	4	6	11	18	93	98	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	4	4.5	4	3	3	4	6	7	7	7
50-64	8	21.0	662	4	5	10	46	92	99+	99+
65+	33	25.0	424	3	5	23	44	71	99+	99+
B. *Operated*										
0-19 YRS	6	19.0	162	4	4	19	25	38	39	39
20-34	8	14.9	88	5	5	14	19	29	33	33
35-49	8	19.1	62	7	8	20	25	28	29	29
50-64	8	34.3	1023	8	8	17	65	80	84	84
65+	28	26.7	369	8	9	18	44	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	14.4	220	1	2	8	35	78	99+	99+
B. *Operated*	32	14.7	283	4	5	12	16	58	98	99+
2. MULTIPLE DX										
A. *Not Operated*	48	21.7	431	3	4	15	34	74	99+	99+
B. *Operated*	58	24.3	369	5	7	18	35	62	77	99+
1. SINGLE DX	49	14.6	256	2	4	11	18	62	99+	99+
2. MULTIPLE DX	106	23.1	395	4	5	17	34	70	98	99+
A. NOT OPERATED	65	19.8	382	2	3	14	34	75	99+	99+
B. OPERATED	90	20.8	356	5	6	15	25	62	91	99+
TOTAL 0-19 YRS	11	13.5	128	3	3	10	20	31	38	39
20-34	15	11.7	70	1	2	10	17	21	30	33
35-49	16	13.9	71	3	3	13	20	27	28	29
50-64	28	21.1	559	4	5	12	35	82	99+	99+
65+	85	23.8	410	4	6	18	43	75	99+	99+
GRAND TOTAL	**155**	**20.4**	**365**	**3**	**5**	**15**	**29**	**70**	**99+**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	52.4	930	24	24	54	69	99	99	99+
65+	9	59.8	1468	7	11	77	98	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	36.0		36	36	68	99+	99+	99+	99+
50-64	2	51.0	1058	28	28	74	93	99+	99+	99+
65+	3	32.0	751	11	11	42	81	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	14	57.1	1203	9	15	59	98	99	99+	99+
B. *Operated*	6	39.0	601	11	15	63	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	20	51.7	1054	10	15	60	98	99+	99+	99+
A. NOT OPERATED	14	57.1	1203	9	15	59	98	99	99+	99+
B. OPERATED	6	39.0	601	11	15	63	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	1	36.0		36	36	68	99+	99+	99+	99+
50-64	7	52.0	797	24	25	56	86	99+	99+	99+
65+	12	52.8	1362	8	11	62	98	99+	99+	99+
GRAND TOTAL	**20**	**51.7**	**1054**	**10**	**15**	**60**	**98**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	3	10.0	79	3	3	7	17	20	20	20
50-64	5	5.4	21	1	1	4	9	12	12	12
65+	5	15.8	214	4	4	10	25	39	39	39
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	15	7.6	30	2	2	7	11	12	20	22
50-64	81	9.4	50	1	2	8	13	18	23	32
65+	80	10.4	56	1	2	9	14	19	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	5	7.4	23	2	2	6	10	15	15	15
50-64	15	8.5	57	1	2	7	12	30	79	99+
65+	21	17.1	501	1	2	7	22	43	71	96
B. *Operated*										
0-19 YRS										
20-34	2	8.0	32	4	4	8	12	12	12	12
35-49	36	10.4	49	2	3	9	14	21	23	31
50-64	234	11.3	73	1	3	9	15	21	27	41
65+	207	12.3	73	1	3	11	15	25	29	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	10.1	107	1	2	6	12	23	35	39
B. *Operated*	178	9.6	51	1	2	8	13	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	42	12.7	286	1	2	7	15	32	67	99+
B. *Operated*	479	11.7	71	1	3	10	15	23	28	40
1. SINGLE DX	192	9.7	55	1	2	8	13	19	24	36
2. MULTIPLE DX	521	11.8	88	1	3	10	15	23	29	46
A. NOT OPERATED	56	12.1	239	1	2	7	15	31	47	99+
B. OPERATED	657	11.1	66	1	2	10	15	22	27	37
TOTAL 0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	4	5.3	21	2	2	3	8	12	12	12
35-49	59	9.4	43	2	2	8	12	20	22	30
50-64	335	10.7	67	1	2	9	15	21	27	41
65+	313	12.2	100	1	3	10	15	25	29	44
GRAND TOTAL	**713**	**11.2**	**80**	**1**	**2**	**9**	**15**	**22**	**28**	**40**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	16.0	1	15	15	16	17	17	17	17
65+	7	31.6	1159	3	5	21	94	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	17	14.1	123	6	7	11	16	44	81	99+
65+	5	22.8	290	7	8	25	88	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	26.9	829	4	7	17	79	99+	99+	99+
B. *Operated*	25	16.1	157	6	7	13	24	86	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	35	19.2	355	6	7	15	28	99+	99+	99+
A. NOT OPERATED	10	26.9	829	4	7	17	79	99+	99+	99+
B. OPERATED	25	16.1	157	6	7	13	24	86	99+	99+
TOTAL 0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	20	14.4	105	6	7	13	16	35	74	99+
65+	12	27.9	758	4	7	23	96	99+	99+	99+
GRAND TOTAL	**35**	**19.2**	**355**	**6**	**7**	**15**	**28**	**99+**	**99+**	**99+**

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.8	16	2	2	7	10	10	10	10
35-49	8	8.3	3	6	6	8	10	11	11	11
50-64	14	12.9	180	3	3	10	14	24	49	56
65+	49	16.8	200	3	3	11	26	40	52	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	13.0	50	8	8	13	18	18	18	18
35-49	3	8.7	41	4	4	6	13	16	16	16
50-64	7	11.1	46	2	3	11	14	21	23	23
65+	9	14.9	125	6	6	12	18	32	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	3	12.3	10	10	10	11	15	16	16	16
35-49	9	11.0	46	4	5	10	13	23	25	25
50-64	82	16.2	205	2	4	11	22	49	57	99+
65+	285	22.8	380	3	5	17	35	65	88	99+
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	8.7	25	4	4	8	12	14	14	14
35-49	20	13.2	80	3	3	11	18	27	33	33
50-64	43	12.8	74	3	5	11	22	32	99+	99+
65+	60	25.1	464	3	5	21	39	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	14.6	174	3	3	10	21	37	49	89
B. *Operated*	22	12.2	76	3	4	10	16	20	31	42
2. MULTIPLE DX										
A. *Not Operated*	381	21.0	340	3	5	15	31	57	82	99+
B. *Operated*	127	18.6	293	3	5	14	29	56	99+	99+
1. SINGLE DX	97	14.1	151	3	4	10	18	34	42	80
2. MULTIPLE DX	508	20.4	328	3	5	15	30	57	90	99+
A. NOT OPERATED	456	19.9	317	3	5	14	29	55	76	99+
B. OPERATED	149	17.6	266	3	5	13	25	48	98	99+
TOTAL 0-19 YRS	4	9.5	15	4	4	10	12	13	13	13
20-34	12	9.7	23	2	3	10	12	17	18	18
35-49	40	11.4	55	3	4	9	15	20	29	33
50-64	146	14.6	157	2	4	11	21	38	57	99+
65+	403	22.2	369	3	5	16	34	61	91	99+
GRAND TOTAL	**605**	**19.3**	**305**	**3**	**5**	**14**	**28**	**54**	**79**	**99+**

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	99.0		99	99	99	99	99	99+	99+
35-49	4	13.3	152	4	4	9	21	31	31	31
50-64	36	28.6	556	5	7	18	42	64	76	95
65+	99	29.4	525	4	6	27	53	99+	99+	99+
B. Operated										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	5	40.6	1107	9	9	36	71	82	82	82
50-64	6	24.0	134	12	13	29	69	99+	99+	99+
65+	7	42.9	960	8	15	78	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	141	29.1	554	4	6	25	49	88	99+	99+
B. Operated	19	35.7	676	8	10	39	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	160	29.9	569	5	6	27	57	99+	99+	99+
A. NOT OPERATED	141	29.1	554	4	6	25	49	88	99+	99+
B. OPERATED	19	35.7	676	8	10	39	99+	99+	99+	99+
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	65.5	2245	32	32	65	99	99	99	99+
35-49	9	28.4	816	4	5	12	44	76	82	82
50-64	42	27.9	494	6	8	19	42	67	96	99+
65+	106	30.3	556	4	6	28	61	99+	99+	99+
GRAND TOTAL	**160**	**29.9**	**569**	**5**	**6**	**27**	**57**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	11	3.5	4	2	2	2	5	7	7	7
35-49	29	3.1	6	<1	<1	2	5	7	9	9
50-64	128	5.6	29	1	1	4	7	11	13	31
65+	359	5.6	26	1	2	4	7	11	15	28
B. Operated										
0-19 YRS										
20-34	3	3.7		3	3	4	4	4	4	4
35-49	24	6.0	13	1	2	6	8	12	12	12
50-64	69	6.0	22	2	2	4	8	13	15	24
65+	47	6.1	27	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	3.7	4	1	1	3	5	7	7	7
35-49	36	4.8	9	2	2	4	7	9	11	13
50-64	249	7.0	48	1	2	5	9	14	19	46
65+	1095	9.6	111	2	2	7	12	20	29	83
B. Operated										
0-19 YRS										
20-34	9	7.2	38	2	2	6	8	18	22	22
35-49	33	7.3	17	3	3	6	9	13	15	20
50-64	126	9.1	62	2	2	8	12	18	22	74
65+	159	12.7	136	2	3	9	16	26	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	529	5.4	25	1	1	4	7	11	14	29
B. Operated	143	6.0	22	1	2	4	8	12	15	25
2. MULTIPLE DX										
A. Not Operated	1388	9.0	98	1	2	6	11	18	28	79
B. Operated	327	10.6	97	2	3	8	13	22	27	64
1. SINGLE DX	672	5.5	25	1	1	4	7	12	15	28
2. MULTIPLE DX	1715	9.3	98	1	2	6	11	19	28	65
A. NOT OPERATED	1917	8.0	81	1	2	5	10	16	25	55
B. OPERATED	470	9.2	78	1	2	7	12	18	25	59
TOTAL 0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	29	4.7	16	2	2	3	6	7	12	22
35-49	122	5.3	13	1	1	4	7	10	12	16
50-64	572	7.0	45	1	2	5	9	14	19	40
65+	1660	8.9	97	1	2	6	11	18	27	63
GRAND TOTAL	**2387**	**8.2**	**80**	**1**	**2**	**6**	**10**	**17**	**25**	**56**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	7	1	1	3	6	8	8	8
20-34	9	3.7	8	<1	<1	3	5	8	9	9
35-49	11	5.6	9	1	2	7	8	36	91	99+
50-64	86	12.0	112	2	3	9	15	26	38	85
65+	429	17.0	306	2	3	11	26	52	92	99+
B. *Operated*										
0-19 YRS										
20-34	4	10.5	206	3	3	4	18	32	32	32
35-49	4	10.5	17	6	6	11	14	14	14	14
50-64	11	8.0	32	1	2	7	10	16	21	22
65+	12	10.5	96	1	2	8	16	49	90	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	11.0	176	2	3	6	19	61	94	99+
20-34	11	6.7	21	2	2	7	9	13	18	18
35-49	18	15.0	487	1	1	10	15	28	71	98
50-64	233	16.9	321	2	4	12	20	44	67	99+
65+	1091	21.9	408	3	5	15	35	73	99+	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	25.3	336	5	6	22	35	54	56	56
35-49	9	24.1	173	9	10	24	32	44	45	45
50-64	38	20.5	313	2	5	16	26	58	94	99+
65+	89	32.2	430	8	10	34	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	15.6	270	2	3	10	23	45	80	99+
B. *Operated*	31	9.6	70	1	2	7	13	25	36	99+
2. MULTIPLE DX										
A. *Not Operated*	1364	20.8	395	3	4	14	32	68	99+	99+
B. *Operated*	143	28.2	398	5	9	26	50	99+	99+	99+
1. SINGLE DX	572	15.3	261	2	3	10	22	42	76	99+
2. MULTIPLE DX	1507	21.5	400	3	4	15	34	70	99+	99+
A. NOT OPERATED	1905	19.3	365	2	4	13	29	62	99+	99+
B. OPERATED	174	24.9	390	3	6	21	44	94	99+	99+
TOTAL 0-19 YRS	18	8.8	119	1	2	5	10	38	75	99+
20-34	30	10.0	154	<1	1	5	9	29	35	56
35-49	42	14.1	282	1	2	9	16	33	63	99+
50-64	368	15.9	269	2	4	11	19	37	61	99+
65+	1621	21.1	392	3	4	15	34	70	99+	99+
GRAND TOTAL	**2079**	**19.8**	**369**	**2**	**4**	**14**	**30**	**63**	**99+**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	64.0		64	64	64	64	64	64	64
20-34	2	8.0		8	8	8	8	8	8	8
35-49	6	6.7	18	2	2	5	9	13	14	14
50-64	86	25.5	436	3	4	19	47	64	71	99+
65+	367	29.1	503	5	7	27	57	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	9.8	52	3	3	16	37	99+	99+	99+
50-64	11	18.4	152	5	7	19	38	99+	99+	99+
65+	28	37.5	565	10	13	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	462	28.1	493	4	6	25	53	99+	99+	99+
B. *Operated*	43	30.0	516	6	8	34	90	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	505	28.3	494	4	6	26	56	99+	99+	99+
A. NOT OPERATED	462	28.1	493	4	6	25	53	99+	99+	99+
B. OPERATED	43	30.0	516	6	8	34	90	99+	99+	99+
TOTAL 0-19 YRS	1	64.0		64	64	64	64	64	64	64
20-34	2	8.0		8	8	8	8	8	8	8
35-49	10	7.9	30	2	3	6	15	50	96	99+
50-64	97	24.7	407	4	5	19	45	65	99+	99+
65+	395	29.7	511	5	7	28	60	99+	99+	99+
GRAND TOTAL	**505**	**28.3**	**494**	**4**	**6**	**26**	**56**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	3.8	4	1	1	3	6	6	6	6
35-49	11	6.1	34	1	1	3	8	17	18	18
50-64	36	6.3	31	<1	1	4	10	16	17	21
65+	188	10.5	124	1	2	7	13	29	40	99+
B. *Operated*										
0-19 YRS										
20-34	5	14.8	118	2	2	13	19	32	32	32
35-49	8	7.6	49	1	1	5	15	16	16	16
50-64	24	8.3	47	1	1	7	15	19	21	22
65+	13	11.9	240	1	1	5	18	36	50	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	95	3	3	15	22	22	22	22
20-34	7	6.9	15	2	2	6	11	12	12	12
35-49	23	9.5	56	1	2	7	13	22	25	31
50-64	108	13.6	324	1	2	8	15	38	63	99+
65+	744	17.8	374	3	4	12	25	67	99+	99+
B. *Operated*										
0-19 YRS										
20-34	8	13.3	89	3	3	12	19	28	30	30
35-49	17	16.3	454	1	1	11	23	73	96	99+
50-64	44	12.7	92	2	3	11	18	35	99+	99+
65+	75	18.2	318	2	3	14	37	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	9.4	105	1	2	6	12	21	36	99+
B. *Operated*	50	9.8	103	1	1	7	15	20	32	53
2. MULTIPLE DX										
A. *Not Operated*	886	17.0	360	2	3	11	22	63	99+	99+
B. *Operated*	144	16.0	254	2	3	13	23	73	99+	99+
1. SINGLE DX	294	9.5	104	1	1	6	13	21	34	81
2. MULTIPLE DX	1030	16.8	345	2	3	11	23	63	99+	99+
A. NOT OPERATED	1130	15.3	314	2	3	9	20	52	91	99+
B. OPERATED	194	14.4	221	1	2	12	20	48	99+	99+
TOTAL 0-19 YRS	5	11.8	90	3	3	8	22	22	22	22
20-34	28	9.2	66	2	2	6	12	20	30	32
35-49	59	10.6	173	1	1	7	15	23	32	99
50-64	212	11.5	201	1	2	7	15	27	58	99+
65+	1020	16.4	330	2	3	10	22	59	99+	99+
GRAND TOTAL	**1324**	**15.2**	**301**	**2**	**3**	**10**	**20**	**52**	**93**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.3	29	2	2	6	11	14	14	14
50-64	4	4.3	12	<1	<1	3	6	9	9	9
65+	44	11.0	144	2	2	8	15	46	99+	99+
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	11.0		11	11	11	11	11	11	11
35-49	17	6.7	35	1	1	4	12	13	18	20
50-64	110	6.3	31	1	1	5	10	14	17	23
65+	76	6.8	34	1	1	6	11	15	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34										
35-49	4	4.3	9	1	1	4	6	8	8	8
50-64	35	10.5	132	1	2	7	13	22	38	53
65+	237	15.9	259	2	3	11	20	46	66	99+
B. *Operated*										
0-19 YRS										
20-34	5	8.6	26	2	2	8	13	15	15	15
35-49	48	11.3	100	1	2	10	13	19	40	44
50-64	276	14.7	210	1	2	12	17	28	45	87
65+	357	16.9	255	1	2	13	23	43	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	10.2	128	1	2	7	14	29	90	99+
B. *Operated*	205	6.6	33	1	1	5	11	14	18	22
2. MULTIPLE DX										
A. *Not Operated*	277	15.1	243	2	3	10	19	42	63	99+
B. *Operated*	686	15.6	227	1	2	12	20	38	58	99+
1. SINGLE DX	257	7.3	54	1	1	6	11	16	20	96
2. MULTIPLE DX	963	15.4	231	1	2	12	19	38	60	99+
A. NOT OPERATED	329	14.3	227	2	3	10	18	42	64	99+
B. OPERATED	891	13.5	196	1	1	11	17	30	47	99+
TOTAL 0-19 YRS	2	17.5	1	17	17	17	18	18	18	18
20-34	6	9.0	22	2	2	9	12	15	15	15
35-49	73	9.6	80	1	1	9	12	18	31	44
50-64	425	12.1	168	1	1	10	15	24	36	74
65+	714	15.1	236	1	2	11	20	42	66	99+
GRAND TOTAL	**1220**	**13.7**	**205**	**1**	**1**	**11**	**17**	**34**	**54**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	14	6.4	33	2	2	4	6	17	19	20
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	19.7	92	11	11	18	27	30	30	30
50-64	27	11.5	22	3	4	12	14	18	19	22
65+	72	14.8	66	2	3	15	19	26	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	12	4.6	16	<1	1	3	8	10	13	14
65+	84	11.5	78	2	2	10	16	24	35	80
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	18.5	545	2	2	18	35	35	35	35
35-49	10	16.5	88	3	7	14	18	30	39	39
50-64	114	17.2	133	6	9	14	20	31	35	98
65+	255	19.3	162	3	9	17	23	35	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.1	29	2	2	4	6	16	19	20
B. *Operated*	103	14.0	56	2	4	13	18	23	29	36
2. MULTIPLE DX										
A. *Not Operated*	99	10.5	74	1	2	8	14	22	33	71
B. *Operated*	382	18.6	152	4	9	16	22	34	39	96
1. SINGLE DX	119	13.0	60	2	3	13	17	22	29	35
2. MULTIPLE DX	481	16.9	147	2	4	15	20	34	38	96
A. NOT OPERATED	115	9.9	70	1	2	8	14	20	31	62
B. OPERATED	485	17.6	135	3	8	15	21	31	38	89
TOTAL 0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	4	12.5	238	2	2	6	22	35	35	35
35-49	15	15.5	91	3	4	14	18	30	37	39
50-64	154	15.1	118	2	4	13	18	28	34	95
65+	425	16.6	138	2	4	15	20	30	38	83
GRAND TOTAL	**600**	**16.1**	**132**	**2**	**4**	**14**	**20**	**29**	**36**	**87**

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	8	10.9	40	2	3	10	13	20	23	23
50-64	16	11.6	39	2	4	10	16	21	24	25
65+	17	10.9	29	2	3	11	14	15	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	4.5	10	1	1	4	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	8	18.1	138	3	5	15	21	37	43	43
35-49	9	15.3	72	8	8	12	19	30	32	32
50-64	37	16.3	280	1	2	12	19	39	73	99+
65+	50	16.4	72	8	9	14	20	26	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.5	5	2	2	4	7	7	7	7
B. *Operated*	43	11.2	33	2	4	11	14	19	24	25
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	9	1	1	3	6	8	8	8
B. *Operated*	104	16.4	147	3	6	13	20	32	41	92
1. SINGLE DX	49	10.4	34	2	3	10	14	18	23	25
2. MULTIPLE DX	109	15.8	147	2	4	13	20	31	40	91
A. NOT OPERATED	11	4.3	6	1	1	4	7	8	8	8
B. OPERATED	147	14.9	119	2	4	12	18	27	36	85
TOTAL 0-19 YRS										
20-34	11	15.5	128	2	3	15	18	32	42	43
35-49	17	13.2	58	3	6	12	14	26	30	32
50-64	57	14.1	203	1	2	11	15	34	48	99
65+	73	14.2	69	3	5	13	18	25	28	45
GRAND TOTAL	**158**	**14.1**	**118**	**2**	**3**	**12**	**17**	**26**	**36**	**82**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	6	7.3	19	3	3	6	11	14	14	14
35-49	6	4.2	6	1	1	4	6	8	8	8
50-64	14	6.9	28	<1	1	5	12	14	15	15
65+	26	8.6	57	1	1	6	14	21	25	25
B. *Operated*										
0-19 YRS										
20-34	13	8.2	26	<1	1	9	12	15	16	16
35-49	55	10.1	56	1	2	10	14	18	21	43
50-64	212	10.1	72	1	1	11	14	18	21	33
65+	198	11.3	88	2	2	10	15	21	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	9.5	35	5	5	7	13	18	18	18
35-49	9	6.7	20	1	1	7	10	13	14	14
50-64	30	8.7	19	1	3	8	12	14	16	19
65+	64	9.6	37	1	1	10	14	18	20	24
B. *Operated*										
0-19 YRS										
20-34	6	16.8	331	1	2	9	23	48	51	51
35-49	79	12.4	58	2	3	12	18	23	31	99+
50-64	391	14.5	112	1	3	13	17	26	34	81
65+	513	17.3	193	1	3	15	22	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	7.6	40	1	1	6	12	16	21	25
B. *Operated*	478	10.6	76	1	2	10	14	19	24	47
2. MULTIPLE DX										
A. *Not Operated*	108	9.1	31	1	2	9	13	16	19	23
B. *Operated*	989	15.8	153	1	3	14	20	30	43	99+
1. SINGLE DX	531	10.3	73	1	2	10	14	19	23	47
2. MULTIPLE DX	1097	15.2	145	1	3	13	19	29	42	99+
A. NOT OPERATED	161	8.6	34	1	1	8	13	16	19	25
B. OPERATED	1467	14.1	134	1	2	12	18	27	39	96
TOTAL 0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	29	10.0	90	1	2	9	12	17	24	51
35-49	149	10.9	57	1	2	10	15	21	24	99
50-64	647	12.6	98	1	2	12	16	23	28	59
65+	801	15.0	160	1	2	13	19	30	43	99+
GRAND TOTAL	**1628**	**13.6**	**127**	**1**	**2**	**12**	**17**	**26**	**35**	**87**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	9.8	86	2	2	6	12	23	30	39
20-34	5	3.6	4	1	1	4	5	6	6	6
35-49	19	9.1	68	1	2	6	11	25	28	28
50-64	27	6.1	45	1	1	4	7	11	19	34
65+	55	5.9	58	<1	1	4	7	12	13	47
B. *Operated*										
0-19 YRS	13	6.2	28	<1	<1	3	11	13	17	18
20-34	26	6.7	24	1	2	6	10	14	17	19
35-49	64	8.7	53	1	2	8	12	16	18	43
50-64	138	9.3	107	1	2	7	12	18	24	55
65+	116	11.1	102	1	2	9	16	24	27	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.9	47	4	4	6	18	20	22	22
20-34	12	5.8	13	2	2	5	8	11	14	14
35-49	17	9.9	83	1	2	6	14	26	28	29
50-64	65	10.3	111	1	2	7	13	20	35	53
65+	203	13.5	182	2	3	9	15	33	48	92
B. *Operated*										
0-19 YRS	9	20.6	455	2	3	14	29	56	69	69
20-34	25	13.9	133	2	3	11	20	25	34	55
35-49	82	14.0	246	2	2	9	19	33	66	99+
50-64	269	13.9	192	1	2	11	18	28	42	99+
65+	368	18.4	294	2	3	15	25	52	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	7.1	62	1	1	5	8	14	27	41
B. *Operated*	357	9.4	88	1	2	7	13	20	25	47
2. MULTIPLE DX										
A. *Not Operated*	311	12.2	152	2	2	9	14	26	42	77
B. *Operated*	753	16.2	253	2	2	12	21	42	64	99+
1. SINGLE DX	489	8.8	82	1	2	6	12	19	25	47
2. MULTIPLE DX	1064	15.0	226	2	2	11	19	38	57	99+
A. NOT OPERATED	443	10.7	131	1	2	7	13	24	34	68
B. OPERATED	1110	14.0	210	1	2	10	18	33	53	99+
TOTAL 0-19 YRS	62	10.6	130	2	2	7	13	22	32	65
20-34	68	9.0	74	2	2	6	12	19	24	50
35-49	182	11.2	149	1	2	8	14	26	34	95
50-64	499	11.7	155	1	2	9	15	24	35	83
65+	742	15.0	230	2	2	11	20	40	58	99+
GRAND TOTAL	**1553**	**13.1**	**189**	**1**	**2**	**9**	**17**	**30**	**49**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	8.7	27	3	4	8	9	18	21	21
20-34	91	8.7	26	2	3	8	11	16	18	25
35-49	141	8.6	20	3	3	8	10	15	17	22
50-64	165	9.0	34	2	3	8	11	17	20	31
65+	157	10.1	49	3	4	8	13	19	22	30
B. *Operated*										
0-19 YRS	10	9.5	40	2	2	10	13	18	22	22
20-34	40	7.4	31	1	1	6	12	16	17	20
35-49	31	9.5	26	2	3	9	11	16	21	23
50-64	43	10.3	60	2	2	8	13	18	26	39
65+	25	10.6	34	3	3	10	15	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	31	1	2	6	13	17	18	18
20-34	60	9.2	26	2	3	8	13	16	17	24
35-49	120	10.0	37	2	4	9	12	17	20	32
50-64	209	12.1	75	3	4	10	16	21	27	58
65+	356	13.7	79	4	5	12	17	26	32	44
B. *Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	19	10.4	37	2	3	9	14	20	22	22
35-49	46	15.7	158	2	4	13	18	30	40	71
50-64	78	13.8	67	3	5	13	18	23	28	43
65+	83	15.0	104	2	6	13	19	27	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	9.1	33	3	3	8	11	17	20	29
B. *Operated*	149	9.4	40	1	2	9	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	756	12.2	69	3	4	10	15	22	28	44
B. *Operated*	228	14.3	97	3	5	12	18	26	30	50
1. SINGLE DX	721	9.2	35	2	3	8	12	17	20	29
2. MULTIPLE DX	984	12.7	76	3	4	11	16	23	29	49
A. NOT OPERATED	1328	10.9	56	3	4	9	14	20	25	42
B. OPERATED	377	12.3	80	2	3	11	16	22	28	48
TOTAL 0-19 YRS	41	8.7	29	2	3	8	12	17	21	22
20-34	210	8.7	28	1	2	8	12	16	18	23
35-49	338	10.2	50	2	3	9	12	17	22	39
50-64	495	11.2	62	3	4	9	15	20	26	44
65+	621	12.8	76	3	4	11	16	24	30	47
GRAND TOTAL	**1705**	**11.2**	**62**	**3**	**4**	**9**	**14**	**21**	**26**	**44**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	10.4	64	2	2	13	17	20	21	21
35-49	17	14.8	204	1	1	12	17	40	47	51
50-64	41	15.5	241	1	1	10	20	33	43	84
65+	116	18.3	228	2	4	14	28	35	40	78
B. *Operated*										
0-19 YRS	27	4.2	4	1	2	4	5	7	9	10
20-34	479	4.6	25	2	2	4	5	7	8	17
35-49	750	4.8	8	2	3	4	6	7	9	14
50-64	600	6.0	27	2	3	5	7	10	12	34
65+	163	11.2	196	2	3	6	12	26	43	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	7.3	130	<1	<1	2	8	28	34	34
35-49	22	12.2	135	2	4	9	14	23	42	53
50-64	67	13.6	159	1	1	10	20	31	39	54
65+	233	22.5	297	3	5	19	31	52	68	99+
B. *Operated*										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	114	5.6	19	2	3	5	7	8	10	28
35-49	255	7.5	49	2	3	6	8	12	24	37
50-64	332	9.0	100	2	3	6	10	16	23	65
65+	192	18.4	343	3	3	11	27	48	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	17.1	223	1	3	13	23	35	42	81
B. *Operated*	2019	5.6	36	2	3	4	6	9	12	36
2. MULTIPLE DX										
A. *Not Operated*	331	19.6	273	1	2	16	28	46	64	99+
B. *Operated*	897	10.1	146	2	3	6	10	22	40	72
1. SINGLE DX	2200	6.6	61	2	3	5	7	11	19	41
2. MULTIPLE DX	1228	12.7	198	2	3	7	15	32	47	83
A. NOT OPERATED	512	18.7	257	1	2	14	27	40	56	99+
B. OPERATED	2916	7.0	74	2	3	5	7	11	21	53
TOTAL 0-19 YRS	31	4.1	4	2	2	4	5	7	9	10
20-34	609	4.9	26	2	2	4	5	8	9	21
35-49	1044	5.8	27	2	3	5	6	9	12	34
50-64	1040	7.8	74	2	3	5	8	14	23	50
65+	704	18.1	291	2	3	12	26	43	61	99+
GRAND TOTAL	**3428**	**8.7**	**119**	**2**	**3**	**5**	**9**	**20**	**32**	**68**

171: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	8	<1	<1	3	6	8	9	9
20-34	43	2.9	4	<1	<1	3	5	6	7	8
35-49	51	4.2	11	<1	1	3	6	9	10	15
50-64	33	3.5	5	<1	1	3	5	7	8	9
65+	47	5.6	16	1	1	5	8	10	14	18
B. *Operated*										
0-19 YRS	18	4.3	4	1	2	4	5	7	8	9
20-34	473	5.1	4	2	3	5	6	8	8	10
35-49	675	5.5	5	3	3	5	7	8	9	13
50-64	378	5.6	6	2	3	5	7	8	9	13
65+	136	6.9	13	3	3	6	8	12	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	4.1	10	<1	<1	3	6	9	11	13
35-49	51	4.9	10	1	1	4	7	9	12	14
50-64	51	6.5	22	1	2	5	10	13	16	21
65+	77	8.7	82	2	2	7	9	15	35	87
B. *Operated*										
0-19 YRS	11	3.6	4	<1	<1	3	5	6	6	6
20-34	376	5.6	6	3	3	5	7	8	10	16
35-49	590	6.2	11	3	3	5	7	10	12	20
50-64	496	7.3	25	3	4	6	9	11	14	24
65+	218	8.8	40	3	4	7	10	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	4.1	10	<1	<1	3	6	8	10	16
B. *Operated*	1680	5.5	6	3	3	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	217	6.4	42	1	1	5	8	12	15	50
B. *Operated*	1691	6.7	19	3	3	6	8	11	13	22
1. SINGLE DX	1863	5.4	6	2	3	5	7	8	9	13
2. MULTIPLE DX	1906	6.7	21	2	3	6	8	11	14	23
A. NOT OPERATED	400	5.4	29	<1	1	4	7	10	13	34
B. OPERATED	3371	6.1	13	3	3	5	7	9	12	20
TOTAL 0-19 YRS	39	3.9	5	<1	<1	4	5	6	8	9
20-34	929	5.2	6	2	3	5	6	8	9	13
35-49	1367	5.7	8	2	3	5	7	9	10	16
50-64	958	6.4	17	2	3	6	8	10	13	21
65+	478	7.9	38	2	3	7	9	14	17	42
GRAND TOTAL	**3771**	**6.0**	**14**	**2**	**3**	**5**	**7**	**9**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	13	1	1	5	8	11	12	15
20-34	74	8.9	20	2	3	9	11	13	16	26
35-49	85	8.2	15	3	4	8	10	13	15	20
50-64	112	9.3	33	2	3	8	12	16	20	29
65+	141	9.4	46	2	2	8	12	18	22	33
B. *Operated*										
0-19 YRS	66	4.2	23	1	2	3	4	7	9	34
20-34	130	4.5	16	<1	1	3	5	11	13	19
35-49	71	7.4	29	<1	2	5	12	15	16	19
50-64	62	10.7	42	2	4	10	14	18	21	38
65+	44	12.2	78	3	4	10	16	22	27	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	9.1	49	2	2	6	14	21	23	24
20-34	72	8.6	38	1	2	8	11	16	18	36
35-49	87	10.7	119	3	3	9	13	16	21	73
50-64	191	11.1	74	2	3	9	15	22	27	40
65+	350	11.4	92	2	3	9	15	23	28	49
B. *Operated*										
0-19 YRS	16	9.5	51	1	2	7	15	20	22	23
20-34	96	6.6	38	1	1	4	9	17	20	26
35-49	67	11.8	166	2	2	9	15	23	31	81
50-64	133	15.1	189	3	4	13	17	27	43	95
65+	159	17.0	208	3	5	13	20	33	49	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	8.8	31	2	3	8	11	15	19	30
B. *Operated*	373	7.0	40	1	2	4	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	717	10.9	84	2	3	9	14	21	27	45
B. *Operated*	471	13.4	171	2	2	11	17	25	36	86
1. SINGLE DX	811	8.0	36	2	2	7	11	15	18	30
2. MULTIPLE DX	1188	11.9	120	2	3	10	15	23	29	65
A. NOT OPERATED	1155	10.1	65	2	3	8	13	19	25	40
B. OPERATED	844	10.5	123	1	2	8	14	21	28	75
TOTAL 0-19 YRS	125	5.8	32	1	2	4	7	13	18	27
20-34	372	6.7	30	1	2	5	10	13	17	24
35-49	310	9.5	82	2	2	8	12	16	21	36
50-64	498	11.7	95	2	3	10	15	22	28	57
65+	694	12.3	115	2	3	10	16	23	31	60
GRAND TOTAL	**1999**	**10.3**	**89**	**2**	**2**	**8**	**13**	**20**	**26**	**49**

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5942	3.7	10	1	1	3	5	7	9	15
20-34	318	3.3	6	1	1	3	4	5	6	11
35-49	90	3.9	7	1	1	3	5	7	9	14
50-64	79	5.3	23	1	2	4	7	10	12	32
65+	95	6.7	20	1	2	6	8	13	16	21
B. *Operated*										
0-19 YRS	273	3.0	5	2	2	2	3	5	7	13
20-34	53	2.9	2	1	2	3	3	4	5	9
35-49	9	3.2	7	2	2	2	3	7	10	10
50-64	7	3.9	13	<1	<1	2	7	10	10	10
65+	4	5.3	11	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5286	5.0	18	1	1	4	6	10	12	22
20-34	355	4.1	12	1	2	3	5	7	9	18
35-49	171	5.3	17	1	2	4	7	9	13	24
50-64	237	7.1	33	2	2	6	9	13	19	31
65+	429	9.1	65	2	3	7	11	17	21	58
B. *Operated*										
0-19 YRS	146	6.2	98	2	2	2	7	13	20	80
20-34	21	5.4	26	1	2	4	6	8	17	26
35-49	16	5.3	21	2	2	4	8	8	17	20
50-64	19	6.9	32	2	2	5	9	14	20	24
65+	10	9.6	45	2	2	7	13	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6524	3.7	10	1	1	3	5	7	9	15
B. *Operated*	346	3.0	5	2	2	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	6478	5.3	23	1	2	4	7	10	13	25
B. *Operated*	212	6.3	76	2	2	3	7	13	20	74
1. SINGLE DX	6870	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	6690	5.3	25	1	2	4	7	10	13	25
A. NOT OPERATED	13002	4.5	17	1	1	3	6	9	12	20
B. OPERATED	558	4.3	34	2	2	2	4	9	13	26
TOTAL 0-19 YRS	11647	4.3	15	1	1	3	5	8	11	18
20-34	747	3.7	9	1	1	3	4	6	7	16
35-49	286	4.8	14	1	2	4	6	8	12	21
50-64	342	6.6	31	1	2	5	8	12	17	30
65+	538	8.6	57	2	3	7	11	16	20	39
GRAND TOTAL	**13560**	**4.5**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2941	5.3	20	1	2	4	7	10	13	22
20-34	102	3.9	5	1	2	3	5	7	8	12
35-49	73	5.0	10	2	2	4	6	8	11	19
50-64	89	6.2	9	3	3	6	8	10	12	15
65+	172	7.8	25	3	3	7	10	13	15	26
B. *Operated*										
0-19 YRS	4	4.5	6	1	1	5	6	6	6	6
20-34										
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	19.5	13	17	17	19	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1889	7.0	37	2	2	5	8	13	18	33
20-34	122	4.6	12	1	2	4	5	8	11	19
35-49	147	6.5	33	2	2	5	7	12	16	34
50-64	408	7.8	34	2	3	6	10	15	19	29
65+	888	10.7	104	3	4	8	12	19	27	66
B. *Operated*										
0-19 YRS	25	16.6	155	4	6	13	20	29	39	66
20-34	11	4.7	7	1	2	4	7	9	10	10
35-49	3	15.3	110	5	5	15	23	26	26	26
50-64	16	10.2	45	2	2	8	14	22	23	23
65+	29	22.1	318	3	5	17	26	57	59	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3377	5.4	20	1	2	4	7	10	13	22
B. *Operated*	10	7.4	53	<1	<1	5	12	19	22	22
2. MULTIPLE DX										
A. *Not Operated*	3454	8.0	56	2	2	6	10	15	20	39
B. *Operated*	84	15.7	200	2	3	12	20	29	56	65
1. SINGLE DX	3387	5.4	20	1	2	4	7	10	13	22
2. MULTIPLE DX	3538	8.1	60	2	2	6	10	15	21	45
A. NOT OPERATED	6831	6.7	39	2	2	5	8	12	17	33
B. OPERATED	94	14.8	191	2	2	11	20	27	54	65
TOTAL 0-19 YRS	4859	6.0	28	1	2	5	7	11	15	29
20-34	235	4.3	9	1	2	4	5	7	9	14
35-49	226	6.1	28	2	2	5	7	11	15	28
50-64	514	7.6	31	2	3	6	9	14	18	29
65+	1091	10.6	101	3	3	8	12	19	27	65
GRAND TOTAL	**6925**	**6.8**	**42**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	13.5	187	6	6	7	21	34	34	34
B. *Operated*										
0-19 YRS	426	3.1	1	2	2	3	3	4	5	7
20-34	909	2.9	1	2	2	3	3	4	5	6
35-49	379	2.9	1	2	2	3	3	4	5	7
50-64	166	2.9	1	2	2	3	3	4	4	5
65+	32	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	14	2.1	3	<1	<1	1	2	5	7	7
35-49	10	2.0	10	<1	<1	1	1	6	11	11
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	301	3.0	2	1	2	3	3	4	5	7
20-34	768	3.2	3	2	2	3	4	5	6	10
35-49	368	3.3	8	2	2	3	3	5	6	11
50-64	206	3.4	9	2	2	3	3	4	6	19
65+	60	3.9	7	2	2	3	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.3	125	<1	<1	4	7	26	34	34
B. *Operated*	1912	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	32	1.9	5	<1	<1	1	2	4	7	11
B. *Operated*	1703	3.3	5	2	2	3	4	5	6	11
1. SINGLE DX	1920	3.0	2	2	2	3	3	4	5	7
2. MULTIPLE DX	1735	3.2	5	1	2	3	3	5	6	11
A. NOT OPERATED	40	3.0	31	<1	<1	1	2	7	9	34
B. OPERATED	3615	3.1	3	2	2	3	3	4	5	8
TOTAL 0-19 YRS	731	3.0	1	2	2	3	3	4	5	7
20-34	1693	3.0	2	2	2	3	3	4	5	8
35-49	757	3.1	5	2	2	3	3	4	5	9
50-64	377	3.2	5	2	2	3	3	4	5	12
65+	97	3.9	15	2	2	3	4	6	8	26
GRAND TOTAL	**3655**	**3.1**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	17	2.5	1	<1	1	2	3	4	5	6
20-34	32	2.3	1	<1	1	2	3	4	4	4
35-49	64	2.3	1	<1	<1	2	3	4	4	6
50-64	60	2.4	1	1	2	2	3	3	4	5
65+	39	2.6	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*										
0-19 YRS	23	3.3	16	1	1	2	3	5	11	21
20-34	56	2.7	1	1	2	2	3	4	5	8
35-49	84	3.0	3	1	2	3	4	4	6	11
50-64	104	2.7	1	1	2	2	3	4	5	7
65+	64	3.1	4	1	2	3	4	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	212	2.4	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	8	2.8	11	<1	<1	1	4	8	9	9
B. *Operated*	331	2.9	3	1	2	3	3	4	5	10
1. SINGLE DX	215	2.4	1	<1	1	2	3	4	4	5
2. MULTIPLE DX	339	2.9	3	1	2	3	3	4	6	10
A. NOT OPERATED	11	2.3	8	<1	<1	1	1	8	9	9
B. OPERATED	543	2.7	2	1	2	2	3	4	5	8
TOTAL 0-19 YRS	42	3.0	10	1	1	2	3	5	7	21
20-34	89	2.5	1	<1	1	2	3	4	4	7
35-49	150	2.7	2	<1	1	2	3	4	5	8
50-64	166	2.6	1	1	2	2	3	4	5	7
65+	107	2.9	3	1	1	3	3	4	6	11
GRAND TOTAL	**554**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.6	4	<1	<1	2	3	5	7	11
20-34	7	2.6	2	1	1	3	4	4	4	4
35-49	4	2.5	4	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9510	2.2	1	1	2	2	2	3	3	5
20-34	1733	2.8	1	2	2	3	3	4	4	6
35-49	175	2.9	1	2	2	3	3	4	5	8
50-64	29	3.3	2	2	2	3	4	6	6	7
65+	13	4.2	18	2	2	3	4	8	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	1.8	2	<1	<1	1	2	4	5	8
20-34	20	1.6	2	<1	<1	1	2	3	5	6
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	12.3	142	4	4	7	21	26	26	26
65+										
B. *Operated*										
0-19 YRS	3941	2.3	2	1	2	2	2	3	4	10
20-34	330	3.3	4	2	2	3	4	5	7	13
35-49	69	3.1	1	2	2	3	3	4	5	8
50-64	16	3.4	3	<1	1	3	4	5	7	8
65+	10	4.3	16	2	2	2	4	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.6	4	<1	<1	2	3	5	7	11
B. *Operated*	11460	2.3	1	1	2	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	252	1.9	5	<1	<1	1	2	4	6	9
B. *Operated*	4366	2.4	3	1	2	2	2	3	4	10
1. SINGLE DX	11538	2.3	1	1	2	2	2	3	4	5
2. MULTIPLE DX	4618	2.4	3	1	1	2	2	3	4	10
A. NOT OPERATED	330	2.1	5	<1	<1	1	2	4	6	9
B. OPERATED	15826	2.3	1	1	2	2	2	3	4	6
TOTAL 0-19 YRS	13744	2.2	1	1	2	2	2	3	3	6
20-34	2090	2.9	1	1	2	3	3	4	5	8
35-49	251	3.0	1	2	2	3	3	4	5	8
50-64	48	3.9	13	1	2	3	4	6	7	26
65+	23	4.3	16	2	2	3	4	11	15	19
GRAND TOTAL	**16156**	**2.3**	**2**	**1**	**2**	**2**	**2**	**3**	**4**	**6**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	3.9	11	1	1	3	5	7	8	16
20-34	161	3.4	3	1	1	3	4	6	7	9
35-49	56	3.2	4	<1	<1	3	4	6	7	10
50-64	52	4.3	21	<1	1	3	5	8	16	26
65+	29	3.4	9	<1	<1	2	5	8	9	12
B. *Operated*										
0-19 YRS	190	2.7	4	<1	1	2	3	5	7	10
20-34	344	3.2	8	<1	1	3	4	5	6	19
35-49	220	3.0	5	<1	1	2	4	5	8	13
50-64	179	3.2	8	<1	1	2	4	5	8	17
65+	93	3.6	18	1	1	2	4	6	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	4.9	18	1	2	4	6	9	11	27
20-34	77	4.1	6	1	1	4	5	8	9	10
35-49	56	5.2	24	1	1	4	6	10	15	27
50-64	78	5.8	35	1	1	4	7	13	18	32
65+	63	8.9	118	1	2	6	10	21	25	59
B. *Operated*										
0-19 YRS	189	3.5	18	1	1	2	3	5	9	29
20-34	328	2.9	6	<1	<1	3	3	4	6	14
35-49	216	3.3	6	<1	1	3	4	6	8	13
50-64	229	5.3	46	<1	2	3	5	11	18	41
65+	104	5.6	45	1	2	3	6	14	25	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	3.7	9	<1	1	3	4	6	8	16
B. *Operated*	1026	3.1	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	448	5.5	36	1	1	4	6	10	15	28
B. *Operated*	1066	3.8	22	<1	1	3	4	7	11	29
1. SINGLE DX	1603	3.3	8	<1	1	3	4	6	8	16
2. MULTIPLE DX	1514	4.3	26	<1	1	3	5	8	13	29
A. NOT OPERATED	1025	4.5	21	1	1	3	5	8	11	26
B. OPERATED	2092	3.5	15	<1	1	3	4	6	9	24
TOTAL 0-19 YRS	832	3.7	13	1	1	3	4	7	9	21
20-34	910	3.2	7	<1	<1	3	4	5	7	12
35-49	548	3.4	8	<1	1	3	4	6	8	14
50-64	538	4.6	30	<1	1	3	5	9	16	31
65+	289	5.5	52	1	1	3	6	12	21	50
GRAND TOTAL	**3117**	**3.8**	**17**	**<1**	**1**	**3**	**4**	**7**	**10**	**25**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4404	6.2	22	2	2	5	8	11	14	24
20-34	769	5.5	9	2	2	5	7	9	12	16
35-49	505	6.6	19	2	2	6	8	12	14	21
50-64	461	7.6	25	2	3	6	10	13	16	27
65+	807	9.4	56	3	3	8	11	17	22	36
B. *Operated*										
0-19 YRS	11	8.9	31	3	4	7	11	18	22	22
20-34	18	8.8	19	1	4	8	10	16	18	19
35-49	19	8.6	23	2	3	7	11	15	19	21
50-64	37	11.4	52	3	3	11	16	23	25	27
65+	31	13.3	130	2	2	12	20	27	51	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2713	7.7	48	2	2	6	10	14	18	36
20-34	470	7.4	47	2	3	6	9	13	16	34
35-49	449	8.7	44	2	3	7	10	16	21	36
50-64	920	10.5	78	3	4	8	12	19	25	64
65+	2657	13.3	121	4	5	10	16	26	35	71
B. *Operated*										
0-19 YRS	55	16.9	173	4	6	13	21	33	52	55
20-34	33	18.7	212	4	5	14	29	35	54	62
35-49	52	18.8	320	3	4	14	21	40	59	98
50-64	135	20.4	251	3	5	17	27	39	62	83
65+	251	24.7	334	5	8	20	31	56	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6946	6.6	25	2	2	5	8	12	15	25
B. *Operated*	116	10.8	63	2	3	9	15	22	26	69
2. MULTIPLE DX										
A. *Not Operated*	7209	10.2	85	2	3	8	12	19	27	55
B. *Operated*	526	21.8	293	4	6	17	28	50	65	99+
1. SINGLE DX	7062	6.7	26	2	2	5	8	12	15	26
2. MULTIPLE DX	7735	11.0	107	2	3	8	13	22	30	65
A. NOT OPERATED	14155	8.4	59	2	3	7	10	16	21	41
B. OPERATED	642	19.8	269	3	5	16	25	43	62	99+
TOTAL 0-19 YRS	7183	6.9	34	2	2	5	9	12	16	30
20-34	1290	6.6	33	2	2	5	8	12	15	30
35-49	1025	8.2	52	2	3	7	10	15	19	38
50-64	1553	10.5	88	3	3	8	13	20	27	65
65+	3746	13.2	133	3	4	10	16	26	36	77
GRAND TOTAL	**14797**	**8.9**	**73**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	663	3.9	21	1	1	3	4	8	10	23
20-34	271	3.0	3	1	1	3	4	5	7	10
35-49	99	4.4	16	1	1	3	5	9	12	24
50-64	136	4.8	10	1	2	4	6	8	11	17
65+	227	6.2	22	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	478	5.5	33	1	2	4	7	11	15	32
20-34	217	3.9	9	1	1	3	5	8	9	17
35-49	139	5.2	22	1	1	4	7	11	13	28
50-64	233	6.5	24	2	2	5	8	12	17	29
65+	635	8.6	58	2	3	7	10	17	21	33
B. *Operated*										
0-19 YRS	4	6.3	12	2	2	6	9	10	10	10
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49	3	6.7	32	2	2	5	11	13	13	13
50-64	6	9.2	66	2	2	5	15	22	23	23
65+	12	12.4	43	4	5	12	18	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1396	4.2	17	1	1	3	5	8	11	21
B. *Operated*	4	5.8	6	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1702	6.6	40	1	2	5	8	13	17	32
B. *Operated*	30	8.7	45	2	2	6	15	20	21	23
1. SINGLE DX	1400	4.2	17	1	1	3	5	8	11	21
2. MULTIPLE DX	1732	6.6	40	1	2	5	8	13	18	32
A. NOT OPERATED	3098	5.5	31	1	2	4	7	11	15	27
B. OPERATED	34	8.4	41	2	2	6	13	19	21	23
TOTAL 0-19 YRS	1146	4.6	27	1	1	3	5	9	13	26
20-34	495	3.4	6	1	1	3	4	6	8	12
35-49	241	4.9	20	1	1	4	6	10	13	25
50-64	376	6.0	20	2	2	5	7	11	15	23
65+	874	8.0	50	2	2	6	10	16	20	33
GRAND TOTAL	**3132**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1255	5.1	19	1	2	4	7	9	12	21
20-34	116	3.9	5	1	1	3	5	7	8	10
35-49	112	5.3	13	1	2	4	8	10	12	17
50-64	195	6.9	23	2	3	6	8	12	17	26
65+	328	8.5	40	2	3	7	10	16	21	37
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	9	4.2	6	1	1	5	5	8	9	9
35-49	19	3.8	7	<1	1	2	6	8	10	10
50-64	35	4.8	13	1	1	4	6	10	12	15
65+	17	7.4	36	1	1	6	11	15	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	920	6.9	36	2	2	5	9	13	16	29
20-34	102	5.9	57	1	2	4	6	10	18	49
35-49	136	6.0	37	1	2	4	7	11	14	42
50-64	457	8.6	46	2	3	7	11	17	20	41
65+	1050	11.2	95	3	4	9	14	22	30	80
B. *Operated*										
0-19 YRS	6	9.0	57	3	3	7	8	22	24	24
20-34	13	7.5	35	2	2	6	8	17	22	23
35-49	27	8.3	34	1	1	7	10	17	19	25
50-64	67	10.9	128	1	2	8	15	22	26	72
65+	88	16.5	214	2	5	12	22	36	50	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2006	5.8	24	1	2	5	7	11	14	24
B. *Operated*	82	5.1	16	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2665	8.8	66	2	3	7	11	17	23	48
B. *Operated*	201	12.7	155	1	2	9	16	25	35	89
1. SINGLE DX	2088	5.8	23	1	2	5	7	11	14	24
2. MULTIPLE DX	2866	9.1	73	2	3	7	11	18	24	51
A. NOT OPERATED	4671	7.5	50	2	2	6	9	15	19	40
B. OPERATED	283	10.5	127	1	2	7	13	23	32	71
TOTAL 0-19 YRS	2183	5.9	27	1	2	5	7	11	14	26
20-34	240	5.0	30	1	1	4	5	9	10	30
35-49	294	5.8	26	1	2	5	8	10	14	27
50-64	754	8.2	47	2	3	6	10	16	20	33
65+	1483	10.9	92	3	3	8	13	21	30	63
GRAND TOTAL	**4954**	**7.7**	**55**	**2**	**2**	**6**	**9**	**15**	**20**	**42**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	86	3	3	8	18	21	21	21
20-34										
35-49	7	9.0	27	2	3	7	13	16	17	17
50-64	55	11.8	209	3	3	7	11	20	53	72
65+	123	10.0	64	2	3	8	12	19	30	38
B. *Operated*										
0-19 YRS										
20-34	3	10.3	6	8	8	10	12	13	13	13
35-49	4	13.5	95	5	5	11	20	27	27	27
50-64	3	10.7	76	1	1	13	17	18	18	18
65+	5	26.8	325	9	9	26	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	11.0	22	6	6	9	14	18	18	18
35-49	23	9.3	81	1	2	7	11	19	28	42
50-64	128	12.9	126	3	4	10	15	23	27	74
65+	404	14.2	197	2	3	10	17	32	46	99+
B. *Operated*										
0-19 YRS	2	18.0	162	9	9	18	27	27	27	27
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	9	21.2	253	7	8	15	31	48	48	48
50-64	24	19.2	336	2	5	16	27	37	93	99+
65+	34	20.7	257	7	9	15	30	66	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	10.5	136	2	3	8	12	20	32	60
B. *Operated*	15	16.7	181	2	5	13	24	44	45	46
2. MULTIPLE DX										
A. *Not Operated*	562	13.7	175	2	3	10	16	30	43	99
B. *Operated*	71	19.9	266	5	7	15	27	47	87	99+
1. SINGLE DX	203	11.0	112	2	3	8	12	21	33	60
2. MULTIPLE DX	633	14.4	189	3	4	10	17	31	44	99+
A. NOT OPERATED	750	12.9	159	2	3	9	15	29	41	81
B. OPERATED	86	19.4	250	5	7	14	27	45	73	99+
TOTAL 0-19 YRS	7	11.0	90	1	1	8	18	26	27	27
20-34	10	11.1	18	6	6	10	13	18	18	18
35-49	43	12.1	125	2	2	9	15	26	44	48
50-64	210	13.3	173	3	4	10	16	25	37	83
65+	566	13.8	179	2	3	10	16	32	43	99+
GRAND TOTAL	**836**	**13.6**	**172**	**2**	**3**	**10**	**16**	**30**	**43**	**99+**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4227	4.1	10	1	1	3	5	7	9	16
20-34	763	4.3	12	1	1	4	5	8	10	15
35-49	634	4.9	11	1	2	4	6	9	11	17
50-64	933	6.2	19	1	2	5	8	11	14	22
65+	689	7.7	44	1	2	6	10	15	18	33
B. *Operated*										
0-19 YRS	3	9.3	42	3	3	9	14	16	16	16
20-34	8	8.4	42	4	4	5	10	19	23	23
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64	9	8.3	51	1	1	8	15	18	20	20
65+	5	5.4	20	1	1	3	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1768	5.3	23	1	2	4	6	10	13	20
20-34	391	5.4	18	1	2	4	7	10	12	21
35-49	414	6.8	18	1	2	6	9	13	15	20
50-64	850	8.9	53	2	3	7	11	17	22	43
65+	1052	10.3	83	2	3	8	12	20	26	49
B. *Operated*										
0-19 YRS	22	10.7	44	4	5	8	12	19	27	31
20-34	17	11.4	73	3	4	8	16	28	31	31
35-49	25	12.6	135	2	2	10	15	36	62	99+
50-64	41	17.5	136	4	5	15	23	33	44	49
65+	45	22.8	436	5	7	15	32	66	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7246	4.8	16	1	1	4	6	9	11	20
B. *Operated*	27	8.0	36	1	2	5	12	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	4475	7.3	46	2	2	6	9	14	19	36
B. *Operated*	150	16.6	224	3	5	12	21	35	52	99+
1. SINGLE DX	7273	4.8	16	1	1	4	6	9	12	20
2. MULTIPLE DX	4625	7.6	55	2	2	6	9	15	20	41
A. NOT OPERATED	11721	5.8	29	1	2	4	7	11	15	26
B. OPERATED	177	15.3	205	3	3	11	19	33	48	97
TOTAL 0-19 YRS	6020	4.5	14	1	2	3	6	8	10	19
20-34	1179	4.8	16	1	1	4	6	9	11	20
35-49	1075	5.8	19	1	2	5	8	11	14	20
50-64	1833	7.7	41	1	2	6	10	15	20	34
65+	1791	9.6	82	2	3	7	11	18	24	50
GRAND TOTAL	11898	5.9	33	1	2	4	7	11	15	29

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.7	22	2	2	7	11	13	15	23
20-34	15	6.1	13	2	2	6	8	10	14	15
35-49	70	7.9	55	2	3	6	9	15	19	45
50-64	277	9.6	106	2	3	7	11	16	24	64
65+	582	10.1	87	3	3	8	12	19	25	57
B. *Operated*										
0-19 YRS	2	13.0	2	12	12	13	14	14	14	14
20-34	5	10.6	75	1	1	11	18	21	21	21
35-49	6	7.0	44	2	2	3	15	16	16	16
50-64	24	10.9	70	2	3	8	14	24	31	33
65+	13	8.3	36	<1	2	10	11	14	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	14.0	361	1	2	8	16	27	57	89
20-34	21	9.4	152	3	3	5	11	32	75	99+
35-49	105	10.3	103	1	3	8	13	21	33	97
50-64	716	11.1	81	3	3	9	13	22	28	56
65+	1921	12.9	136	3	4	9	16	27	37	91
B. *Operated*										
0-19 YRS	5	19.6	217	5	5	11	35	36	36	36
20-34	9	17.9	99	2	4	18	27	29	29	29
35-49	23	19.0	292	3	5	14	23	36	54	83
50-64	85	17.4	302	2	3	13	20	36	65	98
65+	163	18.3	153	4	6	15	26	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	971	9.7	88	2	3	7	11	18	24	58
B. *Operated*	50	9.8	55	1	2	9	13	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	2788	12.3	124	3	4	9	15	25	35	76
B. *Operated*	285	18.1	205	3	5	14	25	36	50	99+
1. SINGLE DX	1021	9.7	86	2	3	7	11	18	24	57
2. MULTIPLE DX	3073	12.9	134	3	4	9	16	27	36	89
A. NOT OPERATED	3759	11.6	116	3	3	9	14	23	33	70
B. OPERATED	335	16.9	191	2	4	13	23	35	47	99+
TOTAL 0-19 YRS	59	11.5	189	1	2	8	12	25	36	88
20-34	50	10.0	104	2	2	7	15	26	29	99+
35-49	204	10.4	115	2	3	7	12	21	33	97
50-64	1102	11.2	107	2	3	8	13	21	29	68
65+	2679	12.6	130	3	4	9	16	27	36	86
GRAND TOTAL	4094	12.1	124	3	3	9	15	25	35	75

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	4.3	11	1	2	3	6	8	9	18
20-34	79	4.1	9	1	1	4	6	7	10	17
35-49	13	4.7	5	2	2	4	7	8	8	8
50-64	7	7.3	17	1	1	8	11	11	11	11
65+	2	8.5	41	4	4	8	13	13	13	13
B. *Operated*										
0-19 YRS	42	6.8	34	2	2	5	8	11	24	27
20-34	139	6.6	15	2	3	5	8	12	15	20
35-49	47	7.0	19	3	3	6	8	14	18	19
50-64	21	9.1	27	2	3	8	13	15	19	21
65+	5	11.4	104	2	2	9	21	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	4	3	3	7	7	8	8	8
20-34	12	4.5	18	1	1	3	6	10	15	16
35-49	7	5.7	10	2	2	6	8	10	10	10
50-64	12	8.3	15	3	3	8	11	14	14	14
65+	20	10.0	33	2	3	9	13	17	21	24
B. *Operated*										
0-19 YRS	14	10.1	53	2	3	8	14	20	25	26
20-34	48	9.8	48	3	4	8	12	16	24	39
35-49	32	9.6	29	3	4	8	12	16	20	26
50-64	24	13.7	145	4	5	8	19	32	38	51
65+	28	14.2	92	4	4	10	21	27	33	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	4.5	10	1	1	4	6	8	11	18
B. *Operated*	254	7.0	22	2	3	6	9	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	56	7.6	25	1	2	7	10	15	17	24
B. *Operated*	146	11.3	71	3	4	8	14	23	28	39
1. SINGLE DX	390	6.1	19	1	2	5	8	12	16	22
2. MULTIPLE DX	202	10.3	60	3	3	8	13	20	27	38
A. NOT OPERATED	192	5.4	16	1	1	4	7	11	14	18
B. OPERATED	400	8.6	44	2	3	7	11	17	22	33
TOTAL 0-19 YRS	96	6.3	30	2	2	5	8	13	19	27
20-34	278	6.4	23	1	2	5	8	12	16	22
35-49	99	7.4	22	2	3	6	10	15	17	23
50-64	64	10.5	72	2	3	8	12	21	29	48
65+	55	12.2	71	2	3	10	18	24	27	38
GRAND TOTAL	**592**	**7.5**	**37**	**2**	**2**	**6**	**9**	**15**	**19**	**31**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	5.2	18	1	1	4	6	10	12	23
20-34	103	4.2	10	1	1	3	6	8	12	15
35-49	83	5.4	27	1	2	3	6	14	16	26
50-64	122	7.3	37	1	2	6	9	15	18	34
65+	171	8.8	49	1	2	6	11	19	23	34
B. *Operated*										
0-19 YRS	13	5.0	19	1	1	4	7	11	15	16
20-34	20	8.3	42	1	2	7	11	15	23	28
35-49	44	12.3	68	2	3	12	17	20	25	43
50-64	69	9.8	145	2	2	7	13	16	19	72
65+	59	10.7	86	1	2	10	15	26	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	6.4	28	1	2	5	8	12	15	21
20-34	91	6.9	56	2	2	4	8	15	21	41
35-49	143	6.2	24	1	2	5	8	13	16	24
50-64	347	11.1	136	2	3	8	14	22	29	75
65+	809	12.0	135	2	3	9	14	25	35	91
B. *Operated*										
0-19 YRS	26	16.8	339	1	2	6	32	43	50	67
20-34	39	15.1	110	4	5	12	22	31	38	43
35-49	84	16.1	263	2	3	12	21	37	56	96
50-64	161	20.1	312	3	4	15	28	51	62	98
65+	214	18.0	232	2	4	14	25	38	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	6.1	29	1	2	5	7	12	16	29
B. *Operated*	205	10.1	95	1	2	8	14	19	26	56
2. MULTIPLE DX										
A. *Not Operated*	1832	9.8	103	2	2	7	12	20	27	67
B. *Operated*	524	18.1	258	2	3	13	25	39	52	94
1. SINGLE DX	1095	6.8	44	1	2	5	9	15	19	31
2. MULTIPLE DX	2356	11.6	150	2	3	8	14	26	36	80
A. NOT OPERATED	2722	8.6	82	1	2	6	10	17	24	57
B. OPERATED	729	15.9	225	2	3	12	21	35	49	88
TOTAL 0-19 YRS	892	6.1	36	1	2	5	7	12	15	31
20-34	253	7.2	57	1	2	5	8	15	24	42
35-49	354	9.1	106	1	2	6	12	20	27	58
50-64	699	12.4	179	2	3	8	15	26	37	79
65+	1253	12.5	145	2	3	9	15	28	36	86
GRAND TOTAL	**3451**	**10.1**	**121**	**1**	**2**	**7**	**12**	**22**	**31**	**67**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.6	13	<1	1	3	4	6	8	21
20-34	77	3.5	4	1	1	3	5	6	7	9
35-49	19	3.2	3	<1	1	3	5	5	6	6
50-64	13	4.1	8	1	1	3	6	8	10	10
65+	6	4.2	9	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	1365	1.8	2	<1	<1	1	2	4	5	7
20-34	1424	2.0	2	<1	<1	2	2	4	5	7
35-49	518	2.0	3	<1	<1	2	2	4	5	9
50-64	263	2.2	4	<1	<1	2	2	4	6	11
65+	142	2.6	15	<1	<1	2	2	4	7	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.0	9	1	1	3	5	8	10	14
20-34	64	4.9	36	<1	1	4	6	9	15	38
35-49	25	2.7	4	<1	1	2	4	4	7	10
50-64	28	4.4	14	<1	<1	4	5	8	11	19
65+	23	4.5	9	<1	1	4	7	9	10	11
B. *Operated*										
0-19 YRS	507	3.1	7	<1	1	2	4	6	7	12
20-34	565	3.0	10	<1	1	2	4	6	7	15
35-49	240	3.1	10	<1	1	2	3	5	9	15
50-64	294	3.0	9	<1	1	2	3	5	8	20
65+	239	3.9	61	1	1	2	3	7	12	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.6	8	1	1	3	5	6	7	11
B. *Operated*	3712	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	255	4.2	16	<1	1	3	5	9	10	19
B. *Operated*	1845	3.1	16	<1	1	2	4	6	7	19
1. SINGLE DX	3935	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	2100	3.3	16	<1	1	2	4	6	8	19
A. NOT OPERATED	478	3.9	13	<1	1	3	5	7	9	17
B. OPERATED	5557	2.3	7	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	2095	2.3	5	<1	<1	1	3	5	6	10
20-34	2130	2.4	6	<1	<1	2	3	5	6	10
35-49	802	2.4	5	<1	<1	2	2	5	6	13
50-64	598	2.7	7	<1	<1	2	3	5	7	19
65+	410	3.5	42	<1	1	2	3	6	10	32
GRAND TOTAL	**6035**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	5.2	11	1	2	4	7	9	11	18
20-34	24	4.3	5	1	2	4	5	7	9	11
35-49	18	4.9	18	1	1	3	6	12	16	17
50-64	18	6.8	20	1	2	5	10	14	15	15
65+	15	7.1	20	2	2	6	10	11	17	19
B. *Operated*										
0-19 YRS	86	2.8	5	<1	<1	2	4	6	7	67
20-34	80	3.4	4	<1	1	3	5	7	7	9
35-49	50	3.8	5	<1	1	3	5	7	8	11
50-64	67	4.0	7	1	2	3	5	7	7	17
65+	57	3.6	8	<1	1	3	5	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	7.2	37	2	2	6	9	13	18	36
20-34	24	4.4	12	<1	<1	4	6	9	12	13
35-49	11	5.0	11	<1	1	4	8	10	11	11
50-64	13	6.8	18	2	3	6	8	15	15	15
65+	29	9.1	60	2	2	7	10	19	25	37
B. *Operated*										
0-19 YRS	33	5.2	26	1	1	4	6	13	18	23
20-34	41	4.0	10	1	1	3	5	7	10	17
35-49	40	5.6	24	1	2	4	7	10	11	30
50-64	54	5.3	40	2	2	4	5	8	16	43
65+	68	6.6	33	2	2	5	9	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.3	12	1	2	4	7	10	12	18
B. *Operated*	340	3.4	6	<1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	228	7.0	36	1	2	6	9	13	17	36
B. *Operated*	236	5.5	28	1	2	4	6	11	16	30
1. SINGLE DX	566	4.2	9	<1	1	3	6	8	10	17
2. MULTIPLE DX	464	6.2	33	1	2	5	8	12	16	32
A. NOT OPERATED	454	6.2	25	1	2	5	8	11	15	25
B. OPERATED	576	4.3	16	<1	1	3	5	8	11	23
TOTAL 0-19 YRS	421	5.4	23	1	1	4	7	11	13	27
20-34	169	3.8	7	<1	1	3	5	7	8	13
35-49	119	4.7	14	1	2	4	6	9	11	21
50-64	152	5.0	22	2	2	4	6	8	15	18
65+	169	6.1	31	1	2	4	8	12	17	29
GRAND TOTAL	**1030**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	5.2	20	1	1	4	7	10	13	27
20-34	89	3.8	10	<1	1	3	5	8	11	15
35-49	117	3.6	11	<1	<1	2	5	9	11	14
50-64	112	4.2	22	<1	1	3	5	11	12	28
65+	103	5.7	63	<1	1	4	7	12	14	54
B. *Operated*										
0-19 YRS	19	7.1	20	1	2	6	10	12	16	19
20-34	55	7.2	20	1	3	7	9	13	14	26
35-49	67	8.4	22	2	3	8	10	15	16	25
50-64	66	7.9	88	<1	<1	7	9	14	21	60
65+	84	7.4	57	<1	1	6	10	16	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.7	36	1	2	4	9	14	16	31
20-34	113	4.7	44	1	1	3	6	9	10	48
35-49	198	5.4	20	1	1	4	8	11	14	23
50-64	239	5.8	20	1	1	4	8	12	15	21
65+	342	8.5	54	2	3	6	11	18	23	45
B. *Operated*										
0-19 YRS	22	9.3	66	1	2	8	15	20	25	32
20-34	64	10.9	152	2	3	9	12	16	23	88
35-49	113	11.1	72	1	2	10	14	22	27	41
50-64	181	11.2	99	1	2	9	13	22	27	60
65+	234	11.7	110	2	2	9	15	25	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	4.5	26	<1	1	3	6	10	12	24
B. *Operated*	291	7.7	46	<1	1	7	10	14	19	29
2. MULTIPLE DX										
A. *Not Operated*	986	6.6	38	1	2	5	9	13	18	29
B. *Operated*	614	11.3	102	1	2	9	14	23	31	53
1. SINGLE DX	801	5.6	36	<1	1	4	8	11	14	27
2. MULTIPLE DX	1600	8.4	68	1	2	6	11	17	23	45
A. NOT OPERATED	1496	5.9	35	1	1	4	8	12	16	28
B. OPERATED	905	10.1	87	1	2	8	13	20	26	49
TOTAL 0-19 YRS	224	6.4	32	1	2	4	8	14	16	31
20-34	321	6.1	59	1	1	4	8	12	15	35
35-49	495	6.7	38	<1	1	5	9	14	17	31
50-64	598	7.4	59	<1	1	5	10	15	20	35
65+	763	9.0	77	1	2	6	11	19	25	51
GRAND TOTAL	**2401**	**7.5**	**59**	**1**	**1**	**5**	**10**	**15**	**21**	**38**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.4	21	3	3	8	12	14	15	15
20-34	56	5.3	18	<1	1	4	7	11	15	20
35-49	46	5.8	24	<1	<1	5	9	14	15	20
50-64	68	5.5	25	<1	<1	4	7	12	17	24
65+	60	6.7	27	1	2	5	9	12	18	25
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	17	11.5	60	1	2	11	15	23	27	29
35-49	40	9.9	28	1	2	11	13	16	17	23
50-64	54	9.8	26	<1	3	10	14	16	17	23
65+	34	9.4	67	<1	<1	8	12	22	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	114	2	2	9	19	23	23	23
20-34	24	5.4	18	<1	1	4	6	13	16	16
35-49	63	7.7	37	1	2	6	10	14	18	33
50-64	75	8.3	35	<1	1	7	11	17	21	26
65+	116	10.1	50	2	3	8	13	20	26	34
B. *Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	21	10.7	25	3	6	10	13	16	21	26
35-49	59	12.7	53	3	6	11	16	23	28	38
50-64	96	14.6	136	2	4	12	19	27	39	87
65+	135	15.4	193	2	4	11	19	27	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	5.9	24	<1	<1	5	8	13	15	25
B. *Operated*	146	9.9	39	<1	1	10	14	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	281	8.7	43	1	2	7	11	17	22	32
B. *Operated*	313	14.3	138	2	5	11	18	26	34	72
1. SINGLE DX	384	7.4	33	<1	1	6	11	15	18	25
2. MULTIPLE DX	594	11.6	100	2	3	9	15	23	28	59
A. NOT OPERATED	519	7.4	36	<1	1	6	10	15	20	29
B. OPERATED	459	12.9	110	1	3	11	16	24	28	64
TOTAL 0-19 YRS	14	9.3	31	2	3	9	12	16	21	23
20-34	118	7.2	32	1	1	6	10	15	18	27
35-49	208	9.1	43	<1	1	8	12	17	22	32
50-64	293	10.0	76	<1	1	8	14	20	25	56
65+	345	11.5	114	2	2	9	15	23	28	58
GRAND TOTAL	**978**	**10.0**	**78**	**1**	**2**	**8**	**13**	**20**	**25**	**45**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	14	5	5	9	12	14	14	14
20-34	21	5.5	36	<1	1	4	6	13	21	26
35-49	42	6.0	10	2	3	5	8	10	11	18
50-64	50	6.5	17	1	2	6	9	13	15	16
65+	49	9.1	36	2	3	7	11	18	20	30
B. *Operated*										
0-19 YRS	2	12.5	1	12	12	12	13	13	13	13
20-34	11	8.6	6	3	5	9	10	12	12	12
35-49	20	10.4	15	5	6	10	14	15	17	18
50-64	26	9.7	20	2	3	11	13	14	17	20
65+	34	12.4	38	5	6	11	14	22	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	120	5	5	5	19	24	24	24
20-34	25	6.9	44	1	1	5	8	15	26	28
35-49	42	6.9	31	2	3	5	8	11	23	26
50-64	69	8.9	62	2	3	7	10	17	27	43
65+	138	12.3	152	3	4	9	13	23	44	65
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	15	9.3	27	3	5	9	12	16	21	23
35-49	37	14.6	166	4	4	10	16	38	55	99+
50-64	83	16.3	166	4	6	13	20	33	58	86
65+	150	19.0	267	4	6	14	23	51	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	7.1	25	1	2	6	9	13	17	26
B. *Operated*	93	10.8	25	4	5	11	13	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	277	10.1	106	2	3	7	11	21	28	60
B. *Operated*	286	17.1	216	4	5	13	21	41	59	99+
1. SINGLE DX	259	8.4	28	1	3	7	11	14	18	27
2. MULTIPLE DX	563	13.7	174	3	4	9	16	29	51	83
A. NOT OPERATED	443	9.0	77	2	3	6	10	17	24	55
B. OPERATED	379	15.5	176	4	5	12	18	31	56	99+
TOTAL 0-19 YRS	10	10.4	34	5	5	9	13	19	24	24
20-34	72	7.3	33	1	2	6	9	13	22	28
35-49	141	9.1	70	2	3	7	10	17	26	60
50-64	228	11.1	101	2	3	8	13	22	31	59
65+	371	14.6	186	4	4	11	17	30	52	82
GRAND TOTAL	**822**	**12.0**	**134**	**3**	**4**	**9**	**14**	**24**	**38**	**71**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	5.6	19	1	2	4	7	10	14	24
20-34	271	4.2	10	1	1	3	5	8	10	16
35-49	208	4.8	16	<1	1	4	6	9	11	23
50-64	179	5.2	18	<1	1	4	7	9	12	22
65+	138	7.0	34	1	2	6	9	13	16	36
B. *Operated*										
0-19 YRS	11	8.5	6	5	5	8	10	12	14	14
20-34	102	10.0	24	6	7	9	10	14	21	32
35-49	101	10.3	11	7	7	9	12	15	17	20
50-64	54	9.8	13	4	7	9	11	14	17	21
65+	15	10.3	29	2	2	10	16	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	31	1	2	5	9	13	15	31
20-34	166	5.9	26	1	1	5	7	12	16	26
35-49	208	6.6	26	1	2	5	8	12	15	29
50-64	224	7.0	31	1	2	5	9	14	17	28
65+	310	9.1	56	2	3	8	12	16	21	28
B. *Operated*										
0-19 YRS	6	10.7	32	4	4	10	13	19	20	20
20-34	76	10.5	45	4	6	9	12	17	19	45
35-49	116	11.8	36	6	7	10	14	19	24	58
50-64	117	14.6	78	4	7	12	19	26	35	43
65+	73	15.8	115	4	5	13	22	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	5.1	19	1	1	4	7	10	12	22
B. *Operated*	283	10.0	17	6	7	9	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	950	7.4	39	1	2	6	9	14	18	28
B. *Operated*	388	13.1	69	4	7	11	16	24	32	51
1. SINGLE DX	1166	6.3	23	1	1	5	9	12	15	23
2. MULTIPLE DX	1338	9.1	54	2	2	8	12	17	23	40
A. NOT OPERATED	1833	6.3	30	1	2	5	8	12	16	27
B. OPERATED	671	11.8	49	5	7	10	14	20	26	46
TOTAL 0-19 YRS	146	6.3	23	1	2	5	8	12	15	25
20-34	615	6.4	28	1	2	5	8	12	16	28
35-49	633	7.6	30	1	2	7	10	14	17	31
50-64	574	8.2	47	1	2	7	11	16	22	36
65+	536	9.5	64	2	3	7	12	18	23	46
GRAND TOTAL	**2504**	**7.8**	**41**	**1**	**2**	**7**	**10**	**15**	**20**	**34**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.7	10	1	1	4	5	10	12	13
20-34	129	4.9	7	1	2	4	6	9	9	14
35-49	152	5.3	8	2	3	5	7	9	11	14
50-64	141	6.1	13	2	2	5	7	10	14	18
65+	103	7.0	15	2	3	7	9	12	15	18
B. *Operated*										
0-19 YRS	8	8.8	8	6	6	8	11	13	13	13
20-34	57	10.3	36	4	5	9	12	17	21	39
35-49	55	10.3	14	6	7	10	12	14	20	21
50-64	52	12.5	43	6	7	10	15	22	28	32
65+	48	14.9	137	6	6	12	18	27	33	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	7.5	102	1	2	4	7	13	32	47
20-34	79	5.3	10	1	2	5	7	10	11	14
35-49	105	6.3	17	2	3	6	7	9	12	27
50-64	156	7.2	28	2	3	6	9	12	17	33
65+	219	11.1	99	3	4	9	13	19	25	51
B. *Operated*										
0-19 YRS	3	25.7	585	7	7	17	44	53	53	53
20-34	40	10.1	24	4	5	9	12	16	19	28
35-49	63	15.3	175	5	6	12	17	28	33	90
50-64	103	17.3	190	4	7	13	21	31	49	72
65+	125	19.1	243	6	7	15	25	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.7	11	2	2	5	7	10	12	17
B. *Operated*	220	11.8	56	5	6	10	13	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	578	8.3	58	2	3	7	10	14	20	43
B. *Operated*	334	16.8	196	5	6	13	19	31	47	97
1. SINGLE DX	763	7.5	31	2	3	6	9	13	17	29
2. MULTIPLE DX	912	11.4	125	3	3	8	13	23	31	62
A. NOT OPERATED	1121	7.0	37	2	3	6	8	12	16	30
B. OPERATED	554	14.8	146	5	6	11	17	28	37	81
TOTAL 0-19 YRS	48	7.8	93	1	2	5	8	13	20	53
20-34	305	6.7	21	2	2	6	9	12	14	24
35-49	375	8.0	52	2	3	6	10	14	19	32
50-64	452	9.8	82	2	3	7	11	19	27	51
65+	495	12.6	140	3	4	9	15	25	36	83
GRAND TOTAL	1675	9.6	86	2	3	7	11	18	26	51

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	3.6	8	<1	<1	3	6	8	9	9
35-49	5	4.2	5	1	1	5	6	6	6	6
50-64	6	6.8	27	1	1	7	12	13	13	13
65+	4	15.8	206	7	7	10	24	37	37	37
B. *Operated*										
0-19 YRS	3	9.3	184	1	1	2	19	25	25	25
20-34	6	9.0	2	7	7	9	10	11	11	11
35-49	13	12.6	31	5	7	11	16	20	24	25
50-64	19	15.5	67	5	8	13	21	25	33	38
65+	5	12.8	15	9	9	13	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	8.6	34	4	4	7	9	19	21	21
35-49	5	8.4	102	1	1	5	12	26	26	26
50-64	7	9.7	26	2	3	9	15	16	16	16
65+	15	18.5	342	1	6	10	27	38	63	72
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	14.2	24	8	8	13	18	21	21	21
35-49	22	12.0	25	6	8	10	16	21	22	23
50-64	38	21.6	140	8	9	18	28	36	42	61
65+	32	19.7	144	5	9	18	28	33	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.5	52	<1	1	6	8	12	18	37
B. *Operated*	46	13.2	51	3	7	11	16	24	25	38
2. MULTIPLE DX										
A. *Not Operated*	35	12.9	189	1	3	8	16	29	36	72
B. *Operated*	102	18.2	118	8	9	16	24	33	39	57
1. SINGLE DX	72	10.8	61	1	1	9	13	22	25	38
2. MULTIPLE DX	137	16.8	140	4	6	13	22	32	38	62
A. NOT OPERATED	61	10.2	139	1	1	6	11	24	33	68
B. OPERATED	148	16.6	102	7	8	13	21	30	36	54
TOTAL 0-19 YRS	6	9.2	86	1	1	6	15	24	25	25
20-34	32	8.7	33	1	1	8	11	18	21	21
35-49	45	10.9	38	2	4	9	18	21	23	26
50-64	70	17.5	123	4	7	15	24	34	38	57
65+	56	18.5	185	5	6	13	27	36	44	71
GRAND TOTAL	209	14.7	121	1	4	11	20	29	36	57

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	579	2.8	9	<1	1	2	3	5	6	11
20-34	585	2.9	5	<1	1	2	4	6	7	11
35-49	409	4.0	11	<1	1	3	5	8	10	14
50-64	293	4.5	17	<1	1	3	6	10	13	22
65+	280	5.5	22	1	1	4	7	11	15	23
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	13	5.7	20	<1	<1	5	8	13	15	15
35-49	23	7.3	68	<1	<1	4	9	23	27	30
50-64	35	8.1	54	<1	<1	7	13	18	22	29
65+	25	7.0	50	<1	<1	4	13	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	3.9	10	1	1	3	5	7	10	17
20-34	544	4.3	18	1	1	3	6	8	11	21
35-49	597	5.4	20	1	1	4	7	10	14	20
50-64	573	6.7	48	1	2	5	8	13	18	35
65+	739	9.2	99	2	2	7	11	18	24	59
B. *Operated*										
0-19 YRS	5	9.4	29	4	4	9	12	18	18	18
20-34	41	10.1	92	<1	2	7	13	20	25	55
35-49	66	10.5	73	<1	1	10	14	19	35	90
50-64	104	12.1	174	<1	1	9	14	26	37	78
65+	134	14.1	135	2	3	12	19	30	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2146	3.7	12	<1	1	3	5	7	10	16
B. *Operated*	98	7.2	50	<1	<1	5	11	17	22	30
2. MULTIPLE DX										
A. *Not Operated*	2757	6.3	49	1	1	4	8	13	17	35
B. *Operated*	350	12.3	130	1	2	10	15	26	36	64
1. SINGLE DX	2244	3.8	14	<1	1	3	5	8	11	19
2. MULTIPLE DX	3107	7.0	62	1	1	5	8	14	20	43
A. NOT OPERATED	4903	5.1	35	1	1	4	6	10	14	30
B. OPERATED	448	11.2	116	<1	1	9	15	23	33	64
TOTAL 0-19 YRS	890	3.2	10	1	1	2	4	6	8	14
20-34	1183	3.9	16	<1	1	3	5	8	10	19
35-49	1095	5.2	23	1	1	4	7	10	14	25
50-64	1005	6.7	57	1	1	4	8	13	18	36
65+	1178	8.8	89	1	2	6	11	18	24	57
GRAND TOTAL	5351	5.7	44	1	1	4	7	12	16	33

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.6	11	<1	1	3	4	8	10	18
20-34	146	3.7	27	<1	<1	3	5	7	9	15
35-49	107	3.7	20	<1	1	2	5	6	10	27
50-64	103	4.6	27	<1	1	3	5	11	16	27
65+	89	5.4	22	1	1	4	7	13	16	22
B. *Operated*										
0-19 YRS	10	7.1	3	5	5	7	8	9	10	10
20-34	16	8.6	55	<1	<1	9	11	13	26	31
35-49	20	9.6	19	1	3	9	13	15	17	17
50-64	17	11.5	73	<1	<1	13	19	24	25	29
65+	11	14.7	97	5	6	11	24	30	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.7	39	1	1	4	8	11	14	41
20-34	106	4.9	12	<1	1	4	7	9	12	16
35-49	133	5.5	21	1	1	4	7	12	15	22
50-64	138	7.2	38	1	2	5	10	14	17	28
65+	232	8.2	61	1	2	6	10	16	24	50
B. *Operated*										
0-19 YRS	12	11.3	41	1	2	13	16	19	19	19
20-34	25	12.7	81	1	7	10	14	32	34	38
35-49	33	15.8	77	5	7	17	21	26	30	44
50-64	62	16.3	133	3	7	13	21	29	30	74
65+	62	16.1	92	4	5	15	21	29	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	4.1	22	<1	1	3	5	8	12	21
B. *Operated*	74	10.2	52	<1	1	9	13	21	27	32
2. MULTIPLE DX										
A. *Not Operated*	668	6.7	40	1	1	5	8	14	17	40
B. *Operated*	194	15.4	99	3	5	14	20	29	32	91
1. SINGLE DX	617	4.9	29	<1	1	3	6	11	15	28
2. MULTIPLE DX	862	8.7	67	1	2	6	11	19	25	45
A. NOT OPERATED	1211	5.5	34	1	1	4	7	12	16	31
B. OPERATED	268	14.0	91	2	4	12	19	27	31	75
TOTAL 0-19 YRS	179	5.0	25	1	1	3	7	11	14	20
20-34	293	5.2	34	<1	1	4	7	10	13	33
35-49	293	6.3	41	<1	1	4	8	15	19	32
50-64	320	8.3	72	1	1	6	12	19	24	33
65+	394	9.0	70	1	2	7	11	20	27	57
GRAND TOTAL	1479	7.1	55	1	1	5	9	16	21	37

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	3	<1	<1	1	2	4	5	10
20-34	21	2.6	8	1	1	1	4	7	9	12
35-49	4	5.3	19	1	1	4	8	11	11	11
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2569	4.3	3	2	3	4	5	6	7	11
20-34	1501	4.4	3	2	3	4	5	6	7	11
35-49	335	4.9	5	2	3	4	6	8	9	12
50-64	155	5.9	8	3	3	5	7	9	11	18
65+	42	8.3	21	4	4	6	9	15	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	4	<1	<1	2	4	6	6	6
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	15.0	309	2	2	8	28	35	35	35
B. *Operated*										
0-19 YRS	430	6.1	14	3	3	5	7	11	14	21
20-34	326	6.7	23	3	3	6	8	11	14	30
35-49	107	7.9	21	3	4	6	9	14	17	26
50-64	59	9.4	31	4	4	8	12	16	20	28
65+	34	10.4	95	4	5	8	11	14	18	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.4	6	<1	<1	1	3	5	8	12
B. *Operated*	4602	4.5	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	17	6.2	67	<1	1	3	8	11	27	35
B. *Operated*	956	6.9	23	3	3	5	8	12	15	25
1. SINGLE DX	4667	4.4	6	2	3	4	5	7	8	12
2. MULTIPLE DX	973	6.8	24	3	3	5	8	12	15	27
A. NOT OPERATED	82	3.1	20	<1	<1	2	3	7	11	28
B. OPERATED	5558	4.9	8	2	3	4	5	7	9	16
TOTAL 0-19 YRS	3046	4.5	5	2	3	4	5	7	9	14
20-34	1850	4.8	8	2	3	4	5	7	9	15
35-49	447	5.7	10	2	3	5	7	9	11	18
50-64	218	6.8	17	3	3	6	8	12	15	23
65+	79	9.5	62	4	4	8	11	15	20	54
GRAND TOTAL	5640	4.9	8	2	3	4	5	7	10	16

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.9	14	<1	1	4	7	9	13	16
20-34	11	5.4	9	2	2	4	8	10	10	10
35-49	3	5.7	9	3	3	5	8	9	9	9
50-64	4	8.3	1	7	7	8	9	9	9	9
65+	4	9.3	12	5	5	9	12	13	13	13
B. *Operated*										
0-19 YRS	468	7.2	12	3	4	7	9	12	14	19
20-34	243	7.0	15	3	3	6	9	12	15	22
35-49	100	8.9	21	4	4	8	10	14	18	26
50-64	63	10.0	23	4	5	9	12	15	21	26
65+	28	10.9	16	5	6	10	13	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	26	2	2	9	11	12	12	12
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	7	9.6	21	4	4	8	13	16	17	17
B. *Operated*										
0-19 YRS	202	12.4	46	4	5	11	16	21	25	35
20-34	127	10.6	43	4	4	9	13	20	23	36
35-49	71	11.3	33	4	5	10	14	18	22	34
50-64	81	13.0	35	6	6	12	17	21	25	30
65+	70	18.2	116	8	9	15	21	33	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.8	12	1	1	6	8	10	12	16
B. *Operated*	902	7.6	16	3	4	7	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	13	8.2	18	2	4	8	10	15	17	17
B. *Operated*	551	12.7	56	4	5	11	16	21	26	44
1. SINGLE DX	944	7.6	16	3	4	7	9	13	15	22
2. MULTIPLE DX	564	12.6	55	4	5	11	16	21	26	44
A. NOT OPERATED	55	6.4	14	1	2	6	9	11	14	17
B. OPERATED	1453	9.5	37	3	4	8	12	17	21	31
TOTAL 0-19 YRS	693	8.6	28	3	4	7	11	16	19	28
20-34	383	8.1	27	3	4	7	10	14	19	27
35-49	174	9.8	27	4	4	9	12	16	21	27
50-64	149	11.6	31	5	6	10	14	20	24	29
65+	109	15.4	94	6	8	13	19	29	36	80
GRAND TOTAL	1508	9.4	36	3	4	8	12	17	21	31

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	3	1	1	2	3	5	6	11
20-34	62	2.7	15	1	1	2	3	4	5	27
35-49	16	3.8	18	<1	1	3	4	5	15	19
50-64	8	3.3	2	2	2	3	4	6	6	6
65+	3	6.7	52	2	2	3	12	15	15	15
B. *Operated*										
0-19 YRS	368	4.8	4	3	3	4	5	7	8	14
20-34	231	5.3	12	2	3	5	6	8	11	22
35-49	40	5.6	11	2	3	5	6	9	14	17
50-64	16	7.3	13	3	4	7	9	9	15	18
65+	12	7.5	14	2	3	7	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	4	1	1	2	2	5	8	10
20-34	20	2.6	3	<1	<1	2	3	5	7	8
35-49	6	3.5	8	1	1	3	5	8	8	8
50-64	7	3.3	5	1	1	3	5	7	7	7
65+	3	8.3	104	<1	<1	4	16	20	20	20
B. *Operated*										
0-19 YRS	139	6.2	16	3	3	5	7	12	15	20
20-34	110	6.9	13	3	3	6	8	12	14	19
35-49	28	7.0	13	3	3	6	8	12	17	18
50-64	17	7.2	7	3	3	7	9	10	11	12
65+	17	13.9	120	4	5	10	22	25	40	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.7	8	1	1	2	3	5	6	16
B. *Operated*	667	5.1	8	3	3	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	64	2.9	9	<1	1	2	4	6	8	19
B. *Operated*	311	7.0	22	3	3	6	8	12	16	24
1. SINGLE DX	886	4.5	9	1	2	4	5	7	9	17
2. MULTIPLE DX	375	6.3	22	1	2	5	8	11	15	22
A. NOT OPERATED	283	2.7	8	1	1	2	3	5	7	18
B. OPERATED	978	5.7	13	3	3	5	6	9	12	19
TOTAL 0-19 YRS	665	4.5	8	1	2	4	5	8	10	16
20-34	423	5.2	14	1	2	5	6	9	12	20
35-49	90	5.5	14	1	2	5	7	9	15	19
50-64	48	6.0	11	2	2	6	8	10	10	18
65+	35	10.6	81	2	3	8	14	22	25	47
GRAND TOTAL	1261	5.0	14	1	2	4	6	8	12	19

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4		<1	<1	1	2	2	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	1.3		1	1	1	2	2	2	2
50-64	7	2.6	2	1	1	2	4	5	5	5
65+	17	4.1	21	1	1	2	5	10	16	18
B. *Operated*										
0-19 YRS	1380	2.7	8	<1	1	2	3	5	6	8
20-34	1249	3.9	2	2	2	4	5	6	7	8
35-49	1178	4.4	4	2	3	4	5	7	8	10
50-64	1623	4.9	5	2	3	5	6	8	9	12
65+	1205	5.8	8	2	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	1.8	4	<1	<1	1	2	3	7	10
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	14	4.0	16	1	1	2	7	11	12	12
50-64	20	5.7	58	<1	<1	3	7	12	23	34
65+	33	5.3	35	<1	1	4	7	11	15	31
B. *Operated*										
0-19 YRS	686	3.6	20	1	1	2	4	6	9	22
20-34	308	4.6	5	2	3	4	6	7	8	13
35-49	459	5.6	10	2	3	5	7	9	10	21
50-64	1013	6.1	12	2	3	5	7	10	12	19
65+	1158	7.9	30	3	4	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	9	<1	1	2	3	5	8	18
B. *Operated*	6635	4.3	6	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	121	3.6	25	<1	<1	1	4	9	11	32
B. *Operated*	3624	6.0	21	2	2	5	7	10	14	23
1. SINGLE DX	6682	4.3	7	1	2	4	5	7	8	11
2. MULTIPLE DX	3745	5.9	21	1	2	5	7	10	14	23
A. NOT OPERATED	168	3.3	21	<1	<1	1	4	9	11	29
B. OPERATED	10259	4.9	12	1	2	4	6	8	10	18
TOTAL 0-19 YRS	2128	3.0	12	<1	1	2	3	5	7	14
20-34	1568	4.1	3	2	2	4	5	6	7	9
35-49	1655	4.7	6	2	3	4	6	7	9	13
50-64	2663	5.4	9	2	3	5	6	9	10	16
65+	2413	6.8	20	2	3	6	8	11	15	25
GRAND TOTAL	10427	4.9	12	1	2	4	6	8	10	18

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	190	2.4	3	1	1	2	3	4	6	9
20-34	65	4.6	3	2	3	4	6	7	8	9
35-49	49	4.4	3	2	3	5	6	7	7	8
50-64	61	5.5	6	3	3	5	7	9	10	12
65+	78	7.1	18	3	3	6	8	12	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	9	1	1	3	6	8	8	8
20-34										
35-49										
50-64	1	22.0		22	22	22	22	22	22	22
65+	10	11.8	122	2	2	6	20	29	36	36
B. *Operated*										
0-19 YRS	114	4.0	14	1	1	3	5	7	12	22
20-34	19	6.3	10	3	3	5	9	12	13	13
35-49	21	10.7	96	4	4	6	13	24	33	43
50-64	58	7.7	22	3	4	6	9	13	17	94
65+	123	11.3	59	4	5	9	14	23	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	4	<1	<1	1	2	6	7	7
B. *Operated*	443	4.2	9	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	15	10.4	103	1	2	6	18	23	33	36
B. *Operated*	335	7.9	46	2	2	6	10	16	24	43
1. SINGLE DX	457	4.2	9	1	1	4	6	8	9	14
2. MULTIPLE DX	350	8.0	49	2	2	6	10	17	24	43
A. NOT OPERATED	29	6.4	71	<1	<1	3	7	21	24	36
B. OPERATED	778	5.8	28	1	2	4	7	11	15	30
TOTAL 0-19 YRS	313	3.0	7	1	1	2	3	5	8	15
20-34	87	4.9	5	2	3	4	6	8	9	13
35-49	71	6.5	37	2	3	5	7	8	19	39
50-64	122	6.6	17	3	3	5	8	12	14	50
65+	214	9.6	51	3	4	8	11	19	27	43
GRAND TOTAL	**807**	**5.8**	**30**	**1**	**2**	**4**	**7**	**11**	**16**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	<1	<1	2	6	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	191	2.3	1	<1	1	2	3	3	4	7
20-34	66	4.0	19	1	1	3	4	7	8	31
35-49	124	4.0	4	1	2	4	5	6	8	9
50-64	96	4.7	8	2	2	4	6	8	10	14
65+	45	5.7	14	2	3	4	8	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	3	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	4	5.3	20	3	3	3	8	12	12	12
65+	7	8.1	72	2	2	4	10	23	26	26
B. *Operated*										
0-19 YRS	52	3.2	18	1	1	2	3	5	6	31
20-34	36	4.9	7	2	2	4	6	9	10	13
35-49	56	6.0	12	2	3	5	8	11	13	18
50-64	91	6.2	12	2	2	6	8	10	12	19
65+	51	8.0	23	2	3	8	11	15	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	8	<1	<1	1	4	7	7	7
B. *Operated*	522	3.6	8	1	1	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	24	4.5	30	<1	<1	3	4	11	16	26
B. *Operated*	286	5.8	16	2	2	5	8	11	13	20
1. SINGLE DX	526	3.6	8	1	1	3	4	7	8	13
2. MULTIPLE DX	310	5.7	17	2	2	5	8	11	13	22
A. NOT OPERATED	28	4.2	27	<1	<1	3	4	10	13	26
B. OPERATED	808	4.4	12	1	2	3	6	8	10	17
TOTAL 0-19 YRS	255	2.5	5	<1	1	2	3	4	5	8
20-34	104	4.3	15	1	2	3	5	8	9	23
35-49	183	4.5	7	1	2	4	6	8	9	15
50-64	191	5.5	10	2	2	5	7	10	12	17
65+	103	7.0	23	2	3	6	9	13	17	25
GRAND TOTAL	**836**	**4.4**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	6	2.5	2	<1	<1	3	3	4	4	4
50-64	4	3.8	7	1	1	4	6	6	6	6
65+	6	4.2	11	1	1	3	6	10	10	10
B. *Operated*										
0-19 YRS	81	2.6	2	<1	1	2	3	5	6	7
20-34	192	4.7	12	2	2	4	6	8	9	23
35-49	265	5.8	8	2	3	5	7	10	11	15
50-64	283	7.0	19	2	3	6	9	11	13	23
65+	177	8.1	17	3	4	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	12	1	1	3	8	9	9	9
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	5	3.8	12	<1	<1	2	7	8	8	8
50-64	20	6.3	37	<1	1	4	8	14	21	25
65+	38	11.3	250	1	2	5	9	38	44	74
B. *Operated*										
0-19 YRS	12	4.2	4	2	2	4	6	7	8	8
20-34	94	6.6	15	3	3	5	8	11	16	20
35-49	146	8.1	24	2	3	7	9	14	17	29
50-64	279	9.5	39	3	4	8	11	16	21	36
65+	245	11.9	75	4	5	10	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	6	<1	<1	3	5	6	8	10
B. *Operated*	998	6.1	15	2	2	5	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	74	8.2	149	1	1	4	8	21	38	67
B. *Operated*	776	9.6	48	3	4	8	11	17	22	36
1. SINGLE DX	1018	6.0	15	1	2	5	8	10	13	17
2. MULTIPLE DX	850	9.4	57	2	3	8	11	17	22	39
A. NOT OPERATED	94	7.2	122	<1	1	4	8	17	33	61
B. OPERATED	1774	7.6	32	2	3	6	9	13	17	29
TOTAL 0-19 YRS	101	3.0	3	<1	1	2	4	6	7	9
20-34	293	5.2	14	2	2	4	6	9	11	20
35-49	422	6.5	15	2	3	6	8	11	14	21
50-64	586	8.1	31	2	3	7	10	14	18	30
65+	466	10.3	69	3	4	9	12	17	24	42
GRAND TOTAL	**1868**	**7.6**	**37**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	39	4	4	5	11	17	17	17
20-34	18	4.7	8	<1	1	4	6	9	10	10
35-49	41	5.0	15	<1	1	4	7	9	12	19
50-64	74	4.8	9	1	1	5	6	9	10	14
65+	82	5.7	19	1	2	4	8	11	14	22
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	9	8.1	2	6	6	8	9	11	11	11
35-49	34	8.2	9	2	5	8	9	13	14	15
50-64	32	9.4	15	3	5	9	11	14	18	19
65+	13	10.2	18	1	5	10	12	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.7	51	1	2	5	12	20	24	24
20-34	33	5.9	33	<1	1	4	8	14	18	24
35-49	101	5.4	15	1	1	5	7	11	13	17
50-64	218	6.7	27	1	2	6	9	13	16	27
65+	411	9.5	80	2	3	7	12	19	24	54
B. *Operated*										
0-19 YRS	7	11.9	22	5	6	12	16	18	18	18
20-34	51	9.7	22	4	5	9	11	15	19	31
35-49	126	10.0	37	4	6	9	11	15	18	39
50-64	175	12.7	73	6	7	10	14	21	29	69
65+	118	14.8	123	4	6	12	17	24	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	5.2	14	<1	1	4	7	9	12	20
B. *Operated*	89	9.0	12	3	6	8	11	14	15	19
2. MULTIPLE DX										
A. *Not Operated*	772	8.0	57	1	2	6	10	16	22	40
B. *Operated*	477	12.2	73	5	6	10	14	19	26	55
1. SINGLE DX	308	6.3	16	1	2	6	9	11	14	20
2. MULTIPLE DX	1249	9.6	67	2	2	8	12	18	23	50
A. NOT OPERATED	991	7.4	49	1	2	6	9	15	20	36
B. OPERATED	566	11.7	65	5	6	10	13	19	25	54
TOTAL 0-19 YRS	21	9.8	36	2	4	9	14	18	21	24
20-34	111	7.6	25	<1	1	8	10	13	17	27
35-49	302	7.6	28	1	2	7	10	13	15	24
50-64	499	8.7	49	1	2	8	11	16	20	38
65+	624	10.1	86	2	3	8	13	20	24	54
GRAND TOTAL	**1557**	**9.0**	**59**	**1**	**2**	**8**	**11**	**17**	**21**	**42**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	5	5.6	8	2	2	5	8	9	9	9
65+										
B. *Operated*										
0-19 YRS	12	4.1	2	2	2	4	5	6	7	7
20-34	40	4.4	3	1	2	4	5	7	8	8
35-49	54	4.5	3	1	2	5	5	7	8	11
50-64	57	4.7	3	2	3	4	6	7	8	10
65+	46	5.1	9	2	3	6	7	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	7.0	36	1	1	7	11	13	13	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	5	7.4	10	3	3	7	9	12	12	12
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	4.8	3	2	3	4	6	6	8	9
35-49	25	4.9	6	1	2	4	6	9	10	11
50-64	35	6.7	14	3	4	6	8	13	15	18
65+	43	8.7	27	3	4	7	11	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.2	7	1	1	4	6	8	9	9
B. *Operated*	209	4.8	5	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	14	6.0	18	1	1	6	8	12	13	13
B. *Operated*	120	6.8	18	2	3	5	9	12	15	24
1. SINGLE DX	220	4.8	5	2	2	4	6	8	9	12
2. MULTIPLE DX	134	6.7	18	2	3	6	9	12	14	23
A. NOT OPERATED	25	5.2	13	1	1	4	7	12	12	13
B. OPERATED	329	5.5	10	2	3	5	6	10	12	17
TOTAL 0-19 YRS	17	3.7	3	1	2	4	5	6	7	7
20-34	60	4.6	4	1	2	4	6	7	8	13
35-49	83	4.6	5	1	2	4	5	7	9	12
50-64	100	5.4	8	2	3	5	6	9	11	16
65+	94	7.3	19	3	3	6	9	12	15	25
GRAND TOTAL	**354**	**5.5**	**11**	**2**	**3**	**5**	**7**	**10**	**12**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	8	4.1	9	<1	<1	4	6	8	8	8
65+	9	7.6	21	2	2	6	10	15	17	17
B. *Operated*										
0-19 YRS	22	2.6	3	<1	<1	2	3	6	7	8
20-34	44	5.4	18	2	2	4	6	9	15	22
35-49	74	4.9	8	2	2	4	6	8	9	17
50-64	71	6.7	10	3	3	6	9	11	12	17
65+	76	8.4	20	3	4	7	10	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	4	6.5		6	6	6	7	7	7	7
65+	25	8.1	32	1	2	7	10	15	19	24
B. *Operated*										
0-19 YRS	5	10.2	92	<1	<1	7	17	25	25	25
20-34	14	10.4	208	3	3	6	9	20	50	59
35-49	43	7.7	16	4	4	6	10	14	15	18
50-64	81	12.0	96	3	4	9	16	21	26	61
65+	150	15.0	185	3	5	11	18	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.2	18	<1	1	4	8	11	15	17
B. *Operated*	287	6.2	16	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	31	7.9	29	2	2	7	9	16	17	24
B. *Operated*	293	12.8	140	3	4	10	16	24	39	96
1. SINGLE DX	312	6.1	16	1	2	5	8	11	14	21
2. MULTIPLE DX	324	12.3	132	3	4	9	15	23	36	94
A. NOT OPERATED	56	6.7	26	1	1	6	9	15	17	24
B. OPERATED	580	9.5	89	2	3	7	11	18	24	64
TOTAL 0-19 YRS	29	3.8	25	<1	<1	2	4	8	15	25
20-34	60	6.7	65	2	2	4	7	12	18	55
35-49	123	5.9	13	2	2	5	7	11	14	18
50-64	164	9.2	60	3	3	7	11	17	21	47
65+	260	12.1	127	3	4	9	14	22	36	99
GRAND TOTAL	**636**	**9.3**	**84**	**2**	**3**	**7**	**11**	**18**	**24**	**60**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	3.4	12	1	1	2	4	7	9	21
20-34	111	4.8	41	1	1	3	6	8	10	37
35-49	198	5.5	23	1	2	4	7	11	15	26
50-64	231	5.5	25	1	2	5	6	10	12	25
65+	287	6.9	28	2	2	6	8	12	16	31
B. *Operated*										
0-19 YRS	48	7.8	14	4	5	7	8	11	16	22
20-34	57	11.1	48	5	6	9	13	18	28	40
35-49	80	10.6	28	4	5	9	14	18	20	29
50-64	97	12.0	36	6	7	10	13	19	27	34
65+	88	15.2	103	6	7	13	18	25	33	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.4	49	2	2	4	7	14	20	38
20-34	98	5.8	24	1	1	4	7	11	15	28
35-49	131	6.1	25	1	2	5	7	10	15	30
50-64	210	7.1	26	2	2	6	9	14	17	24
65+	508	10.2	114	2	2	7	12	21	28	68
B. *Operated*										
0-19 YRS	63	11.7	66	4	5	9	15	20	27	46
20-34	91	12.3	116	4	5	10	14	21	25	72
35-49	131	17.6	133	6	8	14	22	39	49	99+
50-64	193	17.5	163	6	8	13	22	36	52	99+
65+	282	21.0	166	7	9	18	27	43	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	909	5.7	27	1	2	5	7	10	14	28
B. *Operated*	370	11.8	54	5	6	10	14	20	27	37
2. MULTIPLE DX										
A. *Not Operated*	984	8.4	75	2	2	6	10	16	23	51
B. *Operated*	760	17.7	155	6	7	14	22	36	51	99+
1. SINGLE DX	1279	7.5	43	1	2	6	9	14	19	33
2. MULTIPLE DX	1744	12.5	131	2	3	9	16	27	38	83
A. NOT OPERATED	1893	7.1	54	1	2	5	8	14	19	37
B. OPERATED	1130	15.8	130	5	6	13	19	31	42	99+
TOTAL 0-19 YRS	230	7.1	43	1	1	6	9	15	20	39
20-34	357	8.0	67	1	2	6	10	15	21	40
35-49	540	9.3	75	1	2	7	12	19	28	50
50-64	731	10.0	87	2	2	8	12	20	28	56
65+	1165	12.4	132	2	3	9	16	27	37	79
GRAND TOTAL	3023	10.3	100	2	2	8	13	22	30	64

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4861	4.0	10	1	1	3	5	8	10	16
20-34	974	2.6	3	1	1	2	3	5	6	9
35-49	390	3.4	7	1	1	3	4	7	8	14
50-64	310	4.1	10	1	1	3	5	8	10	16
65+	517	5.0	22	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	40	7.8	87	2	2	5	7	17	29	49
20-34	50	5.6	17	1	2	5	6	9	14	27
35-49	24	6.1	10	1	1	6	8	11	12	12
50-64	12	12.0	57	4	5	9	16	25	26	26
65+	13	10.5	23	5	5	10	15	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2985	5.6	22	1	2	4	7	11	14	23
20-34	567	3.9	26	1	1	3	4	8	10	17
35-49	292	5.4	22	1	1	4	7	11	13	24
50-64	407	6.6	53	1	2	5	8	14	17	54
65+	984	8.8	78	2	2	6	11	18	24	47
B. *Operated*										
0-19 YRS	36	8.1	64	<1	1	6	10	16	26	41
20-34	70	8.5	124	1	2	6	9	12	18	70
35-49	40	10.7	52	2	3	9	15	21	23	33
50-64	39	15.2	146	2	3	14	19	26	30	72
65+	71	16.4	165	3	5	14	20	34	39	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7052	3.8	10	1	1	3	5	7	10	16
B. *Operated*	139	7.3	43	1	3	5	8	15	20	32
2. MULTIPLE DX										
A. *Not Operated*	5235	6.1	38	1	2	4	7	12	16	31
B. *Operated*	256	12.0	130	1	3	9	15	23	33	72
1. SINGLE DX	7191	3.9	11	1	1	3	5	7	10	17
2. MULTIPLE DX	5491	6.4	43	1	2	5	8	13	17	33
A. NOT OPERATED	12287	4.8	23	1	1	3	6	9	13	23
B. OPERATED	395	10.3	104	1	3	7	14	20	29	69
TOTAL 0-19 YRS	7922	4.6	16	1	1	4	6	9	12	20
20-34	1661	3.3	18	1	1	2	4	6	9	14
35-49	746	4.6	18	1	1	3	6	9	12	23
50-64	768	6.1	47	1	2	4	7	13	17	32
65+	1585	7.9	69	1	2	5	10	16	22	43
GRAND TOTAL	12682	5.0	27	1	1	4	6	10	13	25

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	22	1	1	5	9	12	12	12
20-34	21	6.6	12	1	2	6	9	12	12	12
35-49	99	6.0	21	1	2	5	7	11	14	27
50-64	267	6.2	15	1	2	5	8	11	13	19
65+	358	7.1	35	2	2	6	9	13	15	27
B. *Operated*										
0-19 YRS										
20-34	13	13.0	91	4	6	10	16	24	38	41
35-49	39	11.9	27	3	6	11	15	18	22	27
50-64	82	14.7	43	7	8	13	16	25	30	35
65+	51	17.1	84	7	9	15	21	31	39	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	11	4.2	6	1	1	4	5	8	10	10
35-49	71	6.9	32	2	2	5	8	12	18	36
50-64	258	7.7	27	2	3	6	10	14	19	26
65+	800	10.4	86	2	3	8	12	19	27	57
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	11	19.8	568	8	8	12	14	56	85	88
35-49	58	14.3	53	5	6	13	19	25	28	36
50-64	160	17.3	108	5	8	15	21	30	36	64
65+	255	22.6	252	6	7	18	29	45	63	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	6.6	26	1	2	6	8	12	15	20
B. *Operated*	185	14.6	57	6	8	13	16	26	31	40
2. MULTIPLE DX										
A. *Not Operated*	1142	9.5	70	2	3	7	12	17	24	51
B. *Operated*	486	19.7	196	6	7	16	24	36	49	88
1. SINGLE DX	934	8.2	42	1	2	7	11	15	19	33
2. MULTIPLE DX	1628	12.5	129	3	3	9	15	25	35	71
A. NOT OPERATED	1891	8.3	54	2	3	7	10	15	20	47
B. OPERATED	671	18.3	162	6	7	15	22	33	43	76
TOTAL 0-19 YRS	8	5.5	14	1	1	5	8	11	12	12
20-34	56	10.2	161	1	3	8	11	16	30	85
35-49	267	8.9	44	2	2	7	12	18	22	34
50-64	767	9.9	61	2	3	8	13	19	25	36
65+	1464	11.9	130	2	3	9	15	24	35	73
GRAND TOTAL	2562	11.0	102	2	3	8	13	22	30	63

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.3	8	<1	<1	2	5	6	9	15
20-34	57	2.9	17	<1	<1	2	4	5	7	29
35-49	38	2.8	4	<1	<1	2	4	6	7	8
50-64	37	2.8	5	<1	<1	2	3	7	8	10
65+	19	5.4	29	<1	<1	4	7	9	18	25
B. *Operated*										
0-19 YRS	120	3.6	8	<1	1	3	5	7	9	14
20-34	621	4.1	8	1	1	3	5	7	10	18
35-49	448	4.2	26	1	2	3	5	7	9	17
50-64	243	5.0	13	1	2	4	6	9	12	17
65+	67	6.4	23	2	3	5	8	12	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.6	8	1	1	4	5	9	11	11
20-34	35	4.5	35	<1	<1	3	5	12	15	31
35-49	21	3.8	15	<1	<1	2	5	10	12	14
50-64	36	6.2	30	<1	1	5	8	14	18	23
65+	27	8.5	44	1	2	6	13	19	21	23
B. *Operated*										
0-19 YRS	48	5.4	16	2	2	4	7	13	14	17
20-34	284	5.5	31	1	2	4	6	10	13	39
35-49	324	5.4	17	1	2	5	7	10	13	25
50-64	206	7.2	62	2	2	5	8	14	21	55
65+	107	9.2	114	1	2	6	10	24	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.2	12	<1	<1	2	4	7	8	19
B. *Operated*	1499	4.4	15	1	1	4	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	149	5.5	29	<1	<1	3	7	13	17	23
B. *Operated*	969	6.2	43	1	2	5	7	11	18	44
1. SINGLE DX	1709	4.2	15	1	1	3	5	8	10	17
2. MULTIPLE DX	1118	6.1	41	1	2	5	7	12	18	40
A. NOT OPERATED	359	4.2	20	<1	<1	3	5	[illegible]	13	23
B. OPERATED	2468	5.1	27	1	2	4	6	[illegible]	13	28
TOTAL 0-19 YRS	257	4.0	10	<1	1	3	5	9	11	15
20-34	997	4.5	17	1	1	4	5	8	11	23
35-49	831	4.6	21	1	1	4	5	8	11	20
50-64	522	5.8	34	1	2	4	7	11	19	36
65+	220	7.9	72	1	2	5	9	19	25	56
GRAND TOTAL	2827	5.0	26	1	1	4	6	9	13	27

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	690	4.3	17	1	1	3	6	9	12	20
20-34	622	5.8	25	1	1	4	7	12	15	25
35-49	371	6.0	34	1	1	5	8	11	14	31
50-64	256	6.6	34	1	1	5	9	13	19	33
65+	391	6.3	41	1	1	5	8	13	17	31
B. Operated										
0-19 YRS	125	8.0	47	1	2	7	9	16	24	33
20-34	323	10.7	106	2	2	8	14	18	30	59
35-49	173	9.8	69	1	2	8	13	19	25	40
50-64	190	10.1	65	2	2	8	13	19	25	44
65+	140	11.1	76	2	2	9	14	21	29	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	475	5.7	33	1	1	4	7	13	17	28
20-34	525	7.1	49	1	1	5	9	15	20	39
35-49	367	7.8	57	1	2	6	10	15	20	34
50-64	428	7.9	44	1	2	6	10	17	21	33
65+	1053	9.4	78	1	2	7	12	19	27	56
B. Operated										
0-19 YRS	140	14.5	197	2	3	9	20	30	45	73
20-34	455	14.7	174	2	3	11	20	30	40	64
35-49	334	14.7	163	2	4	11	18	31	43	83
50-64	342	17.3	222	2	4	13	22	38	49	83
65+	435	19.7	284	3	5	15	26	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2330	5.5	28	1	1	4	7	11	14	27
B. Operated	951	10.1	79	1	2	8	13	19	27	47
2. MULTIPLE DX										
A. Not Operated	2848	7.9	59	1	2	6	10	17	22	43
B. Operated	1706	16.5	215	2	4	12	21	36	50	94
1. SINGLE DX	3281	6.9	47	1	1	5	9	14	19	35
2. MULTIPLE DX	4554	11.1	135	1	2	8	14	25	35	73
A. NOT OPERATED	5178	6.9	47	1	1	5	9	14	19	36
B. OPERATED	2657	14.2	176	2	3	11	18	30	43	81
TOTAL 0-19 YRS	1430	6.1	51	1	1	4	7	13	19	34
20-34	1925	9.1	93	1	2	6	11	19	27	50
35-49	1245	9.4	92	1	2	7	12	19	28	52
50-64	1216	10.6	114	1	2	7	13	22	32	57
65+	2019	11.1	137	1	2	8	14	25	36	88
GRAND TOTAL	7835	9.3	103	1	2	6	12	20	28	57

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	10.6	154	2	3	6	12	29	43	50
35-49	39	9.2	48	2	3	6	12	19	22	32
50-64	52	13.7	106	3	4	11	18	31	36	44
65+	19	9.9	61	2	3	6	15	21	26	29
B. Operated										
0-19 YRS										
20-34	2	21.0	648	3	3	21	39	39	39	39
35-49	16	7.8	23	1	1	8	12	13	16	17
50-64	18	18.3	633	1	2	8	22	64	82	88
65+	6	12.2	40	2	2	14	17	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	50	12.3	93	4	5	9	14	25	39	48
35-49	175	15.1	167	3	3	11	21	33	44	79
50-64	257	17.6	276	3	3	12	23	36	54	93
65+	101	18.0	214	3	4	15	23	38	49	94
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	18	15.1	165	1	1	12	22	34	43	47
35-49	77	17.7	276	2	3	14	24	39	53	85
50-64	86	19.7	236	2	2	17	27	42	53	90
65+	26	26.4	280	6	9	23	34	56	65	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	11.3	90	2	3	8	15	23	32	45
B. Operated	42	13.6	318	1	2	8	15	29	55	88
2. MULTIPLE DX										
A. Not Operated	583	16.5	219	3	4	12	22	34	49	89
B. Operated	208	19.3	256	2	3	16	25	42	53	80
1. SINGLE DX	171	11.8	146	2	2	6	15	24	33	67
2. MULTIPLE DX	791	17.2	230	2	4	13	23	37	49	89
A. NOT OPERATED	712	15.5	200	3	3	11	20	32	45	87
B. OPERATED	250	18.3	269	1	2	14	24	41	53	88
TOTAL 0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	88	12.7	126	2	3	8	15	29	39	49
35-49	307	14.6	179	2	3	10	20	32	44	77
50-64	413	17.6	262	2	3	13	23	38	53	91
65+	152	18.2	219	3	4	15	23	36	50	88
GRAND TOTAL	962	16.3	219	2	3	12	22	35	48	88

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	14.3	292	3	3	6	27	34	34	34
20-34	8	4.3	22	1	1	3	5	12	15	15
35-49	12	8.6	100	2	2	5	10	22	35	37
50-64	23	12.7	290	3	4	8	14	33	90	99+
65+	12	11.9	167	3	3	7	13	30	46	49
B. *Operated*										
0-19 YRS	6	5.0	62	1	1	2	3	19	21	21
20-34	34	3.6	25	1	1	2	5	7	10	28
35-49	21	5.7	25	1	1	4	8	14	17	19
50-64	31	8.4	112	1	1	5	10	19	24	54
65+	9	10.9	82	1	1	8	16	25	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.7	7	3	3	5	8	9	10	10
20-34	17	8.2	41	1	2	5	12	17	22	24
35-49	39	9.0	41	2	3	8	10	19	24	27
50-64	59	13.0	84	2	3	11	18	24	27	49
65+	45	15.9	181	3	5	10	21	36	43	65
B. *Operated*										
0-19 YRS	4	16.0	11	12	12	16	18	20	20	20
20-34	20	6.2	53	1	1	3	7	19	23	24
35-49	36	10.2	310	1	2	4	10	20	39	98
50-64	70	13.6	212	1	1	10	17	30	44	84
65+	39	17.7	239	1	2	12	23	43	53	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	10.6	186	2	2	6	13	25	44	99
B. *Operated*	101	6.2	62	1	1	3	8	17	21	41
2. MULTIPLE DX										
A. *Not Operated*	169	12.0	100	2	3	8	16	24	31	49
B. *Operated*	169	13.0	225	1	1	9	17	29	44	88
1. SINGLE DX	159	7.8	111	1	1	5	9	18	27	83
2. MULTIPLE DX	338	12.5	162	1	2	9	17	26	36	62
A. NOT OPERATED	227	11.6	122	2	3	8	15	24	34	70
B. OPERATED	270	10.5	174	1	1	6	14	23	36	61
TOTAL 0-19 YRS	22	8.5	69	1	1	5	12	20	26	34
20-34	79	5.3	37	1	1	3	6	14	21	27
35-49	108	8.7	133	1	2	6	10	18	24	64
50-64	183	12.4	164	1	2	9	17	25	34	91
65+	105	15.7	193	2	3	11	21	36	47	63
GRAND TOTAL	**497**	**11.0**	**150**	**1**	**2**	**7**	**15**	**24**	**35**	**64**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	14	4	4	7	10	13	15	16
20-34	24	8.4	58	2	3	6	9	22	29	31
35-49	22	6.4	22	1	2	5	7	15	17	19
50-64	20	8.3	25	1	2	7	12	15	17	18
65+	14	9.4	59	1	2	8	13	19	27	29
B. *Operated*										
0-19 YRS	3	10.7	50	3	3	12	16	17	17	17
20-34	9	3.4	17	1	1	1	4	11	12	12
35-49	8	9.4	79	1	1	7	15	23	26	26
50-64	13	9.2	115	1	1	5	13	29	33	34
65+	7	27.4	592	1	1	24	49	62	63	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.2	23	1	2	7	9	14	18	19
20-34	16	8.3	24	1	2	7	12	16	17	17
35-49	31	16.4	173	3	4	12	20	37	46	54
50-64	61	13.5	85	3	4	11	18	27	34	40
65+	62	14.2	80	3	4	14	18	26	31	94
B. *Operated*										
0-19 YRS	4	18.5	7	16	16	18	20	22	22	22
20-34	12	13.8	90	1	2	11	21	27	30	31
35-49	19	15.3	105	1	3	13	25	29	30	30
50-64	45	19.1	162	3	7	17	24	33	41	71
65+	30	16.0	231	1	2	14	22	31	48	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	7.9	36	1	3	6	10	16	19	30
B. *Operated*	40	11.2	210	1	1	4	16	27	45	63
2. MULTIPLE DX										
A. *Not Operated*	196	12.9	91	2	3	11	17	27	33	54
B. *Operated*	110	17.0	157	1	3	16	23	30	39	71
1. SINGLE DX	133	8.9	89	1	1	6	11	18	27	58
2. MULTIPLE DX	306	14.4	118	2	3	12	19	28	35	61
A. NOT OPERATED	289	11.3	79	2	3	9	15	22	29	51
B. OPERATED	150	15.4	177	1	2	13	22	30	39	71
TOTAL 0-19 YRS	46	8.5	30	2	2	7	12	17	19	22
20-34	61	8.7	56	1	1	7	11	21	27	31
35-49	80	12.7	122	1	2	9	18	27	35	52
50-64	139	14.1	118	2	3	12	19	28	35	48
65+	113	14.9	156	2	3	14	18	28	46	82
GRAND TOTAL	**439**	**12.7**	**116**	**1**	**2**	**10**	**17**	**27**	**32**	**58**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.9	4	<1	1	2	5	6	7	8
20-34	245	2.8	4	<1	1	2	4	5	7	9
35-49	153	3.1	5	<1	1	2	5	6	8	9
50-64	166	4.4	13	1	1	3	6	8	11	19
65+	164	6.3	56	1	2	5	7	13	16	35
B. *Operated*										
0-19 YRS	180	7.4	6	5	5	7	8	10	12	17
20-34	1764	7.4	6	5	5	7	8	10	12	17
35-49	1283	7.7	6	5	5	7	9	10	12	16
50-64	1238	8.7	10	5	6	8	10	12	15	20
65+	627	11.1	35	6	6	9	12	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	10	<1	1	3	4	8	11	12
20-34	119	3.8	9	<1	1	3	5	8	9	13
35-49	110	5.1	16	1	1	4	6	10	14	20
50-64	193	5.6	17	1	1	4	8	12	14	18
65+	330	9.4	78	2	3	8	11	17	26	65
B. *Operated*										
0-19 YRS	82	9.5	11	5	6	9	12	14	15	20
20-34	1006	9.0	19	5	6	8	10	13	16	27
35-49	1057	9.8	41	5	6	8	11	15	19	35
50-64	1402	11.4	44	6	6	9	13	19	24	38
65+	1351	15.7	103	7	7	13	18	27	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	3.9	19	1	1	3	5	8	10	17
B. *Operated*	5092	8.2	12	5	5	8	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	769	6.8	47	1	1	5	9	14	17	39
B. *Operated*	4898	11.7	61	6	6	9	13	20	26	47
1. SINGLE DX	5876	7.7	15	2	4	7	9	11	14	22
2. MULTIPLE DX	5667	11.1	62	4	5	9	13	19	25	47
A. NOT OPERATED	1553	5.4	35	1	1	4	7	11	14	27
B. OPERATED	9990	9.9	39	5	6	8	11	16	21	37
TOTAL 0-19 YRS	335	7.0	12	1	2	7	9	12	13	17
20-34	3134	7.4	13	2	4	7	9	11	13	20
35-49	2603	8.2	24	3	5	8	9	12	15	24
50-64	2999	9.5	31	3	5	8	11	15	19	31
65+	2472	13.1	89	3	5	10	16	24	31	55
GRAND TOTAL	**11543**	**9.3**	**41**	**3**	**5**	**8**	**10**	**15**	**20**	**36**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.8	7	1	1	3	5	7	9	13
20-34	282	3.2	4	1	1	3	4	6	8	9
35-49	165	3.7	8	1	1	3	5	7	9	18
50-64	161	4.6	11	1	1	4	7	9	11	15
65+	179	6.4	27	1	2	5	8	13	16	29
B. *Operated*										
0-19 YRS	41	6.8	13	2	2	7	8	11	12	19
20-34	184	8.2	15	4	5	7	9	13	15	26
35-49	185	8.4	13	5	5	8	9	13	16	24
50-64	127	9.7	19	5	6	9	11	16	18	26
65+	57	12.5	28	6	7	11	15	22	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	13	1	1	2	6	10	12	14
20-34	106	4.4	12	1	1	4	5	8	10	19
35-49	96	5.9	26	1	2	5	7	11	14	31
50-64	170	6.1	18	1	2	5	8	11	14	20
65+	273	10.0	65	2	3	8	12	19	29	42
B. *Operated*										
0-19 YRS	15	8.0	18	2	2	8	10	13	17	19
20-34	185	9.6	28	5	6	8	11	15	17	33
35-49	207	10.2	25	5	6	9	12	17	20	31
50-64	187	12.0	44	6	7	10	14	21	24	42
65+	178	17.9	124	7	8	14	22	30	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	4.3	13	1	1	3	6	8	10	19
B. *Operated*	594	8.9	16	4	5	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	667	7.3	42	1	2	6	9	14	19	37
B. *Operated*	772	12.2	63	6	6	10	14	21	27	48
1. SINGLE DX	1438	6.2	20	1	2	6	8	11	15	23
2. MULTIPLE DX	1439	10.0	59	2	3	8	12	19	24	42
A. NOT OPERATED	1511	5.6	28	1	1	4	7	11	14	31
B. OPERATED	1366	10.8	46	5	6	9	12	18	24	39
TOTAL 0-19 YRS	135	5.2	13	1	1	4	8	10	12	19
20-34	757	6.1	21	1	1	6	8	11	14	26
35-49	653	7.4	24	1	2	7	9	13	17	24
50-64	645	8.1	33	2	2	7	10	15	19	26
65+	687	11.3	85	2	3	9	14	22	29	50
GRAND TOTAL	**2877**	**8.1**	**43**	**1**	**2**	**7**	**10**	**15**	**20**	**34**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	35	4.1	11	1	1	4	5	7	9	20
35-49	17	4.2	14	<1	<1	3	5	11	13	14
50-64	23	3.4	6	1	1	3	5	6	9	11
65+	37	6.6	24	1	2	5	9	15	17	18
B. *Operated*										
0-19 YRS	7	8.4	22	2	3	9	10	16	17	17
20-34	59	9.7	25	4	5	9	11	15	17	34
35-49	55	9.8	26	4	5	9	11	17	21	25
50-64	53	13.3	122	6	6	11	14	20	37	67
65+	52	15.6	72	3	5	15	20	26	28	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	5.3	10	<1	<1	6	8	10	10	10
35-49	10	6.0	8	2	2	5	8	10	11	11
50-64	18	5.6	8	1	2	5	8	9	11	12
65+	35	13.8	81	3	6	12	17	31	33	36
B. *Operated*										
0-19 YRS	5	9.8	2	8	8	10	11	12	12	12
20-34	42	11.5	39	3	6	10	14	23	26	28
35-49	41	13.4	128	4	5	9	16	33	48	99+
50-64	78	15.3	68	6	8	14	19	26	29	50
65+	139	19.7	107	9	10	18	23	30	37	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	4.7	16	1	1	4	5	11	14	19
B. *Operated*	226	11.9	64	4	5	10	14	20	25	50
2. MULTIPLE DX										
A. *Not Operated*	79	9.2	57	1	2	7	11	17	29	35
B. *Operated*	305	16.4	99	6	7	14	21	28	34	74
1. SINGLE DX	343	9.4	59	1	2	8	12	18	22	41
2. MULTIPLE DX	384	14.9	98	3	5	13	20	27	33	62
A. NOT OPERATED	196	6.5	37	1	1	5	8	14	18	33
B. OPERATED	531	14.5	89	5	6	12	19	25	31	60
TOTAL 0-19 YRS	18	6.8	19	<1	1	7	10	11	15	17
20-34	151	8.5	33	1	2	8	11	15	20	28
35-49	123	9.9	66	2	3	8	12	19	26	70
50-64	172	12.1	89	1	3	10	15	22	27	54
65+	263	16.3	105	3	4	15	21	27	33	61
GRAND TOTAL	**727**	**12.3**	**87**	**2**	**3**	**10**	**16**	**23**	**28**	**51**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	17	3.3	5	<1	1	3	4	7	8	8
35-49	18	7.4	30	1	1	7	10	16	19	21
50-64	23	6.7	26	1	2	6	8	11	18	24
65+	41	7.8	38	1	2	7	10	14	16	37
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	14	13.8	66	4	4	14	18	23	31	34
35-49	9	10.1	28	3	4	9	13	18	19	19
50-64	13	16.1	142	8	8	12	16	33	48	51
65+	22	12.9	75	2	4	9	19	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	37	2	2	4	14	14	14	14
20-34	11	6.1	10	1	2	6	9	10	10	10
35-49	20	8.9	50	2	2	6	13	18	25	27
50-64	27	9.0	30	1	2	9	12	17	19	21
65+	93	10.7	62	2	3	9	13	22	32	34
B. *Operated*										
0-19 YRS	2	42.0	1352	16	16	42	68	68	68	68
20-34	14	12.7	52	4	7	10	14	25	28	29
35-49	30	19.9	278	6	7	13	25	47	56	75
50-64	50	15.8	52	4	9	14	19	27	32	33
65+	69	21.9	115	7	10	20	30	42	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	6.6	30	1	1	6	8	13	16	30
B. *Operated*	59	13.3	79	3	5	11	17	25	29	49
2. MULTIPLE DX										
A. *Not Operated*	156	9.8	51	2	2	8	12	19	27	33
B. *Operated*	165	19.1	141	6	9	16	24	35	43	74
1. SINGLE DX	160	9.1	58	1	2	7	12	18	24	37
2. MULTIPLE DX	321	14.6	119	2	4	12	19	30	35	59
A. NOT OPERATED	257	8.5	45	1	2	7	11	16	22	33
B. OPERATED	224	17.6	131	5	7	15	22	32	42	70
TOTAL 0-19 YRS	10	13.6	396	1	1	7	14	42	68	68
20-34	56	8.8	52	1	2	8	11	20	24	34
35-49	77	13.0	160	2	2	10	14	26	41	70
50-64	113	12.4	66	2	3	11	16	22	29	40
65+	225	13.8	105	2	3	11	19	31	35	44
GRAND TOTAL	**481**	**12.8**	**105**	**2**	**3**	**10**	**16**	**26**	**33**	**50**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	7.1	29	2	2	6	10	13	16	29
20-34	213	6.4	19	2	2	6	8	11	15	25
35-49	268	6.8	26	2	2	6	8	12	16	23
50-64	146	8.1	25	2	3	7	11	15	18	27
65+	107	9.1	58	2	3	7	12	16	19	46
B. *Operated*										
0-19 YRS	8	12.8	76	4	5	11	16	27	31	31
20-34	21	10.8	87	2	2	9	13	21	32	41
35-49	26	13.5	69	4	5	11	19	24	30	38
50-64	21	17.4	101	3	6	16	23	35	37	37
65+	8	17.5	149	4	5	14	23	38	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.1	14	1	2	6	8	11	13	14
20-34	231	7.5	30	2	3	6	9	14	17	35
35-49	386	8.3	30	2	3	7	10	15	20	28
50-64	280	10.3	64	3	4	8	12	19	27	37
65+	237	10.8	65	3	4	9	13	20	26	62
B. *Operated*										
0-19 YRS	2	24.5	41	20	20	24	29	29	29	29
20-34	58	20.7	261	4	7	16	23	41	62	71
35-49	93	24.2	303	8	8	19	28	57	64	88
50-64	87	19.9	175	6	8	18	25	46	65	99+
65+	71	25.9	391	5	9	21	30	65	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	7.3	29	2	2	6	9	14	16	27
B. *Operated*	84	14.1	92	3	4	12	19	28	37	41
2. MULTIPLE DX										
A. *Not Operated*	1152	9.1	47	2	3	7	11	17	22	37
B. *Operated*	311	22.8	281	6	8	18	28	54	67	99+
1. SINGLE DX	865	7.9	39	2	3	6	10	15	19	36
2. MULTIPLE DX	1463	12.0	128	3	3	9	15	23	35	71
A. NOT OPERATED	1933	8.4	40	2	3	7	10	16	19	35
B. OPERATED	395	20.9	253	5	7	17	25	44	64	99+
TOTAL 0-19 YRS	75	7.9	40	2	2	7	11	15	20	31
20-34	523	8.6	72	2	2	6	10	17	23	51
35-49	773	9.9	92	2	3	7	11	19	25	59
50-64	534	11.6	89	3	4	9	15	22	29	65
65+	423	13.0	153	3	4	10	16	26	37	94
GRAND TOTAL	**2328**	**10.5**	**99**	**2**	**3**	**8**	**13**	**21**	**28**	**64**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.5	7	1	1	3	4	7	8	13
20-34	80	3.3	6	<1	1	3	4	7	8	12
35-49	85	4.3	9	1	2	3	6	8	11	15
50-64	107	5.2	12	1	2	4	7	10	12	17
65+	147	6.9	24	1	2	6	9	12	15	28
B. *Operated*										
0-19 YRS	4	9.5	6	7	7	9	11	13	13	13
20-34	9	8.1	17	3	3	9	11	13	14	14
35-49	4	12.0	2	10	10	12	13	13	13	13
50-64	5	7.4	23	<1	<1	8	10	14	14	14
65+	8	13.0	72	4	5	10	18	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.7	21	<1	1	4	5	8	9	30
20-34	148	4.6	10	1	1	4	6	9	11	17
35-49	167	6.2	20	1	2	5	8	12	16	22
50-64	265	7.7	31	2	3	6	10	14	18	28
65+	551	11.3	117	2	3	8	13	22	32	62
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	9	8.2	38	2	2	5	14	18	18	18
35-49	21	10.2	42	1	2	9	15	19	22	25
50-64	42	12.3	52	4	5	11	16	21	28	35
65+	91	16.8	166	4	5	13	22	41	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	5.0	15	1	1	4	7	10	12	18
B. *Operated*	30	10.0	31	3	3	10	12	14	24	28
2. MULTIPLE DX										
A. *Not Operated*	1191	8.6	73	2	2	6	10	17	24	49
B. *Operated*	166	14.2	120	3	4	11	18	27	42	60
1. SINGLE DX	519	5.3	18	1	1	4	7	11	13	24
2. MULTIPLE DX	1357	9.3	82	2	2	7	11	19	26	49
A. NOT OPERATED	1680	7.6	59	1	2	6	9	15	21	45
B. OPERATED	196	13.6	108	3	4	11	17	26	39	58
TOTAL 0-19 YRS	137	4.3	15	1	1	3	5	8	10	22
20-34	246	4.4	11	1	1	3	6	9	11	17
35-49	277	6.0	21	1	2	5	8	12	15	22
50-64	419	7.5	32	2	2	6	9	15	18	29
65+	797	11.1	112	2	3	8	13	23	33	58
GRAND TOTAL	**1876**	**8.2**	**68**	**1**	**2**	**6**	**10**	**16**	**23**	**47**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	7.4	48	2	2	5	9	15	21	37
20-34	8	5.9	22	1	1	5	7	14	16	16
35-49	7	5.0	15	<1	<1	3	7	11	12	12
50-64	10	8.4	70	1	2	5	9	23	27	27
65+	3	7.3	14	3	3	9	10	10	10	10
B. *Operated*										
0-19 YRS	16	6.4	31	<1	1	5	8	14	20	22
20-34	13	9.0	43	1	2	10	13	16	22	24
35-49	5	10.4	15	7	7	10	12	17	17	17
50-64	12	13.9	184	5	5	9	15	29	51	55
65+	4	10.3	11	7	7	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	8.1	26	3	3	7	10	14	18	29
20-34	19	9.8	58	1	2	9	12	22	24	26
35-49	11	12.1	84	2	2	11	17	26	30	30
50-64	20	11.6	61	3	5	10	16	28	63	99+
65+	25	16.5	230	2	3	9	27	43	47	48
B. *Operated*										
0-19 YRS	11	7.5	54	2	2	3	13	20	22	22
20-34	16	14.4	89	5	5	11	19	28	36	39
35-49	17	15.8	49	8	10	15	18	21	32	38
50-64	19	13.9	48	3	6	12	18	23	27	30
65+	16	18.9	264	3	5	16	26	62	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	7.3	45	1	2	5	9	15	21	34
B. *Operated*	50	9.6	71	1	2	8	13	16	22	55
2. MULTIPLE DX										
A. *Not Operated*	163	10.3	76	2	3	8	12	21	31	48
B. *Operated*	79	14.5	107	2	3	13	19	26	38	90
1. SINGLE DX	174	7.9	53	1	2	6	10	16	21	39
2. MULTIPLE DX	242	11.7	89	2	3	9	16	23	33	70
A. NOT OPERATED	287	9.0	65	2	2	7	11	19	26	45
B. OPERATED	129	12.6	98	2	2	11	17	23	30	74
TOTAL 0-19 YRS	211	7.6	37	2	2	6	10	14	20	31
20-34	56	10.4	64	1	2	9	14	21	25	38
35-49	40	12.2	61	2	3	11	16	21	26	38
50-64	61	12.3	82	3	4	10	17	24	31	95
65+	48	16.2	214	2	3	11	23	41	49	99+
GRAND TOTAL	**416**	**10.1**	**78**	**2**	**2**	**8**	**13**	**21**	**28**	**50**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	9.7	45	2	2	8	13	17	20	36
20-34	15	6.9	27	1	2	6	11	16	17	17
35-49	7	5.9	12	2	2	5	9	11	11	11
50-64	12	7.0	52	1	1	5	9	18	25	26
65+	8	8.8	181	2	2	3	8	32	41	41
B. *Operated*										
0-19 YRS	24	6.7	16	2	2	7	9	13	14	14
20-34	20	6.9	88	2	2	5	6	11	29	45
35-49	11	8.6	33	3	3	7	10	19	21	21
50-64	5	4.2	6	2	2	3	6	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	8.3	50	2	2	7	10	16	20	40
20-34	21	8.0	80	1	2	5	10	14	27	42
35-49	12	9.9	22	3	3	9	13	16	17	17
50-64	29	12.1	145	2	2	9	14	24	37	60
65+	45	17.9	137	3	6	14	26	35	44	99+
B. *Operated*										
0-19 YRS	20	12.2	39	5	6	11	15	21	26	30
20-34	47	12.3	137	2	3	9	15	27	34	61
35-49	32	14.3	188	3	3	10	17	36	40	63
50-64	37	14.1	127	2	3	10	17	33	37	49
65+	18	16.6	112	3	5	17	23	39	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	8.8	50	2	2	8	11	17	20	39
B. *Operated*	60	6.9	42	2	2	5	8	13	16	43
2. MULTIPLE DX										
A. *Not Operated*	151	12.0	111	2	2	9	15	26	36	60
B. *Operated*	154	13.6	128	2	3	10	18	30	38	63
1. SINGLE DX	186	8.2	48	2	2	7	10	16	19	40
2. MULTIPLE DX	305	12.8	120	2	3	10	16	28	37	62
A. NOT OPERATED	277	10.5	85	2	2	8	14	22	31	51
B. OPERATED	214	11.7	113	2	3	9	15	26	36	62
TOTAL 0-19 YRS	172	9.2	43	2	2	8	12	17	20	37
20-34	103	9.6	104	2	2	6	11	22	30	53
35-49	62	11.5	116	2	3	9	14	22	36	60
50-64	83	11.8	122	2	2	8	15	26	36	56
65+	71	16.5	139	2	3	14	24	36	45	99+
GRAND TOTAL	**491**	**11.1**	**98**	**2**	**2**	**8**	**14**	**23**	**33**	**57**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	11.2	79	1	2	11	15	24	29	36
20-34	7	4.6	17	<1	<1	5	7	11	12	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.7	17	3	3	9	10	11	11	11
20-34	6	11.0	98	1	1	10	14	27	28	28
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.6	44	2	3	7	15	19	22	24
20-34	7	6.6	35	2	2	4	9	17	18	18
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	3	15.7	2	14	14	16	17	17	17	17
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	5	15.8	158	4	4	10	27	33	33	33
20-34	9	26.0	695	7	7	10	50	68	72	72
35-49	3	10.0	81	1	1	10	17	19	19	19
50-64	8	11.8	145	2	2	7	20	31	34	34
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	9.6	71	<1	1	7	14	21	26	36
B. *Operated*	10	9.2	66	1	1	8	13	21	28	28
2. MULTIPLE DX										
A. *Not Operated*	32	9.1	38	2	3	7	14	18	19	24
B. *Operated*	26	17.7	339	2	2	10	23	45	64	72
1. SINGLE DX	39	9.5	68	<1	1	8	14	21	27	36
2. MULTIPLE DX	58	12.9	188	2	2	9	17	25	41	71
A. NOT OPERATED	61	9.3	53	1	2	7	14	18	23	35
B. OPERATED	36	15.3	274	1	2	10	20	34	57	72
TOTAL 0-19 YRS	48	10.9	69	1	2	9	15	24	26	36
20-34	29	13.0	310	1	1	8	12	39	62	72
35-49	5	8.8	45	1	1	9	12	19	19	19
50-64	11	12.8	105	2	2	14	17	27	33	34
65+	4	9.3	77	3	3	6	15	22	22	22
GRAND TOTAL	**97**	**11.6**	**141**	**1**	**2**	**8**	**15**	**24**	**34**	**67**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	4	3.0	5	<1	<1	3	5	5	5	5
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	20	8.8	89	1	1	7	10	16	30	44
B. *Operated*										
0-19 YRS	2	14.0	2	13	13	14	15	15	15	15
20-34	6	11.8	8	9	9	11	13	17	17	17
35-49	10	7.9	30	2	2	6	13	15	17	17
50-64	3	20.0	19	17	17	18	23	25	25	25
65+	4	15.5	542	1	1	5	29	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	9	2	2	7	8	9	9	9
20-34	23	4.6	23	<1	<1	3	5	13	15	18
35-49	23	4.7	11	1	1	4	7	9	11	13
50-64	85	6.0	36	1	1	3	10	15	19	24
65+	149	10.3	153	1	2	6	14	24	32	74
B. *Operated*										
0-19 YRS	24	16.0	165	3	4	14	20	33	48	51
20-34	56	16.8	284	2	2	11	23	38	62	69
35-49	67	15.9	252	1	2	13	21	34	56	98
50-64	86	19.6	260	2	4	16	26	37	52	78
65+	83	20.5	370	2	2	16	30	46	66	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	6.8	66	<1	1	5	9	14	17	44
B. *Operated*	25	12.0	100	1	2	11	15	18	31	50
2. MULTIPLE DX										
A. *Not Operated*	284	8.1	100	1	1	4	11	18	25	51
B. *Operated*	316	18.3	285	2	2	14	25	41	57	83
1. SINGLE DX	57	9.1	86	1	1	7	13	17	23	50
2. MULTIPLE DX	600	13.4	223	1	2	9	18	31	45	74
A. NOT OPERATED	316	7.9	96	1	1	4	11	18	24	51
B. OPERATED	341	17.8	273	2	2	14	23	39	55	80
TOTAL 0-19 YRS	31	14.2	143	2	3	13	16	29	46	51
20-34	90	12.5	216	<1	1	9	15	31	44	67
35-49	104	12.2	193	1	2	8	17	28	39	95
50-64	176	12.9	191	1	1	10	18	30	37	73
65+	256	13.6	245	1	2	8	18	35	47	74
GRAND TOTAL	**657**	**13.1**	**212**	**1**	**2**	**9**	**17**	**31**	**44**	**74**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	6	2.0		1	1	2	2	3	3	3
35-49	1	17.0		17	17	17	17	17	17	17
50-64	4	4.8	5	2	2	5	6	7	7	7
65+	13	10.2	236	<1	2	5	10	22	53	60
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	5	26.2	575	5	5	16	51	54	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.4	143	2	2	8	11	31	36	36
20-34	14	6.1	33	2	3	4	6	17	20	21
35-49	7	17.3	756	<1	<1	7	17	66	78	78
50-64	32	14.2	278	2	3	11	17	26	34	94
65+	95	17.3	300	2	4	12	18	44	65	94
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	8	16.4	303	3	3	9	25	46	50	50
35-49	9	17.6	276	3	4	9	28	45	53	53
50-64	17	28.4	607	3	5	26	38	67	86	93
65+	38	25.6	276	6	7	27	35	57	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.8	125	<1	1	4	7	12	21	60
B. *Operated*	13	12.8	319	2	2	5	11	51	53	54
2. MULTIPLE DX										
A. *Not Operated*	155	15.4	288	2	3	10	17	36	61	94
B. *Operated*	73	24.2	354	4	5	20	35	53	74	99+
1. SINGLE DX	41	8.7	188	1	1	4	8	16	52	60
2. MULTIPLE DX	228	18.2	325	2	3	13	26	44	65	99+
A. NOT OPERATED	183	14.0	272	2	2	9	16	35	56	92
B. OPERATED	86	22.5	362	3	4	15	34	52	73	99+
TOTAL 0-19 YRS	14	8.5	102	<1	1	4	10	25	34	36
20-34	29	8.0	121	2	2	3	6	19	37	50
35-49	19	16.1	391	1	2	8	19	45	67	78
50-64	56	17.2	400	2	2	11	20	37	63	94
65+	151	19.1	311	2	4	13	30	50	65	99+
GRAND TOTAL	**269**	**16.7**	**315**	**2**	**2**	**11**	**22**	**43**	**62**	**98**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	4.8	13	2	2	4	5	8	10	21
20-34	129	4.3	4	2	2	4	5	7	8	11
35-49	30	5.0	5	2	2	5	7	8	8	10
50-64	32	4.4	4	2	2	4	5	7	8	12
65+	19	5.1	5	1	2	5	7	8	9	9
B. *Operated*										
0-19 YRS	7	4.1	2	2	2	4	5	6	6	6
20-34	5	6.6	6	4	4	7	9	9	9	9
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	5.6	19	2	2	4	7	10	15	23
20-34	110	5.0	8	1	2	5	6	8	9	18
35-49	53	6.0	9	2	2	5	7	10	13	14
50-64	46	8.4	28	3	4	7	11	13	21	27
65+	73	11.2	61	4	5	9	14	19	28	46
B. *Operated*										
0-19 YRS	17	8.4	20	2	3	7	10	17	18	18
20-34	12	12.3	113	3	3	9	16	27	38	40
35-49	8	28.1	646	7	7	21	38	71	81	81
50-64	13	13.3	75	4	4	11	16	26	32	34
65+	15	21.5	508	3	4	14	28	37	79	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	4.6	8	2	2	4	6	7	9	13
B. *Operated*	15	6.3	12	2	3	6	9	10	14	15
2. MULTIPLE DX										
A. *Not Operated*	393	6.9	29	2	2	6	8	13	17	29
B. *Operated*	65	15.5	265	3	4	11	19	30	42	91
1. SINGLE DX	345	4.7	8	2	2	4	6	8	9	14
2. MULTIPLE DX	458	8.1	71	2	2	6	9	15	21	40
A. NOT OPERATED	723	5.8	20	2	2	5	7	10	14	24
B. OPERATED	80	13.8	230	3	4	9	16	28	38	89
TOTAL 0-19 YRS	255	5.3	17	2	2	4	6	9	14	19
20-34	256	5.0	13	2	2	4	6	8	9	20
35-49	91	7.6	98	2	2	6	8	11	20	68
50-64	92	7.7	34	2	3	6	10	13	21	31
65+	109	11.6	129	3	4	8	14	21	30	67
GRAND TOTAL	**803**	**6.6**	**47**	**2**	**2**	**5**	**7**	**12**	**17**	**34**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	4.5	9	1	1	4	6	8	10	15
20-34	181	4.0	5	1	2	4	5	7	8	10
35-49	64	4.6	7	1	2	4	6	8	10	14
50-64	48	6.1	14	2	2	5	7	12	14	16
65+	48	8.9	165	3	3	6	9	15	16	92
B. *Operated*										
0-19 YRS	17	7.1	32	1	2	6	8	10	21	27
20-34	25	7.9	15	2	3	8	10	13	14	16
35-49	4	13.5	76	4	4	12	19	25	25	25
50-64	14	9.9	38	<1	2	10	14	19	21	22
65+	6	15.7	205	3	3	13	21	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.9	8	1	2	5	6	8	10	14
20-34	179	4.8	8	2	2	4	6	9	11	13
35-49	67	7.3	33	2	3	6	8	10	22	32
50-64	96	7.1	52	3	3	5	8	13	15	45
65+	135	10.8	94	2	3	9	13	21	29	56
B. *Operated*										
0-19 YRS	35	8.0	29	1	2	8	10	15	26	99+
20-34	29	9.3	25	2	3	8	12	17	20	21
35-49	31	16.3	193	3	3	12	22	45	45	47
50-64	44	14.7	107	2	4	13	18	33	41	99+
65+	36	17.3	167	2	4	14	24	40	45	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	596	4.8	22	1	2	4	6	9	11	16
B. *Operated*	66	9.2	47	2	3	8	11	19	23	38
2. MULTIPLE DX										
A. *Not Operated*	619	6.7	42	2	2	5	8	12	16	32
B. *Operated*	175	13.3	117	2	3	10	17	29	44	87
1. SINGLE DX	662	5.3	26	1	2	4	6	10	12	20
2. MULTIPLE DX	794	8.2	65	2	2	6	10	16	24	46
A. NOT OPERATED	1215	5.8	33	1	2	5	7	10	14	27
B. OPERATED	241	12.2	101	2	3	10	14	26	39	54
TOTAL 0-19 YRS	449	5.0	12	1	2	4	6	9	11	17
20-34	414	5.0	11	1	2	4	7	9	12	15
35-49	166	8.1	71	2	2	6	8	15	26	45
50-64	202	8.7	64	2	3	7	11	16	22	59
65+	225	11.5	129	3	3	9	14	24	32	58
GRAND TOTAL	**1456**	**6.9**	**50**	**1**	**2**	**5**	**8**	**13**	**18**	**41**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.3	4	<1	<1	3	5	6	7	7
20-34	162	2.5	4	<1	1	2	3	5	6	9
35-49	180	2.4	4	1	1	2	3	5	7	8
50-64	108	3.1	5	1	1	3	4	6	7	10
65+	56	4.1	12	1	1	3	5	9	11	18
B. *Operated*										
0-19 YRS	11	10.3	30	3	3	12	14	17	20	20
20-34	81	8.7	25	2	3	8	11	15	17	25
35-49	101	9.1	39	2	3	9	11	15	19	38
50-64	99	9.5	30	2	3	9	11	17	20	27
65+	45	9.7	32	2	3	9	13	18	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	6	2	2	5	7	9	10	10
20-34	73	3.6	5	1	1	3	6	7	8	10
35-49	73	3.4	6	1	1	3	4	6	8	12
50-64	84	4.9	15	1	2	4	6	10	13	20
65+	92	8.0	76	1	2	5	10	18	26	47
B. *Operated*										
0-19 YRS	3	9.3	82	<1	<1	8	16	19	19	19
20-34	58	11.1	31	4	5	10	14	19	22	29
35-49	116	12.0	71	2	4	11	15	21	27	51
50-64	159	14.0	98	2	4	12	18	23	33	52
65+	99	15.4	98	3	4	13	20	26	39	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.8	5	1	1	2	4	6	7	11
B. *Operated*	337	9.2	32	2	3	9	12	17	19	26
2. MULTIPLE DX										
A. *Not Operated*	329	5.2	31	1	1	4	6	10	14	32
B. *Operated*	435	13.3	83	2	4	11	17	23	31	48
1. SINGLE DX	858	5.3	25	1	1	3	8	12	15	22
2. MULTIPLE DX	764	9.8	77	1	2	8	13	19	25	47
A. NOT OPERATED	850	3.7	16	1	1	3	5	7	10	18
B. OPERATED	772	11.6	65	2	3	10	15	21	25	46
TOTAL 0-19 YRS	36	6.3	26	<1	1	5	9	14	18	20
20-34	374	5.4	24	1	1	3	8	12	16	22
35-49	470	6.4	45	1	1	4	9	14	18	29
50-64	450	8.7	65	1	1	7	12	18	22	40
65+	292	10.0	81	1	2	8	14	21	26	44
GRAND TOTAL	**1622**	**7.4**	**55**	**1**	**1**	**5**	**10**	**17**	**21**	**37**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	4	1	1	2	4	5	5	11
20-34	341	2.4	3	1	1	2	3	4	6	7
35-49	332	2.8	5	1	1	2	4	5	7	13
50-64	229	2.8	4	1	1	2	4	6	7	9
65+	82	3.4	7	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	32	7.3	20	2	2	6	9	15	17	18
20-34	372	6.2	19	2	2	5	9	12	14	18
35-49	392	7.2	22	2	2	7	10	12	16	23
50-64	350	7.9	28	2	3	7	11	15	17	21
65+	129	8.8	25	2	3	8	12	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	23	1	1	6	7	13	14	14
20-34	85	2.8	3	<1	1	2	4	5	6	9
35-49	97	3.8	11	1	1	3	5	8	9	17
50-64	105	3.9	8	1	1	3	5	8	9	17
65+	49	4.0	6	1	1	3	5	7	10	10
B. *Operated*										
0-19 YRS	10	8.3	17	3	3	8	10	14	17	17
20-34	111	8.7	49	2	3	7	11	14	21	40
35-49	189	9.4	52	2	2	7	12	19	23	39
50-64	225	11.1	56	2	3	10	15	20	24	38
65+	176	12.6	83	3	3	11	16	25	33	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1019	2.7	4	1	1	2	3	5	6	11
B. *Operated*	1275	7.3	24	2	2	6	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	342	3.7	8	1	1	3	5	7	9	15
B. *Operated*	711	10.6	62	2	3	9	14	21	25	44
1. SINGLE DX	2294	5.2	20	1	1	4	7	11	14	19
2. MULTIPLE DX	1053	8.4	55	1	2	6	11	18	23	38
A. NOT OPERATED	1361	2.9	5	1	1	2	4	6	7	13
B. OPERATED	1986	8.5	40	2	2	7	11	16	20	33
TOTAL 0-19 YRS	83	5.4	18	1	1	4	8	11	15	18
20-34	909	4.8	20	1	1	3	6	10	13	20
35-49	1010	5.8	27	1	1	4	8	12	16	24
50-64	909	7.0	37	1	1	5	10	15	18	29
65+	436	8.8	57	1	2	7	12	18	24	41
GRAND TOTAL	**3347**	**6.2**	**33**	**1**	**1**	**4**	**9**	**13**	**17**	**28**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.1	11	<1	1	4	7	10	11	12
20-34	15	3.0	4	<1	1	3	4	5	7	8
35-49	13	5.6	19	1	1	4	8	12	15	16
50-64	17	2.9	5	<1	1	2	5	6	7	7
65+	14	6.8	27	1	2	4	10	14	18	19
B. *Operated*										
0-19 YRS	133	10.1	49	<1	1	10	14	19	22	31
20-34	82	8.3	47	<1	1	7	12	16	21	33
35-49	52	7.1	29	<1	<1	6	11	14	17	21
50-64	57	8.8	41	1	2	9	13	19	20	24
65+	40	6.8	72	<1	1	4	10	14	19	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.2	51	1	2	4	9	20	25	27
20-34	25	7.6	91	1	2	6	8	14	25	49
35-49	26	4.8	6	1	1	4	7	8	9	10
50-64	46	6.4	32	1	2	4	9	16	19	23
65+	68	11.1	100	2	3	9	15	22	27	95
B. *Operated*										
0-19 YRS	191	9.8	69	<1	1	9	15	20	23	34
20-34	116	13.2	103	2	3	11	16	25	30	53
35-49	113	11.9	106	<1	1	10	16	23	29	52
50-64	145	12.8	143	1	2	10	18	31	44	57
65+	152	12.5	140	2	2	10	16	27	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.6	14	1	1	4	6	10	12	18
B. *Operated*	364	8.7	48	<1	1	8	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	193	8.1	67	1	2	6	10	17	23	62
B. *Operated*	717	11.9	111	1	2	10	16	24	34	52
1. SINGLE DX	444	8.0	44	<1	1	7	12	16	20	30
2. MULTIPLE DX	910	11.1	104	1	2	9	15	23	31	52
A. NOT OPERATED	273	7.1	54	1	1	5	9	15	20	44
B. OPERATED	1081	10.8	92	1	1	9	15	22	28	49
TOTAL 0-19 YRS	373	9.5	58	1	1	9	14	19	22	33
20-34	238	10.3	85	<1	2	9	14	20	28	51
35-49	204	9.4	76	<1	1	7	14	18	23	41
50-64	265	10.2	102	1	2	6	14	22	33	49
65+	274	11.1	118	1	2	9	14	23	34	70
GRAND TOTAL	**1354**	**10.1**	**87**	**1**	**1**	**8**	**14**	**21**	**27**	**49**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	36	2.7	3	1	1	2	4	5	7	7
35-49	35	2.3	2	1	1	2	3	5	5	7
50-64	28	4.3	36	1	1	2	4	10	19	28
65+	13	3.4	6	1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	23	5.9	18	1	1	4	10	11	13	16
35-49	15	6.2	25	<1	1	4	11	14	15	15
50-64	22	8.5	60	1	2	7	11	15	24	36
65+	21	6.9	18	2	2	5	10	14	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	10	2.3	1	1	1	2	3	4	4	4
35-49	17	3.9	15	1	1	3	5	9	14	16
50-64	9	3.7	14	<1	<1	2	5	10	12	12
65+	19	6.9	107	1	1	4	7	11	32	48
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	17	10.9	52	4	4	9	15	21	27	30
35-49	21	10.0	40	2	2	9	14	19	20	21
50-64	48	11.9	86	2	2	10	16	24	28	45
65+	104	11.4	66	2	3	9	15	25	29	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.0	11	1	1	2	4	6	8	21
B. *Operated*	85	6.8	30	1	2	5	10	14	15	29
2. MULTIPLE DX										
A. *Not Operated*	58	4.6	43	1	1	3	5	9	12	45
B. *Operated*	191	11.3	66	2	3	10	15	22	26	40
1. SINGLE DX	201	4.6	23	1	1	3	6	11	14	23
2. MULTIPLE DX	249	9.8	69	1	2	8	14	21	26	40
A. NOT OPERATED	174	3.6	22	1	1	2	4	7	9	26
B. OPERATED	276	9.9	59	2	2	8	14	20	25	38
TOTAL 0-19 YRS	12	4.5	6	2	2	4	6	8	9	9
20-34	86	5.1	26	1	1	3	7	11	16	27
35-49	88	5.1	26	1	1	3	7	14	16	21
50-64	107	8.5	72	1	1	6	12	19	26	42
65+	157	9.6	66	1	2	7	13	20	26	40
GRAND TOTAL	**450**	**7.5**	**54**	**1**	**1**	**5**	**11**	**16**	**22**	**36**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.8	8	1	1	3	5	7	9	16
20-34	60	3.1	7	<1	1	2	4	6	9	14
35-49	21	3.5	6	<1	<1	3	6	6	8	10
50-64	36	3.7	7	1	1	3	5	9	9	10
65+	56	6.2	21	1	2	5	8	13	17	20
B. *Operated*										
0-19 YRS	68	3.4	12	<1	<1	2	5	8	10	17
20-34	81	3.5	16	<1	<1	2	4	11	12	17
35-49	59	3.9	16	<1	<1	3	4	11	13	17
50-64	89	3.5	10	<1	<1	2	4	7	12	16
65+	120	4.2	15	<1	<1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.9	55	1	1	4	7	11	16	48
20-34	83	4.2	11	<1	1	3	5	8	11	18
35-49	33	5.1	17	1	2	4	6	9	15	21
50-64	80	6.8	26	1	2	5	9	14	19	23
65+	219	9.6	70	1	2	8	12	18	23	37
B. *Operated*										
0-19 YRS	73	5.5	35	<1	1	4	7	11	15	34
20-34	81	4.5	21	<1	<1	3	6	11	14	22
35-49	84	5.2	35	<1	<1	2	8	13	16	29
50-64	127	6.0	50	<1	<1	3	8	15	20	40
65+	260	8.9	115	1	1	6	12	18	26	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.1	11	1	1	3	5	8	11	19
B. *Operated*	417	3.7	14	<1	<1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	496	7.3	51	1	2	5	9	15	20	35
B. *Operated*	625	6.8	73	<1	<1	4	9	16	20	41
1. SINGLE DX	698	3.9	13	<1	<1	3	5	9	12	18
2. MULTIPLE DX	1121	7.1	63	<1	1	5	9	15	20	37
A. NOT OPERATED	777	6.2	39	1	1	4	8	13	18	30
B. OPERATED	1042	5.6	51	<1	<1	3	7	13	18	34
TOTAL 0-19 YRS	330	4.6	27	<1	1	3	6	9	12	29
20-34	305	3.9	14	<1	<1	3	5	9	12	17
35-49	197	4.6	23	<1	<1	3	6	11	14	23
50-64	332	5.3	31	<1	1	4	6	12	17	24
65+	655	8.0	77	1	1	6	10	17	20	41
GRAND TOTAL	**1819**	**5.8**	**46**	**<1**	**1**	**4**	**7**	**13**	**18**	**33**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	11	6.9	18	<1	2	5	10	13	14	14
B. *Operated*										
0-19 YRS	165	2.4	8	<1	<1	1	3	5	9	16
20-34	113	4.3	21	<1	<1	2	6	10	16	21
35-49	73	4.0	16	<1	<1	2	6	9	15	17
50-64	123	5.0	29	<1	<1	3	6	13	15	28
65+	211	5.3	31	<1	1	3	7	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	6	<1	<1	3	5	6	6	6
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	32	6.8	82	1	1	4	8	18	40	99+
B. *Operated*										
0-19 YRS	108	3.7	15	<1	<1	2	5	8	11	19
20-34	69	6.2	56	<1	<1	4	8	19	24	31
35-49	78	5.2	41	<1	<1	2	7	13	22	27
50-64	144	5.5	33	<1	<1	3	8	14	16	31
65+	388	7.1	62	<1	1	5	9	15	19	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.2	16	<1	1	4	8	12	13	14
B. *Operated*	685	4.2	23	<1	<1	2	5	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	46	5.8	60	1	1	4	6	12	38	99+
B. *Operated*	787	6.1	49	<1	<1	4	8	14	19	31
1. SINGLE DX	705	4.3	23	<1	<1	2	5	10	14	22
2. MULTIPLE DX	833	6.1	50	<1	<1	4	8	14	19	38
A. NOT OPERATED	66	5.6	46	1	1	4	7	12	18	90
B. OPERATED	1472	5.2	38	<1	<1	3	7	12	16	28
TOTAL 0-19 YRS	282	2.9	11	<1	<1	1	4	7	10	18
20-34	185	5.0	35	<1	<1	3	7	12	19	29
35-49	154	4.6	29	<1	<1	2	6	11	16	26
50-64	275	5.2	31	<1	<1	3	7	14	16	29
65+	642	6.5	53	<1	1	4	8	14	18	46
GRAND TOTAL	**1538**	**5.2**	**38**	**<1**	**<1**	**3**	**7**	**12**	**16**	**31**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	602	3.8	7	1	1	3	5	7	9	14
20-34	214	3.4	7	<1	1	3	4	6	7	14
35-49	84	4.0	8	1	1	3	5	7	9	14
50-64	101	4.6	12	1	1	4	6	9	10	19
65+	207	6.3	40	1	2	5	8	11	17	37
B. *Operated*										
0-19 YRS	194	3.4	11	<1	<1	2	4	8	11	15
20-34	170	3.3	16	<1	<1	2	4	8	11	26
35-49	131	3.4	10	<1	<1	2	5	8	9	15
50-64	219	4.2	33	<1	<1	3	5	9	10	31
65+	254	5.1	22	<1	<1	4	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	623	5.2	14	1	2	4	7	10	12	20
20-34	305	4.3	15	1	1	3	5	9	11	19
35-49	164	6.0	33	1	2	5	7	10	15	37
50-64	258	6.8	34	2	2	5	8	13	17	30
65+	922	10.1	124	2	3	7	12	20	31	99+
B. *Operated*										
0-19 YRS	256	5.0	45	<1	1	3	6	12	15	29
20-34	198	4.8	30	<1	<1	2	7	12	17	30
35-49	188	7.1	96	<1	<1	3	8	19	24	56
50-64	372	7.1	51	<1	1	5	9	15	21	36
65+	638	10.6	121	1	2	7	14	23	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	4.3	14	1	1	3	5	8	10	19
B. *Operated*	968	4.0	20	<1	<1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2272	7.3	68	1	2	5	9	14	20	65
B. *Operated*	1652	7.8	85	<1	1	5	10	18	26	52
1. SINGLE DX	2176	4.2	17	<1	<1	3	5	8	11	18
2. MULTIPLE DX	3924	7.5	75	1	1	5	9	16	23	61
A. NOT OPERATED	3480	6.2	51	1	2	4	7	12	17	43
B. OPERATED	2620	6.4	64	<1	<1	4	8	15	21	42
TOTAL 0-19 YRS	1675	4.5	16	1	1	3	6	9	12	18
20-34	887	4.0	17	<1	<1	3	5	9	12	23
35-49	567	5.5	47	<1	<1	4	6	11	17	34
50-64	950	6.1	40	<1	1	4	8	13	17	30
65+	2021	9.2	105	1	2	7	11	19	28	79
GRAND TOTAL	**6100**	**6.3**	**57**	**<1**	**1**	**4**	**8**	**13**	**19**	**42**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	9	4.4	18	<1	<1	3	6	12	14	14
65+	34	4.7	21	1	1	3	6	10	15	23
B. *Operated*										
0-19 YRS	4	11.5	23	6	6	12	15	16	16	16
20-34	11	7.2	29	<1	<1	8	10	15	18	18
35-49	54	4.2	10	<1	<1	3	7	9	10	14
50-64	844	7.1	17	<1	2	7	9	12	14	20
65+	1375	8.6	26	2	3	8	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.8	6	1	1	3	5	7	7	7
50-64	43	5.1	18	<1	1	4	7	12	14	19
65+	186	7.9	76	1	2	6	9	16	22	60
B. *Operated*										
0-19 YRS	3	7.7	26	2	2	9	11	12	12	12
20-34	8	5.9	24	<1	<1	5	9	13	14	14
35-49	59	8.1	44	<1	1	7	10	16	21	33
50-64	1092	9.9	53	2	3	8	12	17	22	39
65+	2822	12.6	86	3	5	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.6	20	1	1	3	6	10	15	23
B. *Operated*	2288	7.9	23	1	2	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	233	7.3	65	1	1	5	9	15	22	58
B. *Operated*	3984	11.8	78	2	4	10	14	22	28	49
1. SINGLE DX	2332	7.9	23	1	2	7	10	13	16	24
2. MULTIPLE DX	4217	11.5	78	2	4	9	14	21	28	49
A. NOT OPERATED	277	6.8	59	1	1	5	8	14	21	54
B. OPERATED	6272	10.4	61	2	3	9	13	19	24	42
TOTAL 0-19 YRS	7	9.9	24	2	3	9	14	16	16	16
20-34	19	6.6	26	<1	<1	7	10	14	16	18
35-49	118	6.1	30	<1	<1	5	8	11	16	32
50-64	1988	8.6	39	1	2	8	11	15	19	31
65+	4417	11.1	71	2	4	9	13	20	26	48
GRAND TOTAL	**6549**	**10.2**	**62**	**2**	**3**	**8**	**12**	**19**	**24**	**42**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	17	3.2	5	1	1	3	4	7	8	8
35-49	22	5.5	19	<1	1	4	7	9	14	21
50-64	20	4.3	6	2	2	3	6	8	9	10
65+	19	7.3	69	1	1	5	9	28	66	99+
B. *Operated*										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	17	2.4	5	<1	<1	1	3	6	8	8
35-49	31	2.6	7	<1	1	2	3	5	8	14
50-64	50	3.7	14	<1	<1	2	5	9	13	14
65+	44	5.1	20	1	1	4	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	66	2	2	5	13	20	20	20
20-34	14	4.9	4	2	3	5	7	8	8	8
35-49	24	4.8	8	1	2	5	6	8	11	13
50-64	25	6.0	16	2	2	5	8	12	14	19
65+	42	7.2	51	2	2	5	8	16	33	99+
B. *Operated*										
0-19 YRS	4	4.0	4	3	3	3	5	7	7	7
20-34	28	3.1	10	<1	<1	1	4	9	10	11
35-49	38	3.3	11	<1	<1	2	5	6	10	17
50-64	75	6.1	26	1	1	6	8	11	14	32
65+	110	7.3	40	1	2	6	11	14	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	5.2	25	1	1	4	6	9	18	79
B. *Operated*	147	3.7	14	<1	<1	2	5	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	109	6.1	28	2	2	5	7	12	19	60
B. *Operated*	255	5.8	30	<1	1	4	8	12	15	28
1. SINGLE DX	227	4.2	18	<1	1	3	6	9	13	25
2. MULTIPLE DX	364	5.9	30	<1	1	5	8	12	15	33
A. NOT OPERATED	189	5.7	27	1	2	4	7	11	19	73
B. OPERATED	402	5.1	25	<1	1	3	7	11	14	25
TOTAL 0-19 YRS	15	4.7	22	1	1	3	6	7	17	20
20-34	76	3.3	7	<1	<1	3	5	8	8	11
35-49	115	3.9	12	<1	1	3	5	7	10	18
50-64	170	5.2	20	<1	1	4	7	10	13	19
65+	215	6.8	41	1	2	5	9	14	22	56
GRAND TOTAL	**591**	**5.3**	**26**	**<1**	**1**	**4**	**7**	**11**	**14**	**33**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	4	<1	<1	2	4	6	6	6
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	180	2.9	3	1	1	2	3	5	7	11
20-34	60	3.5	2	2	2	3	4	5	6	6
35-49	56	4.1	5	1	2	4	5	7	8	13
50-64	121	4.0	4	1	2	3	5	7	8	10
65+	82	5.1	6	2	3	4	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.5	1	<1	<1	<1	2	3	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	134	3.4	6	1	1	3	4	6	9	12
20-34	37	4.2	4	2	2	4	5	7	8	9
35-49	45	5.2	22	1	2	4	6	11	16	26
50-64	83	6.3	17	2	3	5	8	12	15	23
65+	90	6.7	26	2	2	5	8	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	7	<1	<1	2	4	7	9	9
B. *Operated*	499	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	19	1.6	1	<1	<1	1	2	4	5	5
B. *Operated*	389	5.0	16	1	2	4	6	10	13	23
1. SINGLE DX	511	3.7	5	1	2	3	5	7	8	10
2. MULTIPLE DX	408	4.9	16	1	2	4	6	10	13	23
A. NOT OPERATED	31	2.1	4	<1	<1	1	2	5	6	9
B. OPERATED	888	4.3	10	1	2	3	5	8	10	17
TOTAL 0-19 YRS	336	3.0	4	<1	1	2	4	5	7	11
20-34	98	3.7	3	2	2	4	5	6	6	9
35-49	102	4.5	13	1	2	4	5	8	11	21
50-64	208	4.9	11	2	2	4	6	8	11	17
65+	175	5.9	17	2	3	5	8	10	13	24
GRAND TOTAL	**919**	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.0	4	1	2	4	5	8	8	10
20-34	130	4.5	7	1	1	4	6	8	10	12
35-49	39	5.0	6	1	2	5	6	8	10	12
50-64	46	7.3	10	3	4	7	9	10	14	17
65+	33	8.6	20	4	4	8	10	15	20	21
B. *Operated*										
0-19 YRS	20	4.7	19	1	1	4	6	9	15	20
20-34	35	5.1	14	2	2	4	6	9	15	19
35-49	20	5.1	10	<1	1	5	8	9	10	11
50-64	12	6.6	17	<1	1	7	10	12	12	12
65+	13	7.5	39	2	2	4	9	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	6	1	2	4	7	8	8	8
20-34	36	5.8	27	2	2	4	7	11	19	26
35-49	27	6.4	32	3	3	6	7	10	17	31
50-64	32	9.8	50	4	4	8	11	19	21	38
65+	51	9.3	92	3	3	7	10	15	18	68
B. *Operated*										
0-19 YRS	11	8.4	72	1	1	5	14	22	27	27
20-34	16	7.6	53	1	2	5	7	19	25	28
35-49	22	6.3	30	1	2	5	7	13	20	25
50-64	24	7.2	25	1	2	6	9	13	18	23
65+	30	13.0	63	2	4	12	18	25	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	5.3	11	1	2	5	7	9	10	18
B. *Operated*	100	5.5	18	1	2	4	7	10	16	20
2. MULTIPLE DX										
A. *Not Operated*	154	7.8	56	2	3	6	9	15	20	38
B. *Operated*	103	8.9	52	1	2	6	13	20	26	65
1. SINGLE DX	411	5.4	12	1	2	5	7	10	11	19
2. MULTIPLE DX	257	8.3	54	2	2	6	10	18	22	38
A. NOT OPERATED	465	6.2	27	1	2	5	8	10	14	25
B. OPERATED	203	7.2	38	1	2	6	9	17	20	32
TOTAL 0-19 YRS	102	4.7	16	1	1	4	5	8	10	23
20-34	217	5.1	15	1	2	4	6	9	11	22
35-49	108	5.6	18	1	2	5	7	9	12	28
50-64	114	7.9	26	2	3	7	10	13	18	28
65+	127	9.8	64	2	3	8	12	19	22	75
GRAND TOTAL	**668**	**6.5**	**30**	**1**	**2**	**5**	**8**	**12**	**17**	**28**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	1.8	1	<1	<1	2	2	3	4	6
20-34	46	2.1	2	<1	<1	2	2	3	4	9
35-49	13	1.9	1	<1	<1	2	2	3	4	4
50-64	17	2.9	7	1	1	2	3	6	10	12
65+	9	3.4	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	414	1.8	1	<1	<1	2	2	3	4	6
20-34	65	2.1	2	<1	<1	2	3	4	6	7
35-49	25	2.4	1	1	1	2	3	4	5	6
50-64	17	2.8	2	<1	1	3	3	5	6	6
65+	17	2.1		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.1	3	<1	<1	2	2	5	6	8
20-34	19	2.6	2	<1	<1	2	3	5	6	7
35-49	13	3.3	7	1	1	2	4	8	10	10
50-64	13	3.8	9	1	1	3	4	10	10	10
65+	27	5.2	1[illegible]	1	1	4	7	11	12	14
B. *Operated*										
0-19 YRS	102	2.9	6	<1	1	2	3	6	8	13
20-34	32	2.9	4	<1	1	2	3	6	8	9
35-49	31	3.2	8	<1	1	2	4	6	11	14
50-64	27	4.1	15	<1	1	2	6	8	12	19
65+	27	6.3	62	1	1	3	8	14	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	1.9	1	<1	<1	2	2	3	4	7
B. *Operated*	538	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	139	3.0	7	<1	<1	2	4	7	9	12
B. *Operated*	219	3.5	15	<1	1	2	4	7	9	19
1. SINGLE DX	980	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	358	3.3	12	<1	<1	2	4	7	9	16
A. NOT OPERATED	581	2.2	3	<1	<1	2	2	4	6	10
B. OPERATED	757	2.4	6	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	940	1.9	2	<1	<1	2	2	3	4	8
20-34	162	2.3	2	<1	<1	2	3	4	6	9
35-49	82	2.8	5	1	1	2	3	5	7	13
50-64	74	3.5	9	1	1	2	4	7	10	17
65+	80	4.7	27	1	1	3	6	9	13	33
GRAND TOTAL	**1338**	**2.3**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.4	3	<1	<1	2	3	5	6	8
20-34	53	2.8	8	<1	1	2	3	7	10	13
35-49	25	3.8	14	<1	<1	3	4	9	14	16
50-64	12	2.5	3	<1	<1	2	4	5	6	6
65+	15	5.5	38	1	1	4	7	12	21	24
B. *Operated*										
0-19 YRS	281	2.8	3	1	1	2	3	5	7	9
20-34	181	2.9	3	<1	1	2	4	5	6	10
35-49	120	4.0	20	<1	<1	3	4	7	12	28
50-64	129	4.4	15	<1	1	3	5	8	14	20
65+	39	5.2	37	1	2	4	6	8	15	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	4	<1	<1	2	3	5	7	8
20-34	27	3.9	13	<1	<1	2	5	9	14	14
35-49	11	3.5	6	1	1	3	4	7	10	10
50-64	13	7.8	91	1	1	5	7	23	33	35
65+	20	6.1	9	2	3	5	7	10	12	15
B. *Operated*										
0-19 YRS	117	3.9	6	1	1	3	5	7	9	11
20-34	126	4.3	45	1	1	3	4	8	11	34
35-49	67	5.5	35	<1	1	4	6	13	17	31
50-64	104	5.6	16	1	2	5	7	11	12	22
65+	68	7.2	59	1	1	5	8	13	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.0	9	<1	1	2	4	6	8	15
B. *Operated*	750	3.4	10	<1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	116	4.2	19	<1	1	3	5	8	10	25
B. *Operated*	482	5.0	31	1	1	4	6	10	13	30
1. SINGLE DX	944	3.3	10	<1	1	2	4	6	8	16
2. MULTIPLE DX	598	4.9	28	1	1	4	6	9	12	30
A. NOT OPERATED	310	3.4	13	<1	1	2	4	7	10	18
B. OPERATED	1232	4.0	19	1	1	3	5	7	11	23
TOTAL 0-19 YRS	532	2.9	4	<1	1	2	4	6	7	10
20-34	387	3.4	19	<1	1	2	4	6	9	15
35-49	223	4.4	23	<1	1	3	5	9	14	29
50-64	258	5.0	19	1	1	4	6	10	14	21
65+	142	6.3	44	1	2	4	7	11	22	36
GRAND TOTAL	**1542**	**3.9**	**18**	**<1**	**1**	**3**	**5**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.4	3	<1	<1	1	4	5	5	5
35-49	8	1.0		<1	<1	1	1	1	1	1
50-64	4	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	44	2.3	6	<1	<1	2	3	3	5	17
20-34	320	2.3	2	<1	<1	2	3	4	5	8
35-49	724	2.5	3	<1	<1	2	3	4	6	10
50-64	294	2.8	5	<1	1	2	3	5	6	13
65+	95	3.7	7	2	2	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	7	5.1	53	1	1	1	6	18	21	21
50-64	3	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	8	2.1	1	<1	<1	2	3	4	4	4
20-34	124	3.2	6	<1	<1	2	4	6	8	13
35-49	313	3.8	16	<1	<1	2	4	8	11	26
50-64	213	4.0	11	<1	2	3	4	8	10	19
65+	94	4.2	8	2	2	3	5	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*	1477	2.6	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	16	3.0	25	<1	1	1	2	6	16	21
B. *Operated*	752	3.8	12	<1	1	3	4	8	10	18
1. SINGLE DX	1497	2.6	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX	768	3.8	12	<1	1	3	4	8	10	18
A. NOT OPERATED	36	2.2	12	<1	<1	1	2	5	6	21
B. OPERATED	2229	3.0	7	<1	<1	2	3	6	8	14
TOTAL 0-19 YRS	53	2.3	5	<1	<1	2	3	3	4	17
20-34	455	2.6	3	<1	<1	2	3	5	6	11
35-49	1052	2.9	8	<1	<1	2	3	5	7	14
50-64	514	3.3	8	<1	1	2	3	6	9	17
65+	191	3.9	7	2	2	3	5	8	9	15
GRAND TOTAL	**2265**	**3.0**	**7**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	3	<1	<1	3	4	5	6	6
20-34	57	3.5	4	<1	1	3	5	6	7	8
35-49	16	3.9	8	<1	1	3	5	8	10	11
50-64	7	7.7	87	1	1	5	8	24	28	28
65+	3	7.7	69	1	1	5	14	17	17	17
B. *Operated*										
0-19 YRS	162	3.6	4	<1	1	3	5	6	7	10
20-34	404	3.6	5	<1	1	3	5	7	8	12
35-49	232	3.3	7	<1	1	3	4	6	8	11
50-64	145	4.2	15	1	1	3	5	7	9	18
65+	89	4.1	6	2	2	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	11	<1	<1	3	5	9	12	12
20-34	29	3.5	10	<1	<1	3	5	8	12	12
35-49	11	3.6	14	<1	<1	3	4	10	13	13
50-64	9	5.0	25	<1	<1	3	8	13	15	15
65+	7	6.7	39	<1	<1	5	12	16	16	16
B. *Operated*										
0-19 YRS	45	4.4	8	1	2	3	6	8	11	12
20-34	185	4.0	11	1	1	3	5	7	10	19
35-49	114	4.4	16	1	2	3	5	8	10	22
50-64	105	4.9	15	1	2	4	5	9	12	22
65+	66	6.4	29	1	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.0	13	<1	1	3	5	7	8	23
B. *Operated*	1032	3.6	7	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	66	4.2	15	<1	<1	3	5	12	13	16
B. *Operated*	515	4.6	16	1	2	4	6	9	11	21
1. SINGLE DX	1125	3.7	7	<1	1	3	5	7	8	11
2. MULTIPLE DX	581	4.5	16	1	1	4	6	9	12	20
A. NOT OPERATED	159	4.1	14	<1	<1	3	5	8	12	17
B. OPERATED	1547	3.9	10	1	1	3	5	7	9	15
TOTAL 0-19 YRS	227	3.7	5	<1	1	3	5	7	8	11
20-34	675	3.7	7	<1	1	3	5	7	8	13
35-49	373	3.6	10	<1	1	3	5	7	9	14
50-64	266	4.6	17	1	2	3	5	8	11	26
65+	165	5.2	18	1	2	4	7	10	14	21
GRAND TOTAL	**1706**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.4	2	1	1	2	3	4	5	7
20-34	170	2.5	2	1	1	2	3	5	5	9
35-49	46	2.5	4	<1	1	2	3	5	7	10
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	173	5.0	8	1	2	5	6	8	11	14
20-34	640	4.8	8	1	1	5	6	8	9	12
35-49	188	6.3	12	2	2	6	8	9	12	21
50-64	16	7.3	2	5	6	7	8	9	10	10
65+	11	9.2	12	3	5	9	11	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	3	<1	1	2	4	6	6	6
20-34	100	3.4	6	1	1	3	5	7	8	12
35-49	20	3.5	5	1	2	2	5	7	8	9
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	3	17.0	171	2	2	23	25	26	26	26
B. *Operated*										
0-19 YRS	105	5.5	12	2	2	5	6	9	11	20
20-34	764	6.2	12	2	2	6	8	10	12	18
35-49	325	7.8	17	3	4	7	9	11	14	27
50-64	41	8.5	9	5	6	8	9	13	15	17
65+	14	19.1	159	6	8	15	22	39	47	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	2.5	3	1	1	2	3	5	5	9
B. *Operated*	1028	5.2	9	1	2	5	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	153	3.6	13	1	1	2	5	6	9	23
B. *Operated*	1249	6.8	17	2	2	6	8	10	13	22
1. SINGLE DX	1329	4.6	9	1	1	4	6	8	9	14
2. MULTIPLE DX	1402	6.4	17	1	2	6	8	10	13	22
A. NOT OPERATED	454	2.8	6	1	1	2	4	5	6	12
B. OPERATED	2277	6.1	14	1	2	6	8	9	12	19
TOTAL 0-19 YRS	390	4.4	9	1	1	4	6	8	10	14
20-34	1674	5.1	10	1	1	5	7	9	10	15
35-49	579	6.7	16	1	2	7	8	10	13	22
50-64	60	8.2	9	5	6	8	9	12	15	18
65+	28	15.0	117	3	6	12	17	32	39	49
GRAND TOTAL	**2731**	**5.5**	**14**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	4.7	7	1	2	4	6	8	10	13
20-34	1089	4.7	7	1	2	4	6	8	9	14
35-49	99	5.0	6	2	2	5	6	8	9	14
50-64	9	5.6	4	3	3	5	7	9	9	9
65+	5	5.0	10	2	2	4	7	10	10	10
B. *Operated*										
0-19 YRS	129	6.1	9	2	2	6	8	10	12	14
20-34	539	5.4	11	1	2	5	7	9	12	16
35-49	127	6.8	24	1	2	7	8	12	17	24
50-64	13	7.1	5	2	5	8	8	9	9	9
65+	4	10.3	26	5	5	9	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	5.2	8	2	2	5	6	9	10	15
20-34	525	5.1	10	2	2	5	7	9	10	16
35-49	63	7.3	27	2	3	6	9	13	15	34
50-64	11	8.1	12	4	4	8	10	13	15	15
65+	8	16.8	138	3	4	15	23	34	38	38
B. *Operated*										
0-19 YRS	161	7.0	19	2	2	6	8	12	15	24
20-34	1039	6.7	19	1	2	6	8	11	15	22
35-49	323	7.4	16	1	2	7	9	12	16	20
50-64	46	10.5	39	2	5	8	14	22	23	27
65+	5	8.0	14	3	3	8	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1828	4.7	7	1	2	4	6	8	9	13
B. *Operated*	812	5.8	13	1	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	830	5.5	13	2	2	5	7	10	11	20
B. *Operated*	1574	6.9	19	1	2	7	8	12	15	22
1. SINGLE DX	2640	5.0	9	1	2	5	7	9	10	15
2. MULTIPLE DX	2404	6.4	18	1	2	6	8	11	14	22
A. NOT OPERATED	2658	4.9	9	1	2	4	6	8	10	15
B. OPERATED	2386	6.5	18	1	2	6	8	11	14	22
TOTAL 0-19 YRS	1139	5.3	10	2	2	5	7	9	11	15
20-34	3192	5.5	13	1	2	5	7	9	12	19
35-49	612	6.9	18	1	2	7	8	12	14	21
50-64	79	9.0	28	2	4	8	10	17	22	26
65+	22	10.9	78	2	3	9	12	23	30	38
GRAND TOTAL	**5044**	**5.7**	**14**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	33	3.6	5	1	1	4	5	6	8	11
35-49	11	5.1	14	<1	1	4	7	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	20	3.6	7	<1	1	3	5	7	9	10
20-34	363	5.4	13	1	1	6	7	9	10	16
35-49	207	6.6	8	1	2	7	8	9	10	14
50-64	19	6.5	14	1	2	7	8	9	14	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	23	3.6	8	<1	1	3	5	7	10	13
35-49	10	3.5	12	<1	<1	2	5	9	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	18	5.5	6	<1	1	6	8	8	8	8
20-34	792	6.8	11	1	2	7	8	10	12	18
35-49	882	8.1	11	4	5	8	9	11	13	20
50-64	133	8.6	6	5	6	8	10	11	13	17
65+	8	13.3	171	<1	2	8	18	36	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.9	7	1	1	4	5	8	11	12
B. *Operated*	609	5.8	12	1	2	6	8	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	37	3.6	8	<1	1	3	5	8	10	13
B. *Operated*	1833	7.6	12	2	3	7	9	11	13	19
1. SINGLE DX	656	5.6	12	1	1	6	8	9	10	15
2. MULTIPLE DX	1870	7.5	12	2	3	7	9	11	13	19
A. NOT OPERATED	84	3.8	8	<1	1	3	5	8	10	13
B. OPERATED	2442	7.1	13	2	2	7	9	10	12	18
TOTAL 0-19 YRS	44	4.4	7	<1	1	4	7	8	8	10
20-34	1211	6.2	12	1	2	6	8	10	12	18
35-49	1110	7.7	11	2	5	8	9	11	13	19
50-64	153	8.3	7	3	6	8	9	11	13	18
65+	8	13.3	171	<1	2	8	18	36	41	41
GRAND TOTAL	**2526**	**7.0**	**13**	**1**	**2**	**7**	**8**	**10**	**12**	**18**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	3.6	8	1	1	4	5	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.0	1	<1	<1	2	2	4	5	5
20-34	109	3.0	6	<1	<1	2	4	7	9	9
35-49	56	3.2	7	<1	<1	2	5	8	8	9
50-64	18	2.0	2	<1	<1	2	2	4	5	5
65+	8	3.4	11	1	1	2	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	2.3	5	<1	<1	2	2	6	7	7
20-34	235	5.7	10	<1	1	7	8	9	10	15
35-49	206	6.0	12	<1	<1	7	8	10	11	16
50-64	37	4.8	17	1	1	3	8	9	12	19
65+	14	6.6	35	1	2	4	11	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.3	9	1	1	4	6	9	9	9
B. *Operated*	201	2.9	6	<1	<1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	499	5.7	12	<1	1	6	8	9	11	17
1. SINGLE DX	209	3.0	6	<1	<1	2	4	7	8	9
2. MULTIPLE DX	503	5.7	12	<1	1	6	8	9	11	17
A. NOT OPERATED	12	3.6	7	1	1	3	5	8	9	9
B. OPERATED	700	4.9	12	<1	<1	5	7	9	10	15
TOTAL 0-19 YRS	20	2.2	3	<1	<1	2	2	5	6	7
20-34	350	4.8	10	<1	<1	5	7	9	9	13
35-49	264	5.4	12	<1	<1	6	8	10	11	14
50-64	55	3.9	13	<1	1	2	6	9	9	19
65+	23	5.3	27	1	1	3	9	13	16	20
GRAND TOTAL	**712**	**4.9**	**12**	**<1**	**<1**	**5**	**7**	**9**	**10**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.5	5	1	1	3	5	7	8	9
20-34	82	3.9	5	1	1	3	5	7	9	10
35-49	11	3.9	3	1	1	4	5	6	6	6
50-64	9	6.1	20	1	1	6	8	13	15	15
65+	6	10.8	125	<1	<1	9	11	30	32	32
B. *Operated*										
0-19 YRS	59	2.8	5	1	1	2	4	5	8	11
20-34	332	2.5	5	<1	1	2	3	5	7	9
35-49	139	2.6	4	<1	1	2	3	5	7	11
50-64	37	2.1	2	<1	<1	2	2	4	5	7
65+	16	5.8	32	1	2	4	6	12	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.4	12	1	1	3	6	9	13	16
20-34	66	5.3	14	1	2	5	7	9	14	18
35-49	17	4.1	12	<1	1	3	5	10	11	11
50-64	10	9.3	39	1	1	11	14	16	17	17
65+	19	11.0	50	3	4	9	17	26	63	99+
B. *Operated*										
0-19 YRS	24	4.1	13	<1	1	3	7	8	11	15
20-34	160	3.4	11	<1	1	2	4	8	10	15
35-49	72	3.9	13	<1	1	3	5	9	11	17
50-64	31	3.7	7	<1	1	3	5	8	9	12
65+	23	7.0	31	1	1	5	10	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.1	12	1	1	3	5	8	9	15
B. *Operated*	583	2.6	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	151	5.9	24	1	2	4	8	14	17	26
B. *Operated*	310	3.9	13	<1	1	2	5	9	11	17
1. SINGLE DX	743	2.9	7	<1	1	2	4	6	8	11
2. MULTIPLE DX	461	4.5	18	<1	1	3	6	10	14	19
A. NOT OPERATED	311	5.0	18	1	1	4	6	10	14	26
B. OPERATED	893	3.0	8	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	174	3.5	8	1	1	3	5	8	9	15
20-34	640	3.2	8	<1	1	2	4	7	9	14
35-49	239	3.1	8	<1	1	2	4	7	9	15
50-64	87	3.9	14	<1	1	2	5	10	14	16
65+	64	8.3	48	1	2	7	11	19	26	90
GRAND TOTAL	**1204**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	10	3.2	20	<1	<1	1	3	10	15	15
65+	6	4.3	17	<1	<1	2	9	10	10	10
B. *Operated*										
0-19 YRS										
20-34	122	7.5	11	3	5	7	9	11	15	20
35-49	281	8.7	13	5	5	8	10	13	16	21
50-64	490	8.6	12	4	5	8	10	13	16	21
65+	304	9.1	15	5	6	8	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	7	6.0	115	1	1	1	5	25	30	30
50-64	19	3.1	13	<1	<1	1	4	7	12	15
65+	31	8.8	253	1	1	3	8	25	29	84
B. *Operated*										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	322	8.7	17	4	5	8	10	14	16	24
35-49	881	9.8	23	5	6	8	11	16	19	28
50-64	1042	10.3	23	6	6	9	12	16	19	28
65+	782	11.5	41	6	7	10	13	19	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.3	15	<1	<1	1	4	9	12	15
B. *Operated*	1197	8.6	13	5	5	8	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	60	6.3	152	<1	1	2	6	16	28	79
B. *Operated*	3029	10.3	27	5	6	9	12	16	20	31
1. SINGLE DX	1217	8.5	14	4	5	8	10	13	16	21
2. MULTIPLE DX	3089	10.2	30	5	6	9	12	16	20	31
A. NOT OPERATED	80	5.6	119	<1	<1	2	6	12	25	68
B. OPERATED	4226	9.8	24	5	6	9	11	15	19	28
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	450	8.3	16	3	5	7	10	13	16	24
35-49	1170	9.5	21	5	6	8	11	15	18	27
50-64	1561	9.7	21	5	6	9	11	15	18	27
65+	1123	10.7	40	5	6	9	12	17	21	39
GRAND TOTAL	**4306**	**9.7**	**26**	**5**	**6**	**8**	**11**	**15**	**19**	**29**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	15	2.0	2	<1	<1	2	3	4	5	5
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
20-34	118	1.9	5	<1	<1	1	2	4	6	13
35-49	83	2.3	14	<1	<1	1	2	3	8	24
50-64	9	3.2	18	<1	<1	1	4	11	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	4	1	1	3	4	6	6	6
20-34	14	1.6	1	<1	1	1	2	3	4	4
35-49	8	3.9	19	<1	<1	2	4	11	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.7	13	<1	<1	1	2	9	10	10
20-34	105	3.4	17	<1	1	2	4	8	9	24
35-49	119	4.6	19	<1	<1	3	7	10	12	20
50-64	20	4.1	15	<1	<1	2	7	10	11	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.0	1	<1	<1	2	3	4	5	5
B. *Operated*	219	2.1	8	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	27	2.5	7	<1	1	2	3	5	7	14
B. *Operated*	250	4.0	18	<1	<1	2	6	9	11	17
1. SINGLE DX	242	2.1	8	<1	<1	1	2	4	7	12
2. MULTIPLE DX	277	3.8	17	<1	<1	2	6	9	11	17
A. NOT OPERATED	50	2.3	5	<1	<1	2	3	4	5	14
B. OPERATED	469	3.1	14	<1	<1	2	3	8	10	17
TOTAL 0-19 YRS	23	2.2	5	<1	<1	1	3	4	7	10
20-34	252	2.5	10	<1	<1	1	2	6	8	17
35-49	214	3.7	18	<1	<1	2	5	9	10	21
50-64	30	3.7	15	<1	<1	2	7	10	12	12
65+										
GRAND TOTAL	**519**	**3.0**	**14**	**<1**	**<1**	**2**	**3**	**8**	**10**	**16**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.8	4	1	1	2	3	6	7	11
20-34	265	2.0	2	1	1	2	2	4	5	6
35-49	97	2.4	4	<1	1	2	3	4	7	11
50-64	14	2.9	5	<1	1	2	3	6	8	9
65+										
B. *Operated*										
0-19 YRS	147	1.9	6	<1	<1	1	2	3	4	7
20-34	1608	2.7	6	<1	<1	2	3	7	8	11
35-49	1509	2.9	7	<1	<1	2	3	8	8	11
50-64	166	2.6	8	<1	<1	2	2	8	9	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.8	2	1	1	3	4	5	6	7
20-34	156	3.0	8	<1	1	2	4	6	9	14
35-49	99	3.2	7	<1	1	2	5	7	8	12
50-64	15	3.1	7	<1	<1	2	4	8	9	9
65+										
B. *Operated*										
0-19 YRS	90	2.7	6	<1	<1	2	3	6	8	13
20-34	1970	5.3	14	<1	1	6	8	9	11	16
35-49	2604	6.1	16	<1	1	7	8	10	12	19
50-64	291	5.4	20	<1	1	5	8	11	14	20
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	2.3	3	1	1	2	3	4	6	10
B. *Operated*	3430	2.7	7	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	324	3.0	7	<1	1	2	4	7	8	14
B. *Operated*	4955	5.7	15	<1	1	6	8	10	12	17
1. SINGLE DX	3915	2.7	6	<1	<1	2	3	7	8	11
2. MULTIPLE DX	5279	5.5	15	<1	1	6	8	10	11	17
A. NOT OPERATED	809	2.6	5	<1	1	2	3	5	7	11
B. OPERATED	8385	4.5	14	<1	<1	3	7	9	10	16
TOTAL 0-19 YRS	400	2.5	5	<1	1	2	3	5	6	11
20-34	3999	3.9	12	<1	<1	2	7	8	9	14
35-49	4309	4.8	15	<1	1	4	8	9	11	17
50-64	486	4.3	16	<1	<1	2	7	10	12	17
65+										
GRAND TOTAL	**9194**	**4.3**	**13**	**<1**	**<1**	**2**	**7**	**9**	**10**	**15**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	4.8	20	<1	1	3	7	12	14	14
50-64	12	3.5	10	<1	1	2	5	8	11	11
65+	6	6.3	22	2	2	5	11	13	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.4	11	1	1	4	8	8	8	8
35-49	140	2.0	5	<1	<1	2	2	3	5	13
50-64	514	1.9	3	<1	<1	2	2	3	3	8
65+	111	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	10	3.6	5	1	1	3	5	7	9	9
50-64	35	4.1	15	<1	1	3	5	8	14	18
65+	34	5.9	20	1	1	4	9	13	14	15
B. *Operated*										
0-19 YRS										
20-34	11	6.3	8	2	2	7	8	10	12	12
35-49	145	3.9	13	<1	<1	2	6	9	11	15
50-64	661	3.3	14	<1	<1	2	3	8	10	19
65+	228	4.7	39	1	1	2	5	10	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.4	16	<1	1	2	6	11	13	14
B. *Operated*	775	2.0	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	80	4.9	17	1	1	3	6	12	14	17
B. *Operated*	1045	3.7	20	<1	1	2	4	9	11	23
1. SINGLE DX	807	2.1	4	<1	<1	2	2	3	5	11
2. MULTIPLE DX	1125	3.8	20	<1	1	2	4	9	12	22
A. NOT OPERATED	112	4.8	16	1	1	3	6	12	13	16
B. OPERATED	1820	3.0	14	<1	<1	2	3	7	9	18
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	5.5	12	1	1	6	8	9	12	12
35-49	307	3.1	10	<1	<1	2	3	8	10	15
50-64	1222	2.7	10	<1	<1	2	2	6	9	16
65+	379	4.2	28	1	1	2	4	9	13	27
GRAND TOTAL	**1932**	**3.1**	**14**	**<1**	**<1**	**2**	**3**	**8**	**10**	**18**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.6	4	<1	<1	2	3	6	7	8
20-34	95	2.4	4	<1	1	2	3	5	6	12
35-49	18	3.2	18	<1	<1	2	3	8	15	18
50-64	5	3.2	5	1	1	3	5	6	6	6
65+	10	6.1	20	1	1	5	9	13	14	14
B. *Operated*										
0-19 YRS	53	3.9	17	1	1	3	5	8	9	27
20-34	784	3.8	8	<1	1	3	5	8	8	13
35-49	419	3.7	11	<1	<1	2	6	8	10	16
50-64	264	3.1	18	<1	1	2	3	6	9	15
65+	75	4.3	46	1	1	2	4	8	12	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	8	<1	1	3	4	6	10	14
20-34	75	2.7	3	<1	1	2	3	5	7	9
35-49	16	2.8	3	<1	1	2	4	5	7	8
50-64	14	8.3	65	1	1	5	11	22	22	22
65+	23	11.2	140	1	1	7	17	39	62	99+
B. *Operated*										
0-19 YRS	59	5.0	40	<1	1	4	6	9	12	44
20-34	826	5.4	12	<1	1	5	7	9	10	17
35-49	778	5.7	21	<1	1	6	8	10	12	19
50-64	472	4.9	20	<1	1	3	8	10	12	21
65+	149	8.2	95	1	1	6	10	20	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.8	7	<1	1	2	3	6	9	14
B. *Operated*	1595	3.7	12	<1	1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	147	4.7	40	<1	1	3	5	11	21	47
B. *Operated*	2284	5.6	23	<1	1	5	8	10	12	23
1. SINGLE DX	1750	3.6	12	<1	1	2	5	8	9	15
2. MULTIPLE DX	2431	5.5	24	<1	1	5	8	10	13	24
A. NOT OPERATED	302	3.7	24	<1	1	2	4	8	13	31
B. OPERATED	3879	4.8	20	<1	1	3	7	9	11	20
TOTAL 0-19 YRS	158	4.0	23	<1	1	3	5	8	10	27
20-34	1780	4.4	10	<1	1	4	7	8	10	14
35-49	1231	4.9	18	<1	1	4	8	10	11	18
50-64	755	4.3	21	<1	1	2	7	9	11	22
65+	257	7.3	85	1	1	4	9	17	36	99+
GRAND TOTAL	**4181**	**4.7**	**20**	**<1**	**1**	**3**	**7**	**9**	**11**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.0	3	<1	1	1	2	4	5	8
20-34	254	2.3	3	<1	<1	2	3	5	7	10
35-49	49	2.3	3	<1	1	2	2	4	5	12
50-64	6	3.8	9	2	2	2	6	9	9	9
65+	3	13.3	42	7	7	13	18	20	20	20
B. *Operated*										
0-19 YRS	86	3.0	8	<1	<1	2	4	6	8	16
20-34	856	2.8	8	<1	<1	2	3	7	8	15
35-49	327	6.5	22	<1	<1	7	9	12	15	22
50-64	168	8.5	20	<1	2	8	10	14	15	25
65+	64	10.3	37	1	3	9	13	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.0	6	<1	1	2	4	5	7	14
20-34	162	2.8	6	<1	<1	2	4	6	7	11
35-49	30	3.1	12	<1	1	2	3	5	13	16
50-64	12	3.4	9	<1	<1	2	5	8	10	10
65+	12	8.8	24	1	3	8	14	34	88	99+
B. *Operated*										
0-19 YRS	61	3.8	20	<1	<1	2	4	8	15	23
20-34	1363	4.7	13	<1	1	4	7	9	11	15
35-49	603	7.9	21	1	2	8	9	13	16	22
50-64	264	11.5	45	2	5	10	15	20	24	30
65+	120	12.7	148	1	3	10	15	24	29	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.3	4	<1	1	2	3	4	6	10
B. *Operated*	1501	4.6	19	<1	<1	2	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	282	3.1	8	<1	1	2	4	6	9	17
B. *Operated*	2411	6.6	33	<1	1	6	9	13	16	26
1. SINGLE DX	2022	4.0	16	<1	<1	2	6	9	12	19
2. MULTIPLE DX	2693	6.3	31	<1	1	6	8	12	16	25
A. NOT OPERATED	803	2.6	6	<1	1	2	3	5	7	14
B. OPERATED	3912	5.8	29	<1	1	5	8	12	15	24
TOTAL 0-19 YRS	422	2.6	7	<1	1	2	3	5	7	15
20-34	2635	3.7	11	<1	<1	2	6	8	9	15
35-49	1009	7.0	23	<1	1	7	9	13	15	22
50-64	450	10.1	38	1	2	9	13	17	23	30
65+	199	11.7	105	1	3	10	14	20	29	84
GRAND TOTAL	**4715**	**5.3**	**26**	**<1**	**1**	**4**	**8**	**11**	**14**	**23**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	<1	<1	4	7	8	8	8
20-34	21	2.1	3	1	1	1	3	5	6	6
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	5.6	10	1	2	5	6	8	12	18
20-34	529	5.6	3	3	4	5	6	8	9	11
35-49	43	5.6	3	3	4	5	7	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.9	1	3	4	5	5	6	7	8
20-34	375	6.2	6	3	4	6	7	9	11	16
35-49	50	6.5	4	4	4	6	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.5	4	<1	1	2	4	6	7	8
B. *Operated*	612	5.6	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.2	3	3	3	6	6	7	7	7
B. *Operated*	446	6.2	6	3	4	6	7	9	11	16
1. SINGLE DX	638	5.5	4	2	3	5	6	8	9	11
2. MULTIPLE DX	451	6.2	6	3	4	6	7	9	11	16
A. NOT OPERATED	31	3.0	5	1	1	2	4	6	7	8
B. OPERATED	1058	5.8	5	3	4	5	7	8	10	14
TOTAL 0-19 YRS	65	5.3	7	2	2	5	6	8	8	18
20-34	928	5.7	5	3	4	5	7	8	10	13
35-49	96	6.0	4	3	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**1089**	**5.7**	**5**	**3**	**4**	**5**	**7**	**8**	**9**	**14**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	2	<1	<1	2	2	5	6	6
20-34	13	1.8	2	<1	<1	1	2	4	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1102	1.5	1	<1	<1	1	2	2	3	6
20-34	1814	1.3	1	<1	<1	<1	1	2	2	4
35-49	98	1.6	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	13	1	1	3	6	9	9	9
20-34	10	1.5		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	713	1.7	1	<1	<1	1	2	3	4	7
20-34	1583	2.0	3	<1	<1	1	2	4	5	9
35-49	299	2.5	3	<1	<1	2	3	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.0	2	<1	1	2	2	4	5	6
B. *Operated*	3014	1.4	1	<1	<1	<1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	14	2.2	4	<1	<1	2	2	4	8	9
B. *Operated*	2595	2.0	3	<1	<1	1	2	4	5	8
1. SINGLE DX	3039	1.4	1	<1	<1	<1	2	2	3	5
2. MULTIPLE DX	2609	2.0	3	<1	<1	1	2	4	5	8
A. NOT OPERATED	39	2.1	3	<1	<1	2	2	4	6	9
B. OPERATED	5609	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	1829	1.6	1	<1	<1	1	2	3	3	6
20-34	3420	1.6	2	<1	<1	1	2	3	4	7
35-49	399	2.2	3	<1	<1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**5648**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.3	3	<1	1	2	3	4	6	8
20-34	825	2.2	4	<1	1	2	3	4	5	9
35-49	71	2.1	2	1	1	2	3	4	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	666	2.0	2	<1	1	2	2	4	5	7
20-34	4437	2.0	3	<1	1	1	2	4	5	8
35-49	439	1.8	2	<1	1	1	2	3	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	2	<1	1	2	4	4	5	7
20-34	93	4.0	49	1	1	2	4	7	9	48
35-49	9	4.7	77	1	1	2	3	18	28	28
50-64										
65+										
B. *Operated*										
0-19 YRS	69	2.8	4	1	1	2	4	5	6	13
20-34	700	2.6	5	<1	1	2	3	5	7	12
35-49	113	2.9	6	<1	1	2	4	6	7	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	2.2	4	<1	1	2	3	4	5	8
B. *Operated*	5542	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	128	3.7	42	1	1	2	4	7	8	46
B. *Operated*	882	2.6	5	<1	1	2	3	5	7	12
1. SINGLE DX	6609	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	1010	2.8	10	<1	1	2	3	6	7	14
A. NOT OPERATED	1195	2.4	8	<1	1	2	3	4	6	9
B. OPERATED	6424	2.1	3	<1	1	1	2	4	5	8
TOTAL 0-19 YRS	932	2.1	2	<1	1	2	3	4	5	7
20-34	6055	2.1	4	<1	1	2	2	4	5	9
35-49	632	2.1	4	<1	1	2	2	4	5	8
50-64										
65+										
GRAND TOTAL	**7619**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	3	1	1	3	4	6	7	10
20-34	177	3.0	5	1	1	2	4	6	8	10
35-49	11	3.7	21	<1	<1	2	4	10	16	17
50-64										
65+										
B. *Operated*										
0-19 YRS	88	2.5	5	<1	<1	2	3	6	6	12
20-34	649	2.4	3	1	1	2	3	4	6	9
35-49	44	2.6	3	<1	1	2	3	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.6	3	1	2	3	5	6	7	7
20-34	49	4.0	8	1	1	3	6	8	9	13
35-49	6	2.8	3	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	40	3.3	6	<1	<1	3	5	6	8	11
20-34	179	3.3	7	<1	1	2	4	7	9	12
35-49	21	3.7	13	<1	1	2	4	9	12	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	3.1	5	1	1	2	4	6	8	10
B. *Operated*	781	2.4	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	85	3.8	6	1	1	3	5	7	8	12
B. *Operated*	240	3.3	7	<1	1	2	4	7	9	12
1. SINGLE DX	1037	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	325	3.5	7	<1	1	3	5	7	9	12
A. NOT OPERATED	341	3.3	5	1	1	3	4	6	8	10
B. OPERATED	1021	2.6	5	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	226	3.0	4	<1	1	2	4	6	7	10
20-34	1054	2.7	5	1	1	2	3	6	7	11
35-49	82	3.0	8	<1	1	2	3	6	8	16
50-64										
65+										
GRAND TOTAL	**1362**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**6**	**7**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	3.0	4	1	1	3	4	5	7	11
20-34	1648	3.3	6	1	1	3	4	6	8	13
35-49	66	3.9	9	1	1	3	5	7	9	18
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	16	3.8	10	<1	1	3	5	9	11	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.4	15	1	1	3	5	8	14	19
20-34	256	4.1	11	1	1	3	5	7	10	18
35-49	19	4.6	13	<1	1	4	6	8	13	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	4.5	17	1	1	4	5	8	15	18
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1950	3.3	6	1	1	3	4	6	8	13
B. *Operated*	17	3.8	9	<1	1	3	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	319	4.1	12	1	1	3	5	7	10	18
B. *Operated*	19	4.3	16	<1	1	4	5	8	14	18
1. SINGLE DX	1967	3.3	6	1	1	3	4	6	8	13
2. MULTIPLE DX	338	4.1	12	1	1	3	5	7	10	18
A. NOT OPERATED	2269	3.4	7	1	1	3	4	6	8	14
B. OPERATED	36	4.1	12	<1	1	3	5	9	11	18
TOTAL 0-19 YRS	281	3.2	6	1	1	3	4	5	7	14
20-34	1937	3.4	7	1	1	3	4	6	8	14
35-49	87	4.0	9	1	1	3	5	7	9	19
50-64										
65+										
GRAND TOTAL	**2305**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	2	<1	1	2	3	5	6	6
20-34	64	3.2	4	1	1	3	4	6	7	11
35-49	4	4.3	5	2	2	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	5.9	14	2	2	4	9	12	12	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.1	4	1	1	3	4	6	7	10
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	12	5.5	15	1	2	4	8	12	12	12
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	85	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	13	5.5	14	1	2	4	8	12	12	12
A. NOT OPERATED	96	3.4	6	1	1	3	4	6	8	12
B. OPERATED	2	5.0	2	4	4	5	6	6	6	6
TOTAL 0-19 YRS	17	2.3	2	<1	1	2	3	5	6	6
20-34	77	3.6	7	1	1	3	5	6	9	12
35-49	4	4.3	5	2	2	4	6	7	7	7
50-64										
65+										
GRAND TOTAL	**98**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	4.3	6	1	2	4	5	8	9	13
20-34	740	4.7	12	1	2	4	6	8	10	18
35-49	33	4.5	7	<1	1	4	6	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	20	4.9	7	1	2	5	7	8	9	10
20-34	106	4.7	16	1	1	3	6	10	14	21
35-49	6	3.3	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.5	13	1	2	5	7	10	14	16
20-34	191	4.9	12	1	2	4	6	9	12	19
35-49	16	5.3	12	<1	1	5	7	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	9	6.8	26	2	2	6	8	15	19	19
20-34	92	5.9	27	1	1	4	7	13	16	27
35-49	6	4.8	11	1	1	4	7	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	4.6	11	1	2	4	6	8	10	17
B. *Operated*	132	4.7	14	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	249	5.1	12	1	2	4	7	9	12	17
B. *Operated*	107	5.9	26	1	1	4	7	13	16	25
1. SINGLE DX	1023	4.6	12	1	2	4	6	8	10	18
2. MULTIPLE DX	356	5.3	17	1	2	4	7	10	13	20
A. NOT OPERATED	1140	4.7	11	1	2	4	6	8	10	17
B. OPERATED	239	5.2	20	1	1	4	6	10	15	22
TOTAL 0-19 YRS	189	4.7	9	1	2	4	6	8	10	16
20-34	1129	4.8	14	1	2	4	6	9	11	20
35-49	61	4.6	8	<1	1	4	6	9	11	13
50-64										
65+										
GRAND TOTAL	**1379**	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.8	5	1	1	3	5	7	8	11
20-34	609	4.6	11	1	2	4	6	8	11	18
35-49	18	6.7	12	3	3	6	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.9	8	1	1	3	4	8	11	12
20-34	200	4.7	16	1	2	4	6	8	13	23
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	7.4	17	1	2	7	10	13	15	15
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	4.5	10	1	2	4	6	8	11	18
B. *Operated*	5	3.6	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	239	4.6	14	1	2	3	6	9	12	22
B. *Operated*	10	7.4	17	1	2	7	10	13	15	15
1. SINGLE DX	766	4.5	10	1	2	4	6	8	11	18
2. MULTIPLE DX	249	4.7	15	1	2	4	6	9	12	22
A. NOT OPERATED	1000	4.5	11	1	2	4	6	8	11	18
B. OPERATED	15	6.1	15	1	2	5	9	11	14	15
TOTAL 0-19 YRS	173	3.8	5	1	1	3	5	7	8	12
20-34	821	4.7	12	1	2	4	6	8	11	19
35-49	21	6.3	12	2	2	5	9	11	12	13
50-64										
65+										
GRAND TOTAL	**1015**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	994	1.5	2	<1	<1	1	1	2	3	7
20-34	3954	1.4	3	<1	<1	1	1	2	3	7
35-49	146	1.3	1	<1	<1	1	1	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	89	1.8	2	<1	<1	1	2	4	5	7
20-34	409	1.6	3	<1	<1	1	1	3	5	9
35-49	23	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	1.8	3	<1	<1	1	2	3	5	10
20-34	495	1.8	8	<1	<1	1	2	3	5	10
35-49	23	1.8	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.2	17	<1	<1	2	3	7	15	16
20-34	108	2.5	14	<1	<1	1	3	5	7	22
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5094	1.4	3	<1	<1	1	1	2	3	7
B. *Operated*	521	1.6	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	633	1.8	7	<1	<1	1	2	3	5	10
B. *Operated*	125	2.5	13	<1	<1	1	3	5	7	20
1. SINGLE DX	5615	1.4	3	<1	<1	1	1	2	3	7
2. MULTIPLE DX	758	1.9	8	<1	<1	1	2	3	5	11
A. NOT OPERATED	5727	1.5	3	<1	<1	1	1	2	3	7
B. OPERATED	646	1.8	5	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	1210	1.5	3	<1	<1	1	1	3	4	7
20-34	4966	1.5	4	<1	<1	1	1	2	4	8
35-49	197	1.4	1	<1	<1	1	1	2	4	6
50-64										
65+										
GRAND TOTAL	**6373**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**4**	**8**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	6	1	1	3	3	8	8	8
20-34	174	6.3	75	1	2	4	6	11	25	44
35-49	7	12.3	298	<1	<1	7	13	43	50	50
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	8.3	129	1	1	4	9	18	38	52
35-49	6	5.0	36	2	2	2	5	16	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	6	3	3	5	6	9	9	9
20-34	27	6.4	29	1	1	4	11	15	17	19
35-49	5	3.4	4	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	17	7.6	47	1	2	4	10	21	21	21
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	6.3	78	1	1	4	7	11	25	48
B. *Operated*	34	7.6	110	1	2	4	8	17	32	52
2. MULTIPLE DX										
A. *Not Operated*	37	5.8	23	1	1	4	7	13	16	19
B. *Operated*	19	7.4	42	1	2	5	8	20	21	21
1. SINGLE DX	230	6.5	83	1	1	4	7	12	26	50
2. MULTIPLE DX	56	6.3	29	1	2	4	8	16	20	21
A. NOT OPERATED	233	6.2	69	1	1	4	7	12	19	47
B. OPERATED	53	7.5	84	1	2	4	8	18	21	52
TOTAL 0-19 YRS	21	3.5	6	1	1	3	5	8	9	9
20-34	245	6.6	73	1	2	4	7	13	21	46
35-49	20	7.2	120	<1	1	4	6	16	33	50
50-64										
65+										
GRAND TOTAL	**286**	**6.4**	**72**	**1**	**1**	**4**	**7**	**13**	**21**	**49**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.4	11	<1	<1	2	4	7	10	18
20-34	567	3.2	11	<1	1	2	4	6	9	17
35-49	26	3.2	6	<1	1	2	5	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.7	7	1	1	3	5	7	10	12
20-34	124	3.3	12	<1	1	2	4	7	10	18
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	26	1	1	3	5	8	12	30
20-34	152	4.7	40	<1	1	3	5	10	14	42
35-49	10	4.9	22	<1	<1	4	6	12	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.2	11	1	1	2	3	10	10	10
20-34	55	6.1	44	1	1	4	7	11	17	38
35-49	2	5.0	2	4	4	5	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	706	3.2	11	<1	1	2	4	6	9	18
B. *Operated*	156	3.4	11	<1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	200	4.6	36	<1	1	3	5	10	14	38
B. *Operated*	69	5.6	38	1	1	4	7	11	16	37
1. SINGLE DX	862	3.3	11	<1	1	2	4	6	9	17
2. MULTIPLE DX	269	4.9	37	1	1	3	5	10	14	38
A. NOT OPERATED	906	3.5	17	<1	1	2	4	7	10	20
B. OPERATED	225	4.0	20	<1	1	3	5	9	11	25
TOTAL 0-19 YRS	191	3.5	13	<1	1	2	4	7	10	19
20-34	898	3.7	19	<1	1	2	4	7	11	22
35-49	42	3.5	10	<1	1	2	5	7	8	17
50-64										
65+										
GRAND TOTAL	**1131**	**3.6**	**18**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.5	12	<1	1	3	4	7	8	13
20-34	347	3.3	4	<1	1	3	4	6	7	10
35-49	14	3.9	4	1	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.7	12	<1	1	3	7	9	11	12
20-34	38	5.1	24	<1	1	4	7	11	17	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	3.9	6	1	1	3	5	7	8	12
20-34	261	3.8	6	<1	1	3	5	7	8	12
35-49	6	4.3	9	1	1	3	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	19	5.8	52	<1	<1	4	6	16	25	29
20-34	53	4.4	12	<1	1	4	6	8	11	18
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.4	6	<1	1	3	4	6	8	10
B. *Operated*	53	5.0	20	<1	1	4	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	394	3.9	6	1	1	3	5	7	8	12
B. *Operated*	73	4.9	23	<1	1	4	6	9	13	27
1. SINGLE DX	557	3.5	8	<1	1	3	5	7	8	12
2. MULTIPLE DX	467	4.0	9	<1	1	3	5	7	9	14
A. NOT OPERATED	898	3.6	6	<1	1	3	5	7	8	11
B. OPERATED	126	4.9	22	<1	1	4	7	9	12	24
TOTAL 0-19 YRS	304	3.9	12	<1	1	3	5	7	9	17
20-34	699	3.7	7	<1	1	3	5	7	8	12
35-49	21	4.5	8	1	1	4	6	8	10	13
50-64										
65+										
GRAND TOTAL	**1024**	**3.8**	**8**	**<1**	**1**	**3**	**5**	**7**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.9	21	<1	1	3	6	13	16	19
20-34	229	5.2	26	1	1	4	6	12	15	25
35-49	16	4.7	9	1	1	4	6	9	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	12	4.1	9	2	2	3	5	8	11	12
20-34	41	4.5	9	<1	1	4	7	9	9	13
35-49	6	4.2	6	1	1	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	4.3	31	<1	<1	2	5	10	12	30
20-34	551	4.6	46	<1	1	3	5	9	13	44
35-49	40	4.6	13	1	1	3	7	10	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	57	3.7	16	<1	<1	2	4	8	14	19
20-34	190	4.6	31	<1	<1	3	6	10	15	32
35-49	10	5.5	13	<1	<1	5	9	10	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	5.1	24	1	1	4	6	12	15	24
B. *Operated*	59	4.4	9	1	1	4	7	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	708	4.6	41	<1	1	3	5	9	13	43
B. *Operated*	257	4.5	27	<1	<1	3	6	10	14	31
1. SINGLE DX	350	5.0	21	1	1	4	6	11	14	23
2. MULTIPLE DX	965	4.6	38	<1	1	3	5	9	13	32
A. NOT OPERATED	999	4.7	36	<1	1	3	5	10	14	30
B. OPERATED	316	4.4	24	<1	<1	3	6	9	13	30
TOTAL 0-19 YRS	232	4.3	24	<1	1	3	5	10	14	21
20-34	1011	4.8	37	<1	1	3	6	10	14	31
35-49	72	4.7	11	1	1	4	7	10	11	14
50-64										
65+										
GRAND TOTAL	**1315**	**4.7**	**33**	**<1**	**1**	**3**	**6**	**10**	**14**	**30**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	3.3	19	<1	<1	2	4	7	10	24
20-34	1930	3.5	24	<1	<1	2	4	8	12	22
35-49	74	4.5	38	<1	<1	2	5	9	17	37
50-64										
65+										
B. *Operated*										
0-19 YRS	193	2.6	6	<1	<1	2	3	6	7	14
20-34	1212	3.3	21	<1	<1	2	4	7	10	26
35-49	54	2.6	6	<1	<1	2	3	5	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	4.1	31	<1	<1	2	5	8	13	28
20-34	1014	4.1	32	<1	<1	2	5	8	12	28
35-49	48	5.7	87	1	1	3	5	10	29	49
50-64										
65+										
B. *Operated*										
0-19 YRS	98	4.3	35	<1	1	3	5	8	13	38
20-34	599	4.3	34	<1	<1	2	5	9	14	35
35-49	39	3.7	13	<1	1	2	4	9	12	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2418	3.5	23	<1	<1	2	4	8	11	23
B. *Operated*	1459	3.2	18	<1	<1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	1271	4.1	34	<1	<1	2	5	8	13	31
B. *Operated*	736	4.3	33	<1	<1	2	5	9	14	33
1. SINGLE DX	3877	3.4	22	<1	<1	2	4	7	11	23
2. MULTIPLE DX	2007	4.2	33	<1	<1	2	5	8	13	32
A. NOT OPERATED	3689	3.7	27	<1	<1	2	4	8	12	25
B. OPERATED	2195	3.6	23	<1	<1	2	4	7	11	27
TOTAL 0-19 YRS	914	3.5	21	<1	<1	2	4	7	10	23
20-34	4755	3.7	26	<1	<1	2	4	8	12	26
35-49	215	4.1	37	<1	<1	3	4	9	13	40
50-64										
65+										
GRAND TOTAL	**5884**	**3.6**	**26**	**<1**	**<1**	**2**	**4**	**8**	**12**	**26**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.6	11	3	3	5	6	8	15	18
20-34	166	4.8	11	3	3	4	5	6	8	23
35-49	8	6.1	28	3	3	5	5	15	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.0	13	1	1	5	7	10	11	11
20-34	81	7.6	33	3	4	6	8	16	18	34
35-49	5	5.4	8	2	2	6	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.8	23	3	4	5	6	8	11	29
20-34	145	5.5	29	2	3	4	5	8	9	35
35-49	9	7.8	52	4	4	6	6	19	27	27
50-64										
65+										
B. *Operated*										
0-19 YRS	36	11.7	174	1	3	7	14	30	40	66
20-34	345	12.7	191	3	4	8	14	25	45	77
35-49	37	11.4	207	3	4	6	13	22	33	85
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	5.0	11	3	3	4	5	7	9	22
B. *Operated*	93	7.3	31	2	4	6	8	15	18	34
2. MULTIPLE DX										
A. *Not Operated*	183	5.6	29	2	3	5	6	8	10	32
B. *Operated*	418	12.5	190	3	4	7	14	25	43	79
1. SINGLE DX	294	5.7	19	3	3	5	6	9	14	29
2. MULTIPLE DX	601	10.4	151	3	4	6	10	22	33	68
A. NOT OPERATED	384	5.3	20	3	3	4	5	7	9	28
B. OPERATED	511	11.5	165	3	4	7	13	23	35	72
TOTAL 0-19 YRS	99	7.8	81	1	3	5	7	15	25	55
20-34	737	8.9	114	3	3	5	9	18	27	61
35-49	59	9.6	145	3	3	6	9	18	26	81
50-64										
65+										
GRAND TOTAL	**895**	**8.9**	**112**	**3**	**3**	**5**	**8**	**18**	**27**	**62**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2739	4.6	2	3	3	4	5	6	7	9
20-34	17841	4.4	2	3	3	4	5	6	7	8
35-49	557	4.4	2	3	3	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	508	5.1	4	3	3	5	6	7	8	15
20-34	3040	5.0	3	3	3	5	6	7	8	11
35-49	131	4.9	3	3	3	5	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	5.2	7	2	3	5	6	8	10	19
20-34	1155	4.9	5	3	3	4	5	7	8	12
35-49	39	5.1	5	3	3	4	6	9	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	112	6.0	8	3	4	5	7	10	13	16
20-34	2202	5.4	4	3	4	5	6	7	9	12
35-49	268	5.7	5	4	4	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21137	4.4	2	3	3	4	5	6	7	8
B. *Operated*	3679	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1344	4.9	5	3	3	5	5	7	8	13
B. *Operated*	2582	5.5	4	3	4	5	6	8	9	13
1. SINGLE DX	24816	4.5	2	3	3	4	5	6	7	9
2. MULTIPLE DX	3926	5.3	5	3	4	5	6	7	9	13
A. NOT OPERATED	22481	4.4	2	3	3	4	5	6	7	9
B. OPERATED	6261	5.2	4	3	4	5	6	7	8	12
TOTAL 0-19 YRS	3509	4.7	3	3	3	5	5	6	7	11
20-34	24238	4.6	3	3	3	4	5	6	7	9
35-49	995	4.8	4	3	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**28742**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	16	8.1	73	2	3	5	7	26	30	31
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	10.3	16	7	7	9	13	16	16	16
20-34	62	16.3	266	4	5	9	19	41	52	74
35-49	2	17.5	1	17	17	17	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	12	5.6	9	3	3	5	6	9	13	14
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	13.5	150	3	4	8	19	34	38	38
20-34	173	14.3	200	4	5	8	16	36	46	73
35-49	30	15.3	233	6	6	10	18	26	38	85
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	7.2	62	2	2	5	7	18	29	31
B. *Operated*	68	16.0	245	5	5	9	18	39	51	74
2. MULTIPLE DX										
A. *Not Operated*	15	5.3	9	2	3	5	6	7	12	14
B. *Operated*	211	14.4	201	4	5	8	17	36	45	73
1. SINGLE DX	88	14.0	216	3	4	8	16	35	50	73
2. MULTIPLE DX	226	13.8	193	4	5	8	15	33	45	73
A. NOT OPERATED	35	6.3	39	2	2	5	6	9	24	31
B. OPERATED	279	14.8	211	4	5	8	17	37	47	74
TOTAL 0-19 YRS	17	9.8	89	2	2	7	11	24	34	38
20-34	263	14.0	204	4	5	8	16	36	47	73
35-49	34	14.8	212	5	6	10	18	25	36	85
50-64										
65+										
GRAND TOTAL	**314**	**13.8**	**199**	**3**	**4**	**8**	**16**	**33**	**45**	**73**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	6	<1	1	3	5	7	10	11
20-34	109	4.7	39	1	1	4	5	7	9	41
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6	6.0	1	5	5	6	7	7	7	7
20-34	91	5.9	8	1	4	6	7	9	10	18
35-49	4	14.3	72	7	7	12	21	25	25	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.0	5	1	2	4	5	7	10	10
20-34	69	6.4	44	2	2	5	7	11	14	42
35-49	5	6.6	13	3	3	7	9	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	36	8.1	23	3	4	7	10	15	19	23
20-34	323	7.4	32	3	4	6	8	12	20	37
35-49	26	12.5	164	4	4	7	17	33	44	55
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	4.5	34	1	1	4	5	7	9	35
B. *Operated*	101	6.3	12	2	4	6	7	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	86	6.1	37	2	2	4	7	10	14	41
B. *Operated*	385	7.8	41	3	4	6	8	13	21	40
1. SINGLE DX	230	5.3	25	1	2	5	6	8	10	27
2. MULTIPLE DX	471	7.5	41	3	3	6	8	13	20	41
A. NOT OPERATED	215	5.1	36	1	2	4	5	8	11	38
B. OPERATED	486	7.5	35	3	4	6	8	13	20	38
TOTAL 0-19 YRS	71	6.1	18	2	2	5	7	12	15	23
20-34	592	6.6	32	2	3	5	7	11	15	36
35-49	38	11.3	127	3	3	7	11	24	38	55
50-64										
65+										
GRAND TOTAL	**701**	**6.8**	**37**	**2**	**3**	**5**	**7**	**11**	**17**	**38**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	51	4.2	3	1	2	4	5	6	7	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	32	4.5	4	1	2	4	5	7	9	11
20-34	300	4.3	2	1	2	4	5	6	7	8
35-49	14	4.4	5	2	2	4	5	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	9	3	3	4	6	10	10	10
20-34	31	4.3	2	2	3	4	5	6	6	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	31	5.6	3	3	4	5	6	8	8	11
20-34	278	5.1	7	2	3	5	6	7	8	12
35-49	11	4.9	1	3	3	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.0	3	1	2	4	5	6	7	8
B. *Operated*	346	4.3	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	36	4.4	3	2	3	4	5	6	8	10
B. *Operated*	320	5.2	7	2	3	5	6	7	8	11
1. SINGLE DX	403	4.3	3	1	2	4	5	6	7	9
2. MULTIPLE DX	356	5.1	6	2	3	5	6	7	8	11
A. NOT OPERATED	93	4.2	3	1	2	4	5	6	7	10
B. OPERATED	666	4.7	5	2	3	5	6	7	7	11
TOTAL 0-19 YRS	72	4.9	4	2	2	5	6	8	9	11
20-34	660	4.6	5	2	3	4	5	7	7	10
35-49	27	4.5	3	2	2	5	5	6	7	10
50-64										
65+										
GRAND TOTAL	**759**	**4.7**	**4**	**2**	**3**	**4**	**6**	**7**	**7**	**10**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.0	3	3	3	5	6	7	8	10
20-34	256	4.5	2	3	3	4	5	6	7	9
35-49	13	4.4	9	1	1	5	6	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.7	1	4	4	6	7	7	7	7
20-34	99	5.0	3	2	3	5	6	7	8	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.8	7	3	4	5	7	9	12	15
20-34	123	5.0	3	3	3	5	6	7	8	10
35-49	5	5.4	2	4	4	6	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	21	6.8	20	4	4	5	6	14	18	22
20-34	172	5.3	5	3	3	5	6	8	9	16
35-49	11	6.5	4	3	4	7	8	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.6	3	2	3	4	5	6	7	11
B. *Operated*	112	5.1	3	2	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	155	5.2	3	3	3	5	6	7	9	11
B. *Operated*	204	5.5	6	3	3	5	6	8	10	18
1. SINGLE DX	413	4.7	3	2	3	5	5	6	7	12
2. MULTIPLE DX	359	5.4	5	3	3	5	6	8	9	15
A. NOT OPERATED	456	4.8	3	3	3	5	5	7	8	11
B. OPERATED	316	5.4	5	3	3	5	6	7	9	16
TOTAL 0-19 YRS	92	5.7	8	3	4	5	6	8	11	19
20-34	650	4.9	3	3	3	5	6	7	8	12
35-49	30	5.2	7	1	2	5	7	8	10	12
50-64										
65+										
GRAND TOTAL	**772**	**5.0**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	45	5.9	5	3	4	5	6	9	10	14
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	32	9.0	80	3	4	6	8	20	27	46
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.3	98	4	4	6	16	25	25	25
20-34	61	8.1	42	2	3	6	8	14	23	39
35-49	7	8.0	36	2	2	6	14	17	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	24	12.6	137	3	3	8	12	38	38	38
20-34	340	10.9	112	4	4	8	11	22	33	54
35-49	25	10.0	51	4	4	8	11	19	26	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.9	4	3	4	5	7	9	10	14
B. *Operated*	36	8.8	72	3	4	6	9	19	26	46
2. MULTIPLE DX										
A. *Not Operated*	72	8.2	43	2	3	6	8	16	24	37
B. *Operated*	389	11.0	110	4	4	8	11	23	34	52
1. SINGLE DX	84	7.1	35	3	4	5	7	11	18	40
2. MULTIPLE DX	461	10.5	100	3	4	8	10	22	33	50
A. NOT OPERATED	120	7.3	29	3	4	6	8	13	17	32
B. OPERATED	425	10.8	107	4	4	8	10	22	34	51
TOTAL 0-19 YRS	34	11.2	111	3	4	7	10	32	38	38
20-34	478	9.9	94	4	4	7	9	20	29	50
35-49	33	9.5	46	3	4	8	11	17	22	37
50-64										
65+										
GRAND TOTAL	**545**	**10.0**	**92**	**3**	**4**	**7**	**10**	**20**	**30**	**50**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.9	3	3	3	5	5	7	8	9
20-34	146	4.7	4	3	3	4	5	6	7	13
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	76	6.2	3	4	4	6	7	8	10	12
20-34	589	6.3	6	4	4	6	7	8	10	14
35-49	20	5.9	8	4	4	5	6	8	12	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.7	21	3	4	7	8	15	19	19
20-34	72	5.9	19	3	3	5	6	8	14	27
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	116	7.3	10	4	4	7	8	12	13	19
20-34	1089	7.0	20	3	4	6	8	10	12	23
35-49	59	6.9	6	3	4	7	8	10	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.7	4	3	3	4	5	6	7	13
B. *Operated*	685	6.3	6	4	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	87	6.0	19	3	3	5	6	9	15	27
B. *Operated*	1264	7.0	18	3	4	6	8	10	12	23
1. SINGLE DX	849	6.0	6	3	4	6	7	8	10	13
2. MULTIPLE DX	1351	7.0	19	3	4	6	8	10	13	23
A. NOT OPERATED	251	5.2	10	3	3	5	6	7	9	23
B. OPERATED	1949	6.8	14	3	4	6	8	9	11	21
TOTAL 0-19 YRS	221	6.7	8	3	4	6	8	10	12	18
20-34	1896	6.6	15	3	4	6	7	9	11	22
35-49	83	6.5	7	3	4	6	7	9	12	16
50-64										
65+										
GRAND TOTAL	**2200**	**6.6**	**14**	**3**	**4**	**6**	**7**	**9**	**11**	**21**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.4	1	3	3	4	5	5	6	9
20-34	263	4.5	2	3	3	4	5	6	7	9
35-49	11	5.6	2	4	4	5	6	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	129	5.4	3	3	4	5	6	7	8	11
20-34	818	5.5	4	3	4	5	6	8	9	12
35-49	31	5.6	7	3	3	5	7	9	12	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.0	1	3	4	5	6	6	7	9
20-34	206	4.9	3	3	3	5	5	6	7	12
35-49	11	4.5	3	2	3	4	5	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	270	6.4	10	3	4	6	7	10	12	18
20-34	2228	6.4	14	4	4	6	7	9	11	19
35-49	133	7.5	21	4	4	6	8	11	17	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	4.5	2	3	3	4	5	6	7	9
B. *Operated*	978	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	250	4.9	3	3	3	5	5	6	7	11
B. *Operated*	2631	6.5	14	4	4	6	7	9	11	21
1. SINGLE DX	1292	5.3	4	3	3	5	6	7	8	12
2. MULTIPLE DX	2881	6.4	13	4	4	6	7	9	11	20
A. NOT OPERATED	564	4.7	2	3	3	5	5	6	7	10
B. OPERATED	3609	6.2	12	3	4	6	7	9	10	18
TOTAL 0-19 YRS	472	5.9	7	3	4	5	7	8	10	16
20-34	3515	6.0	11	3	4	5	7	8	10	16
35-49	186	6.9	17	3	4	6	8	11	13	25
50-64										
65+										
GRAND TOTAL	4173	6.0	11	3	4	5	7	8	10	17

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	23	5.0	3	2	3	5	5	8	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	133	7.7	9	5	5	7	8	11	13	23
20-34	730	7.0	3	5	5	7	8	9	10	13
35-49	14	8.1	9	6	6	7	8	10	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	1	4	4	5	5	6	6	6
20-34	13	5.2	4	3	4	5	5	7	10	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	292	8.4	13	5	5	7	9	13	16	20
20-34	1669	7.7	9	5	5	7	8	10	13	20
35-49	81	8.4	32	5	6	7	8	11	16	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.8	4	2	3	5	5	8	8	9
B. *Operated*	877	7.1	4	5	5	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	19	5.3	3	3	4	5	6	7	9	11
B. *Operated*	2042	7.8	11	5	5	7	8	11	13	20
1. SINGLE DX	903	7.1	4	4	5	7	8	9	10	14
2. MULTIPLE DX	2061	7.8	11	5	5	7	8	11	13	20
A. NOT OPERATED	45	5.0	3	2	3	5	6	8	8	11
B. OPERATED	2919	7.6	9	5	5	7	8	10	13	19
TOTAL 0-19 YRS	433	8.1	12	5	5	7	9	12	15	21
20-34	2435	7.4	7	5	5	7	8	10	12	18
35-49	96	8.4	28	5	6	7	8	11	17	39
50-64										
65+										
GRAND TOTAL	2964	7.6	9	5	5	7	8	10	13	19

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	5.1	3	2	3	5	6	7	9	11
20-34	313	4.8	2	3	3	5	6	6	7	9
35-49	5	4.4		4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	147	5.8	4	3	4	6	7	8	9	11
20-34	948	5.3	4	3	4	5	6	8	8	11
35-49	24	4.8	3	2	3	5	6	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.5	3	3	4	5	7	8	8	8
20-34	281	5.4	12	3	4	5	6	7	8	11
35-49	8	4.9	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	255	6.6	15	4	4	6	7	9	12	19
20-34	2095	6.3	9	4	4	6	7	9	10	16
35-49	82	7.3	19	4	4	6	8	11	13	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	4.9	2	3	3	5	6	6	7	9
B. *Operated*	1119	5.4	4	3	4	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	335	5.4	11	3	4	5	6	7	8	11
B. *Operated*	2432	6.3	10	4	4	6	7	9	10	17
1. SINGLE DX	1493	5.3	4	3	4	5	6	7	8	11
2. MULTIPLE DX	2767	6.2	10	4	4	6	7	9	10	17
A. NOT OPERATED	709	5.1	6	3	3	5	6	7	8	10
B. OPERATED	3551	6.0	8	4	4	6	7	8	10	16
TOTAL 0-19 YRS	504	6.1	10	3	4	6	7	9	10	17
20-34	3637	5.8	8	3	4	5	7	8	9	14
35-49	119	6.5	15	3	4	6	7	10	13	22
50-64										
65+										
GRAND TOTAL	4260	5.9	8	3	4	5	7	8	9	15

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.4	2	3	4	5	6	7	9	10
20-34	99	5.1	32	2	3	4	5	6	8	34
35-49	6	5.3	14	2	2	4	7	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	21	6.4	6	3	3	6	7	9	11	14
20-34	144	6.1	7	3	4	6	7	9	11	15
35-49	9	6.3	2	4	4	6	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	3	2	2	5	6	7	8	9
20-34	92	4.9	2	3	4	5	5	7	8	9
35-49	4	7.0	16	5	5	5	9	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	50	6.9	8	3	4	6	8	11	13	15
20-34	393	6.9	14	3	4	6	8	10	13	24
35-49	35	8.0	57	3	4	6	9	11	13	49
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	5.1	26	2	3	5	5	7	8	23
B. *Operated*	174	6.2	6	3	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	112	5.0	3	3	3	5	5	7	8	11
B. *Operated*	478	7.0	17	3	4	6	8	10	13	24
1. SINGLE DX	301	5.7	15	3	3	5	7	8	10	14
2. MULTIPLE DX	590	6.6	14	3	4	6	8	9	12	23
A. NOT OPERATED	239	5.1	15	3	3	5	5	7	8	12
B. OPERATED	652	6.8	14	3	4	6	8	10	12	23
TOTAL 0-19 YRS	109	6.2	6	3	4	6	7	9	12	15
20-34	728	6.3	14	3	4	5	7	9	11	22
35-49	54	7.4	40	3	4	6	8	11	13	48
50-64										
65+										
GRAND TOTAL	891	6.3	15	3	4	6	7	9	11	22

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	4.6	3	1	2	4	6	7	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	84	7.0	3	4	5	7	8	9	10	13
20-34	2075	7.0	3	5	5	7	8	8	9	13
35-49	91	7.4	3	5	6	7	8	9	11	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	11	4.5	3	2	2	4	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	56	8.5	21	4	5	7	9	13	20	29
20-34	2660	7.6	13	5	5	7	8	9	11	20
35-49	258	7.9	7	5	6	7	8	10	12	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.6	3	1	2	4	6	7	8	8
B. *Operated*	2250	7.0	3	5	5	7	8	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	13	5.0	7	2	3	4	5	9	11	12
B. *Operated*	2974	7.7	12	5	5	7	8	10	12	21
1. SINGLE DX	2270	7.0	3	5	5	7	8	8	9	13
2. MULTIPLE DX	2987	7.7	12	5	5	7	8	10	12	21
A. NOT OPERATED	33	4.7	4	2	3	4	5	7	8	12
B. OPERATED	5224	7.4	9	5	5	7	8	9	10	17
TOTAL 0-19 YRS	141	7.6	11	4	5	7	8	11	13	24
20-34	4766	7.4	9	5	5	7	8	9	10	17
35-49	350	7.7	6	5	6	7	8	10	11	17
50-64										
65+										
GRAND TOTAL	**5257**	**7.4**	**9**	**5**	**5**	**7**	**8**	**9**	**10**	**17**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	3	3	3	4	6	7	8	9
20-34	605	4.7	4	3	3	4	5	7	8	16
35-49	18	4.4	1	4	4	4	5	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	73	5.3	6	3	3	5	6	7	8	18
20-34	538	5.4	5	3	4	5	6	8	9	13
35-49	22	5.5	5	3	3	5	6	8	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.1	2	3	3	5	6	7	8	9
20-34	344	5.4	10	3	3	5	6	8	10	16
35-49	16	5.4	7	2	3	5	6	9	12	13
50-64										
65+										
B. *Operated*										
0-19 YRS	142	6.7	17	3	4	6	8	10	13	27
20-34	1427	6.4	21	3	4	5	7	9	12	23
35-49	100	6.8	14	3	4	6	7	9	12	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	4.7	4	3	3	4	5	7	8	15
B. *Operated*	633	5.4	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	396	5.3	9	3	3	5	6	8	10	15
B. *Operated*	1669	6.4	20	3	4	6	7	9	12	25
1. SINGLE DX	1314	5.0	5	3	3	5	6	7	8	14
2. MULTIPLE DX	2065	6.2	18	3	4	5	7	9	11	24
A. NOT OPERATED	1077	4.9	6	3	3	4	5	7	8	15
B. OPERATED	2302	6.1	16	3	4	5	7	9	11	22
TOTAL 0-19 YRS	309	5.8	10	3	3	5	6	9	10	21
20-34	2914	5.7	14	3	3	5	6	8	10	19
35-49	156	6.2	11	3	4	6	7	8	11	25
50-64										
65+										
GRAND TOTAL	**3379**	**5.8**	**13**	**3**	**3**	**5**	**6**	**8**	**10**	**20**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.6	1	3	3	4	5	6	7	8
20-34	1477	4.4	2	3	3	4	5	6	6	9
35-49	49	4.5	3	2	3	4	5	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	58	5.0	4	2	3	5	5	7	8	15
20-34	469	4.9	2	3	4	5	5	6	7	9
35-49	13	5.6	8	3	3	4	7	10	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.1	4	2	3	5	6	7	8	14
20-34	536	4.8	4	3	3	4	5	7	8	11
35-49	28	5.3	10	2	3	5	6	7	14	17
50-64										
65+										
B. *Operated*										
0-19 YRS	71	5.6	7	3	3	5	6	8	12	16
20-34	806	5.4	8	3	4	5	6	7	8	14
35-49	55	6.5	15	3	4	5	7	9	14	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1701	4.4	2	3	3	4	5	6	6	9
B. *Operated*	540	4.9	3	3	4	5	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	632	4.9	4	3	3	5	5	7	8	14
B. *Operated*	932	5.5	8	3	4	5	6	7	9	15
1. SINGLE DX	2241	4.5	2	3	3	4	5	6	7	9
2. MULTIPLE DX	1564	5.2	6	3	3	5	6	7	8	15
A. NOT OPERATED	2333	4.5	2	3	3	4	5	6	7	9
B. OPERATED	1472	5.3	6	3	4	5	6	7	8	13
TOTAL 0-19 YRS	372	4.9	3	3	3	5	6	7	8	13
20-34	3288	4.8	4	3	3	5	5	6	7	11
35-49	145	5.5	10	2	3	5	6	8	10	18
50-64										
65+										
GRAND TOTAL	**3805**	**4.8**	**4**	**3**	**3**	**5**	**5**	**6**	**7**	**12**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.2	2	2	3	4	5	6	7	7
20-34	510	4.2	2	2	3	4	5	6	7	9
35-49	12	4.3	2	1	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	369	4.5	2	3	3	4	5	6	7	10
20-34	4753	4.3	3	3	3	4	5	6	6	9
35-49	218	4.5	3	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.2	10	3	3	5	5	6	13	19
20-34	165	4.4	2	2	3	4	5	6	7	9
35-49	6	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	191	4.9	4	3	3	5	6	7	8	11
20-34	2881	5.1	10	3	3	5	6	7	8	15
35-49	220	5.5	8	3	3	5	6	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	4.2	2	2	3	4	5	6	7	8
B. *Operated*	5340	4.3	3	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	197	4.4	3	2	3	4	5	6	7	11
B. *Operated*	3292	5.1	9	3	3	5	6	7	8	16
1. SINGLE DX	5918	4.3	3	3	3	4	5	6	7	9
2. MULTIPLE DX	3489	5.1	9	3	3	5	6	7	8	16
A. NOT OPERATED	775	4.2	2	2	3	4	5	6	7	9
B. OPERATED	8632	4.6	5	3	3	4	5	6	7	12
TOTAL 0-19 YRS	642	4.6	3	3	3	4	5	6	7	11
20-34	8309	4.6	5	3	3	4	5	6	7	11
35-49	456	5.0	5	3	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**9407**	**4.6**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.8	2	3	4	4	5	6	8	10
20-34	100	4.6	1	3	4	4	5	6	7	7
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	98	5.3	12	3	3	5	6	7	9	24
20-34	798	4.7	2	3	3	4	5	6	7	10
35-49	24	5.0	2	3	3	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	5	2	2	5	6	7	7	7
20-34	25	5.4	5	3	4	5	6	9	10	11
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	95	5.3	6	3	3	5	6	8	10	18
20-34	602	5.4	5	3	4	5	6	7	9	15
35-49	17	5.9	2	4	4	6	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	4.6	1	3	4	4	5	6	7	9
B. *Operated*	920	4.7	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	32	5.2	4	2	3	5	6	8	10	11
B. *Operated*	714	5.4	5	3	4	5	6	7	9	15
1. SINGLE DX	1043	4.7	3	3	3	4	5	6	7	10
2. MULTIPLE DX	746	5.4	5	3	4	5	6	7	9	15
A. NOT OPERATED	155	4.7	2	3	4	5	5	7	7	10
B. OPERATED	1634	5.0	4	3	3	5	6	7	8	13
TOTAL 0-19 YRS	217	5.2	8	3	3	5	6	7	9	17
20-34	1525	5.0	3	3	3	5	6	7	8	12
35-49	47	5.3	3	3	3	5	7	8	8	8
50-64										
65+										
GRAND TOTAL	1789	5.0	4	3	3	5	6	7	8	13

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	2	2	2	3	5	6	6	6
20-34	53	4.6	4	1	2	5	5	6	7	13
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	35	4.1	2	2	3	4	5	6	7	9
20-34	181	4.4	2	3	3	4	5	6	7	9
35-49	7	5.0	3	3	3	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	6.9	58	<1	1	5	6	14	28	33
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.1	3	3	3	5	6	8	8	8
20-34	179	5.8	12	3	3	5	6	9	11	25
35-49	6	4.7	2	3	3	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.4	3	1	3	4	5	6	7	12
B. *Operated*	223	4.4	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	16	6.9	58	<1	1	5	6	14	28	33
B. *Operated*	206	5.7	11	3	3	5	6	8	10	23
1. SINGLE DX	289	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX	222	5.7	14	3	3	5	6	8	11	28
A. NOT OPERATED	82	4.9	14	1	2	5	5	6	8	27
B. OPERATED	429	5.0	6	3	3	5	6	7	9	14
TOTAL 0-19 YRS	67	4.4	3	2	3	4	5	7	8	9
20-34	429	5.1	9	3	3	5	6	7	9	17
35-49	15	4.6	3	3	3	5	6	6	8	8
50-64										
65+										
GRAND TOTAL	511	5.0	8	3	3	5	6	7	8	15

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	441	5.0	8	2	3	4	6	8	10	15
20-34	2690	4.8	9	2	3	4	5	7	8	16
35-49	109	5.5	27	2	3	4	6	9	11	30
50-64										
65+										
B. *Operated*										
0-19 YRS	662	5.9	27	3	3	5	6	9	11	21
20-34	3863	5.5	9	3	3	5	6	8	10	19
35-49	169	5.7	13	3	3	5	7	9	10	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	5.2	13	2	2	5	6	7	10	24
20-34	1827	5.0	9	2	3	5	6	7	9	16
35-49	71	6.1	43	2	3	5	6	9	12	45
50-64										
65+										
B. *Operated*										
0-19 YRS	976	6.8	25	3	3	6	8	11	16	24
20-34	7420	6.9	29	3	4	5	7	11	15	31
35-49	539	8.3	57	3	4	6	9	14	18	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3240	4.8	9	2	3	4	5	7	8	16
B. *Operated*	4694	5.6	12	3	3	5	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	2185	5.1	11	2	3	5	6	7	9	19
B. *Operated*	8935	7.0	31	3	4	5	7	12	16	31
1. SINGLE DX	7934	5.3	11	3	3	5	6	8	10	18
2. MULTIPLE DX	11120	6.6	27	3	3	5	7	11	15	29
A. NOT OPERATED	5425	4.9	10	2	3	4	5	7	9	17
B. OPERATED	13629	6.5	25	3	4	5	7	10	14	28
TOTAL 0-19 YRS	2366	6.0	21	3	3	5	7	10	13	22
20-34	15800	6.0	19	3	3	5	6	9	12	25
35-49	888	7.3	46	3	3	6	8	13	16	38
50-64										
65+										
GRAND TOTAL	19054	6.1	21	3	3	5	7	9	13	25

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	8	2	2	5	6	10	11	12
20-34	97	4.5	13	1	2	4	5	8	11	22
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	15	3.6	6	1	1	3	5	7	8	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	20	4	4	6	10	14	14	14
20-34	29	4.6	7	1	2	4	6	7	11	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	21	6.2	84	<1	1	4	7	20	25	26
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.7	12	1	2	4	6	8	11	21
B. *Operated*	18	3.7	6	1	1	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	34	4.8	9	1	2	4	6	8	12	14
B. *Operated*	25	5.6	47	<1	1	3	6	16	25	26
1. SINGLE DX	132	4.5	12	1	2	4	6	8	11	21
2. MULTIPLE DX	59	5.2	25	1	1	4	6	10	15	26
A. NOT OPERATED	148	4.7	12	1	2	4	6	8	11	20
B. OPERATED	43	4.8	30	1	1	3	6	9	19	26
TOTAL 0-19 YRS	25	5.1	10	2	2	5	6	10	12	14
20-34	162	4.7	17	1	1	4	5	8	11	25
35-49	4	4.3	8	1	1	4	6	7	7	7
50-64										
65+										
GRAND TOTAL	191	4.7	16	1	1	4	6	8	12	24

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	2	<1	<1	2	3	4	5	6
20-34	117	2.1	2	<1	1	2	2	4	5	8
35-49	8	2.0	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.0	1	1	1	2	2	4	5	6
20-34	409	1.9	2	<1	1	1	2	3	4	7
35-49	10	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	39	3.2	20	<1	1	2	3	5	6	29
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	3.1	4	<1	1	3	5	6	7	8
20-34	164	2.7	5	<1	1	2	3	5	6	14
35-49	12	3.4	12	<1	<1	2	4	10	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.1	2	<1	1	2	2	4	5	6
B. *Operated*	471	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	43	3.2	18	<1	1	2	3	5	6	29
B. *Operated*	197	2.8	6	<1	1	2	3	5	7	13
1. SINGLE DX	620	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	240	2.8	8	<1	1	2	3	5	7	14
A. NOT OPERATED	192	2.3	6	<1	1	2	3	4	5	10
B. OPERATED	668	2.1	3	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	101	2.3	2	<1	1	2	3	5	5	7
20-34	729	2.2	4	<1	1	2	3	4	5	9
35-49	30	2.3	6	<1	1	2	2	4	10	11
50-64										
65+										
GRAND TOTAL	**860**	**2.2**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	4	1	1	3	4	6	8	8
20-34	74	4.5	8	1	1	4	6	10	11	13
35-49	7	4.4	19	1	1	3	4	12	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	16	5.5	27	1	1	4	6	13	19	21
20-34	86	4.2	12	1	1	4	5	8	10	20
35-49	5	3.6	4	2	2	3	4	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.8	43	1	1	3	6	17	22	22
20-34	54	5.6	27	1	2	5	7	11	12	35
35-49	3	7.0	25	2	2	7	11	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.5	4	2	2	5	6	6	6	6
20-34	49	5.8	17	2	2	5	7	10	11	27
35-49	4	10.5	98	1	1	8	17	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.4	8	1	1	4	5	9	11	14
B. *Operated*	107	4.4	14	1	1	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	67	5.7	29	1	2	4	7	12	13	34
B. *Operated*	57	6.0	22	1	2	5	7	10	12	27
1. SINGLE DX	201	4.4	11	1	1	4	5	8	11	18
2. MULTIPLE DX	124	5.9	25	1	2	5	7	11	13	29
A. NOT OPERATED	161	4.9	17	1	1	4	6	10	12	21
B. OPERATED	164	4.9	17	1	1	4	6	9	12	24
TOTAL 0-19 YRS	43	4.8	21	1	1	4	6	9	16	22
20-34	263	4.9	15	1	1	4	6	9	11	22
35-49	19	5.9	33	1	1	3	7	13	19	24
50-64										
65+										
GRAND TOTAL	**325**	**4.9**	**17**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	4.6	10	1	2	4	6	8	10	17
20-34	245	4.3	8	1	2	3	5	8	10	13
35-49	165	5.3	13	2	2	4	7	9	12	22
50-64	156	7.2	25	2	3	6	9	13	16	29
65+	104	10.0	68	3	3	8	13	18	24	48
B. *Operated*										
0-19 YRS	183	5.5	21	1	1	3	7	11	13	25
20-34	115	4.7	14	1	1	4	7	10	12	16
35-49	61	5.4	19	<1	1	4	8	11	15	19
50-64	40	8.0	22	2	3	7	10	14	18	24
65+	33	12.0	66	2	4	10	15	24	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	5.6	14	2	2	5	7	9	12	26
20-34	179	5.7	26	2	2	4	7	10	12	37
35-49	161	7.5	33	2	3	6	9	14	21	30
50-64	233	9.8	65	3	3	7	13	20	25	46
65+	266	14.3	156	3	4	11	17	29	38	75
B. *Operated*										
0-19 YRS	110	8.9	84	2	2	6	10	18	34	46
20-34	102	8.0	91	1	2	5	8	19	27	81
35-49	72	11.3	186	1	2	7	13	28	35	79
50-64	86	15.2	223	3	3	10	21	33	53	94
65+	86	19.9	258	4	5	17	31	51	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	5.6	22	1	2	4	7	11	13	25
B. *Operated*	432	6.0	26	1	1	5	8	12	14	26
2. MULTIPLE DX										
A. *Not Operated*	1051	9.0	78	2	3	6	11	19	26	65
B. *Operated*	456	12.3	179	2	2	7	17	33	49	99+
1. SINGLE DX	1414	5.7	23	1	2	4	7	11	14	25
2. MULTIPLE DX	1507	10.0	111	2	3	7	12	22	32	78
A. NOT OPERATED	2033	7.4	54	2	2	5	9	15	21	39
B. OPERATED	888	9.3	114	1	2	6	11	21	35	91
TOTAL 0-19 YRS	817	5.6	25	1	2	5	7	10	13	33
20-34	641	5.3	29	1	2	4	6	10	13	31
35-49	459	7.0	52	2	2	5	8	13	19	34
50-64	515	9.8	83	2	3	7	12	20	26	55
65+	489	14.2	158	3	4	11	18	31	46	99+
GRAND TOTAL	2921	7.9	73	2	2	5	9	16	24	53

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	6.2	23	1	2	5	8	10	13	25
20-34	77	4.3	7	1	1	4	5	7	9	16
35-49	35	5.2	30	1	2	4	6	9	15	31
50-64	27	5.6	14	2	2	4	7	10	18	18
65+	42	10.0	213	2	2	6	11	20	48	99+
B. *Operated*										
0-19 YRS	78	4.1	16	<1	<1	2	6	8	12	22
20-34	45	3.6	8	<1	<1	3	5	7	10	13
35-49	35	4.7	25	1	1	3	5	10	15	27
50-64	24	4.9	21	<1	<1	3	8	12	15	16
65+	16	9.4	137	1	1	5	11	21	39	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	290	7.7	39	2	2	6	10	14	18	29
20-34	54	5.4	16	2	2	5	7	9	10	26
35-49	66	7.8	91	2	2	5	8	15	22	61
50-64	60	8.7	87	2	2	6	11	18	23	96
65+	97	13.7	182	3	4	9	16	30	34	76
B. *Operated*										
0-19 YRS	64	5.1	28	<1	1	5	8	15	17	22
20-34	28	9.5	87	2	2	6	12	23	34	38
35-49	20	10.3	140	1	2	5	12	23	38	42
50-64	34	11.6	200	1	2	7	13	21	46	72
65+	51	13.3	134	2	3	11	16	34	41	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	6.1	40	1	2	5	7	11	14	31
B. *Operated*	198	4.6	27	<1	<1	3	6	10	14	29
2. MULTIPLE DX										
A. *Not Operated*	567	8.6	78	2	2	6	10	16	24	50
B. *Operated*	197	9.8	111	1	2	6	12	21	34	50
1. SINGLE DX	632	5.6	37	1	1	4	7	10	14	28
2. MULTIPLE DX	764	8.9	86	2	2	6	11	18	27	50
A. NOT OPERATED	1001	7.5	63	2	2	6	9	14	20	43
B. OPERATED	395	7.2	76	<1	1	5	9	16	23	44
TOTAL 0-19 YRS	685	6.6	31	1	2	5	8	13	16	29
20-34	204	5.1	24	<1	1	4	6	10	12	30
35-49	156	6.9	71	1	2	4	7	13	23	43
50-64	145	8.2	93	1	2	6	9	17	21	73
65+	206	12.5	174	2	3	8	15	29	37	97
GRAND TOTAL	1396	7.4	67	1	2	5	9	15	21	43

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	4	<1	<1	1	3	6	6	6
20-34	24	4.1	11	<1	<1	3	6	7	10	16
35-49	4	6.8	40	2	2	4	10	16	16	16
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	523	4.8	9	1	2	4	6	8	10	16
20-34	955	4.7	15	1	2	4	6	8	10	16
35-49	110	5.0	18	1	2	4	6	8	10	28
50-64	18	6.1	10	1	2	6	8	11	12	12
65+	6	3.8	3	2	2	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	7	<1	<1	3	5	8	9	9
20-34	18	6.3	80	1	1	2	6	24	29	30
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	62	7.6	30	1	2	6	10	15	19	25
20-34	121	5.9	29	1	2	4	6	12	16	30
35-49	34	4.6	8	1	2	4	6	10	10	12
50-64	6	11.7	72	5	5	8	18	25	26	26
65+	3	40.3	2241	13	13	54	97	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.2	13	<1	<1	3	6	7	14	16
B. *Operated*	1612	4.7	13	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	30	5.0	52	<1	<1	2	6	12	28	30
B. *Operated*	226	6.7	63	1	2	5	8	13	18	49
1. SINGLE DX	1647	4.7	13	1	2	4	6	8	10	16
2. MULTIPLE DX	256	6.5	62	1	2	5	7	13	19	35
A. NOT OPERATED	65	4.6	31	<1	<1	3	6	6	16	30
B. OPERATED	1838	5.0	20	1	2	4	6	9	11	19
TOTAL 0-19 YRS	600	5.1	12	1	2	4	6	9	12	19
20-34	1118	4.8	18	1	2	4	6	9	11	18
35-49	151	4.9	16	1	2	4	6	9	10	28
50-64	25	7.4	28	2	3	6	8	12	20	26
65+	9	16.0	896	2	2	6	13	97	99+	99+
GRAND TOTAL	1903	5.0	20	1	2	4	6	9	11	19

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	77	1.5	1	<1	<1	1	2	2	3	6
20-34	77	1.9	4	<1	<1	1	2	3	6	12
35-49	57	1.7	1	<1	<1	1	2	3	4	6
50-64	36	2.9	12	<1	<1	2	3	5	10	19
65+	19	3.9	10	<1	<1	3	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	10	4.5	7	1	1	5	6	8	9	9
20-34	27	4.7	117	<1	<1	2	4	7	15	58
35-49	20	3.4	24	<1	<1	2	4	5	14	23
50-64	26	3.2	7	<1	<1	3	4	6	9	13
65+	15	6.9	32	<1	<1	6	9	15	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	266	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	98	4.4	45	<1	<1	3	5	8	12	41
1. SINGLE DX	270	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	100	4.3	44	<1	<1	3	5	8	12	40
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	364	2.7	16	<1	<1	2	3	5	8	18
TOTAL 0-19 YRS	88	1.9	2	<1	<1	1	2	4	5	9
20-34	105	2.6	33	<1	<1	1	2	4	7	33
35-49	79	2.1	7	<1	<1	1	2	4	5	18
50-64	64	3.0	10	<1	<1	2	3	6	9	18
65+	34	5.2	21	<1	<1	4	8	11	14	21
GRAND TOTAL	370	2.6	16	<1	<1	2	3	5	8	18

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	5.6	28	1	1	4	7	12	16	24
20-34	212	6.9	54	1	1	4	9	15	23	37
35-49	135	8.5	56	1	1	7	13	18	21	32
50-64	133	11.1	108	1	3	8	14	24	30	59
65+	188	13.1	140	2	3	9	16	30	39	93
B. *Operated*										
0-19 YRS	395	3.6	28	<1	<1	2	3	8	13	34
20-34	392	4.0	36	<1	<1	2	4	8	11	32
35-49	224	5.3	43	<1	<1	3	6	13	18	49
50-64	261	6.3	73	<1	<1	4	6	14	30	43
65+	180	10.4	206	<1	1	4	12	29	46	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	7.6	54	1	2	5	9	16	21	36
20-34	183	8.7	80	1	2	6	12	19	22	65
35-49	174	11.4	104	2	2	9	15	25	35	89
50-64	272	13.8	142	2	3	11	19	28	38	81
65+	503	17.7	234	3	4	13	24	39	57	99+
B. *Operated*										
0-19 YRS	118	8.3	171	<1	1	3	10	18	33	70
20-34	210	13.5	255	<1	2	6	20	40	47	96
35-49	202	14.0	242	1	2	7	21	43	64	99+
50-64	276	13.3	269	1	2	7	19	40	70	99+
65+	331	19.4	370	2	2	14	28	53	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1319	7.7	66	1	1	5	10	17	24	40
B. *Operated*	1452	5.3	67	<1	<1	3	5	11	22	49
2. MULTIPLE DX										
A. *Not Operated*	1596	12.4	152	2	2	8	16	28	38	81
B. *Operated*	1137	14.7	291	1	2	8	22	45	62	99+
1. SINGLE DX	2771	6.5	68	<1	1	4	8	15	23	44
2. MULTIPLE DX	2733	13.3	211	1	2	8	18	34	50	99+
A. NOT OPERATED	2915	10.3	118	1	2	7	13	23	33	66
B. OPERATED	2589	9.4	187	<1	<1	4	10	29	45	99+
TOTAL 0-19 YRS	1622	5.9	48	<1	1	4	7	13	18	36
20-34	997	7.5	106	<1	<1	4	8	18	29	59
35-49	735	9.7	126	<1	1	6	13	25	36	99+
50-64	942	11.2	164	1	1	7	15	30	39	99+
65+	1202	16.3	262	2	2	11	23	40	57	99+
GRAND TOTAL	5504	9.9	151	<1	1	5	13	25	37	83

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	6.8	18	1	1	4	10	12	13	14
20-34	28	7.9	24	2	3	8	10	13	21	22
35-49	22	12.7	125	2	3	9	16	25	37	51
50-64	14	10.8	38	1	3	10	17	19	19	19
65+	6	16.5	218	5	5	11	19	42	45	45
B. *Operated*										
0-19 YRS	3	21.7	220	9	9	18	33	38	38	38
20-34	11	13.4	356	<1	1	10	11	36	66	69
35-49	12	15.3	194	<1	2	10	21	35	48	50
50-64	7	11.0	51	2	3	9	13	23	25	25
65+	5	14.2	135	2	2	14	21	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	10.1	67	1	2	7	14	21	29	32
20-34	42	8.0	51	2	2	7	9	15	16	45
35-49	45	11.6	59	2	3	10	16	22	26	36
50-64	51	12.8	99	2	3	11	19	25	42	99
65+	20	15.3	87	3	4	13	24	32	66	99+
B. *Operated*										
0-19 YRS	7	32.4	801	9	9	23	42	81	90	90
20-34	22	21.3	232	4	7	17	29	42	58	63
35-49	23	27.1	488	1	3	19	37	59	71	91
50-64	25	20.6	155	2	2	21	29	35	40	49
65+	21	22.2	256	4	6	22	30	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	9.7	69	2	2	8	12	19	23	49
B. *Operated*	38	14.3	196	1	2	10	18	31	45	69
2. MULTIPLE DX										
A. *Not Operated*	175	11.4	76	2	3	9	15	24	32	85
B. *Operated*	98	23.5	314	2	5	19	31	53	62	99+
1. SINGLE DX	127	11.1	110	2	2	8	14	22	29	55
2. MULTIPLE DX	273	15.7	195	2	3	12	21	34	49	99+
A. NOT OPERATED	264	10.8	74	2	3	8	14	22	27	50
B. OPERATED	136	20.9	296	2	4	17	28	49	60	99+
TOTAL 0-19 YRS	46	12.5	236	1	2	8	14	28	40	90
20-34	103	11.4	139	2	3	8	13	22	34	66
35-49	102	15.8	218	2	3	11	21	32	49	75
50-64	97	14.4	113	2	3	12	20	31	37	75
65+	52	18.1	177	3	5	15	27	51	89	99+
GRAND TOTAL	400	14.2	172	2	3	10	19	31	46	[illegible]

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	10.0	134	1	1	8	12	19	23	78
20-34	61	12.0	75	2	3	11	17	20	33	39
35-49	99	11.2	76	1	2	9	17	23	26	41
50-64	170	14.0	113	2	3	13	18	27	39	70
65+	128	13.6	92	3	5	11	16	24	31	50
B. *Operated*										
0-19 YRS	5	15.2	120	3	3	13	26	28	28	28
20-34	20	13.4	144	2	2	9	20	31	39	44
35-49	35	9.3	96	1	1	5	17	23	25	44
50-64	70	17.4	2[illegible]8	2	3	13	24	43	50	64
65+	52	13.1	1[illegible]7	1	2	11	17	29	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	15.8	135	4	5	12	22	30	40	55
20-34	43	12.2	69	2	3	12	15	24	31	36
35-49	97	13.2	73	2	3	12	18	24	29	40
50-64	239	14.9	126	3	4	13	18	29	38	66
65+	320	18.8	250	3	4	15	24	44	62	99+
B. *Operated*										
0-19 YRS	10	19.9	251	2	4	15	25	47	49	49
20-34	27	19.2	239	2	2	18	26	36	50	67
35-49	50	18.7	321	<1	2	14	28	46	57	99+
50-64	122	22.2	346	4	4	18	28	52	70	99+
65+	129	25.2	358	2	4	23	37	53	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	12.6	100	2	3	11	17	23	30	50
B. *Operated*	182	14.1	169	1	2	10	20	31	44	57
2. MULTIPLE DX										
A. *Not Operated*	731	16.3	175	3	4	13	21	32	45	95
B. *Operated*	338	22.5	338	2	4	19	32	50	68	99+
1. SINGLE DX	704	13.0	118	2	2	11	17	25	36	51
2. MULTIPLE DX	1069	18.3	235	2	4	15	24	40	53	99+
A. NOT OPERATED	1253	14.8	147	2	3	12	19	29	40	86
B. OPERATED	520	19.6	294	2	2	16	27	45	57	99+
TOTAL 0-19 YRS	111	12.8	152	1	3	10	16	25	36	67
20-34	151	13.5	116	2	3	12	18	28	36	47
35-49	281	13.0	128	1	2	10	19	26	34	55
50-64	601	16.5	188	2	4	14	20	35	45	83
65+	629	18.6	245	2	4	15	24	43	56	99+
GRAND TOTAL	**1773**	**16.2**	**198**	**2**	**3**	**13**	**21**	**35**	**47**	**89**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	3	9.0	91	3	3	4	16	20	20	20
35-49	16	5.6	36	1	1	3	7	12	20	24
50-64	68	8.3	55	2	2	7	11	15	17	47
65+	226	10.8	123	2	2	8	14	22	28	73
B. *Operated*										
0-19 YRS	8	4.8	6	2	2	4	6	8	9	9
20-34	71	4.7	13	1	1	4	7	10	13	16
35-49	130	6.9	36	1	2	5	9	14	17	34
50-64	345	11.5	57	2	3	11	16	20	26	40
65+	394	15.6	81	3	5	15	19	25	30	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	7	10.4	129	2	2	5	18	29	31	31
35-49	41	10.3	68	1	2	8	14	24	26	35
50-64	149	10.5	53	2	2	9	15	21	24	31
65+	764	12.8	162	3	3	9	16	28	44	99+
B. *Operated*										
0-19 YRS	9	6.2	41	1	1	5	8	61	99+	99+
20-34	47	4.8	21	1	2	4	5	8	10	31
35-49	94	8.4	76	1	1	6	12	18	21	49
50-64	351	15.1	159	2	4	13	19	30	39	64
65+	569	19.7	177	5	7	17	25	36	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	9.9	104	1	2	7	12	20	25	67
B. *Operated*	948	12.0	74	2	3	11	17	22	28	42
2. MULTIPLE DX										
A. *Not Operated*	963	12.3	141	2	3	9	16	27	38	99+
B. *Operated*	1070	16.5	172	2	4	14	21	31	42	77
1. SINGLE DX	1264	11.5	82	2	2	10	16	22	27	45
2. MULTIPLE DX	2033	14.5	162	2	3	12	19	29	41	93
A. NOT OPERATED	1279	11.7	133	2	3	9	15	24	34	96
B. OPERATED	2018	14.4	131	2	3	13	18	27	35	64
TOTAL 0-19 YRS	22	5.9	19	1	2	6	8	12	49	99+
20-34	128	5.2	24	1	2	4	6	10	15	31
35-49	281	7.8	55	1	2	5	11	16	22	36
50-64	913	12.5	100	2	3	11	16	23	30	53
65+	1953	15.1	156	3	4	13	19	29	41	92
GRAND TOTAL	**3297**	**13.3**	**133**	**2**	**3**	**11**	**17**	**26**	**35**	**71**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	8.0	43	1	2	6	10	17	20	33
20-34	47	5.6	16	1	1	5	9	11	11	21
35-49	27	7.6	26	2	2	6	12	16	16	16
50-64	60	7.9	37	1	2	7	9	14	23	30
65+	128	9.9	91	2	2	7	13	19	24	59
B. *Operated*										
0-19 YRS	20	11.7	70	3	3	9	17	24	30	32
20-34	52	6.4	26	2	2	4	9	13	17	27
35-49	27	9.0	38	1	2	7	15	17	21	23
50-64	29	8.4	61	1	2	6	11	18	29	31
65+	25	17.0	111	2	2	15	24	30	35	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	10.4	106	2	3	6	14	24	34	45
20-34	43	9.1	45	3	3	7	11	21	26	29
35-49	60	8.3	82	2	2	6	10	18	19	56
50-64	88	10.0	57	2	2	8	13	22	29	74
65+	318	12.9	149	3	4	9	15	28	49	99+
B. *Operated*										
0-19 YRS	17	16.4	94	3	3	17	23	29	31	32
20-34	22	18.0	296	2	3	12	24	52	58	59
35-49	44	12.9	224	2	2	9	16	27	46	83
50-64	34	11.8	123	2	2	5	19	30	43	99+
65+	49	24.4	433	5	6	16	35	54	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	8.3	57	1	2	6	10	17	21	35
B. *Operated*	153	9.7	66	2	2	7	14	21	29	33
2. MULTIPLE DX										
A. *Not Operated*	543	11.5	118	2	3	8	14	24	37	99+
B. *Operated*	166	17.1	282	2	3	12	23	46	55	99
1. SINGLE DX	484	8.8	60	1	2	7	11	18	23	34
2. MULTIPLE DX	709	12.8	162	2	3	9	16	29	46	99+
A. NOT OPERATED	874	10.3	97	2	3	7	13	21	29	71
B. OPERATED	319	13.5	192	2	3	10	18	30	46	91
TOTAL 0-19 YRS	140	10.1	74	1	2	7	14	23	29	37
20-34	164	8.4	78	2	2	6	10	18	24	57
35-49	158	9.6	107	2	2	7	12	18	23	57
50-64	211	9.5	63	1	2	7	12	22	29	66
65+	520	13.5	173	2	3	9	16	29	49	99+
GRAND TOTAL	1193	11.2	124	2	3	8	14	24	33	79

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	15	<1	<1	3	6	8	12	17
20-34	11	2.7	14	<1	<1	2	2	7	13	14
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	5	4.2	4	2	2	5	6	6	6	6
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	476	3.9	4	1	2	4	5	6	7	10
20-34	1142	4.0	4	1	2	4	5	6	7	10
35-49	559	4.1	6	1	2	4	5	6	8	10
50-64	259	4.9	7	2	2	4	6	8	10	15
65+	37	5.8	16	1	2	4	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	13	1	1	2	7	9	9	9
20-34	14	2.3	3	<1	<1	2	3	6	6	6
35-49	8	4.0	11	1	1	2	7	9	9	9
50-64	7	5.6	36	<1	<1	3	7	16	18	18
65+	3	20.3	420	8	8	9	35	44	44	44
B. *Operated*										
0-19 YRS	159	4.6	15	1	2	4	5	7	10	27
20-34	506	4.5	8	1	2	4	5	7	9	14
35-49	279	4.9	13	1	2	4	6	9	12	19
50-64	192	5.7	39	1	2	4	6	10	14	40
65+	61	8.9	61	2	3	6	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.5	12	<1	1	2	5	7	10	17
B. *Operated*	2473	4.1	5	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	42	4.8	52	<1	<1	2	7	9	13	44
B. *Operated*	1197	5.0	19	1	2	4	6	8	12	25
1. SINGLE DX	2517	4.1	5	1	2	4	5	7	8	11
2. MULTIPLE DX	1239	5.0	20	1	2	4	6	9	12	26
A. NOT OPERATED	86	4.2	31	<1	1	2	6	8	10	35
B. OPERATED	3670	4.4	10	1	2	4	5	7	9	15
TOTAL 0-19 YRS	666	4.1	7	1	2	4	5	7	8	13
20-34	1673	4.1	5	1	2	4	5	7	8	11
35-49	851	4.4	9	1	2	4	5	7	9	15
50-64	463	5.3	21	1	2	4	6	9	11	22
65+	103	8.0	57	1	2	6	9	15	22	43
GRAND TOTAL	3756	4.4	10	1	2	4	5	7	9	16

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	176	4.5	14	1	1	3	6	9	13	17
20-34	66	4.2	11	<1	1	4	5	10	11	17
35-49	42	5.8	29	1	1	4	8	11	17	28
50-64	24	5.8	33	1	1	4	7	11	22	23
65+	38	7.4	67	1	1	4	10	15	29	36
B. Operated										
0-19 YRS	508	4.4	10	1	2	4	5	7	8	19
20-34	825	3.9	6	1	2	4	5	6	8	13
35-49	193	4.2	11	1	2	3	5	8	11	18
50-64	91	5.2	32	1	1	4	5	12	18	32
65+	28	7.6	70	1	1	4	10	22	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	5.4	28	1	1	4	7	11	16	30
20-34	52	5.3	21	1	1	4	7	11	16	23
35-49	45	8.8	144	1	1	4	10	18	39	61
50-64	59	9.9	101	1	2	7	11	23	28	52
65+	116	10.9	135	1	2	7	14	22	35	61
B. Operated										
0-19 YRS	164	7.2	45	2	2	5	8	15	21	36
20-34	243	5.8	49	1	2	4	6	10	14	47
35-49	116	7.8	91	1	2	5	8	18	33	49
50-64	79	7.7	59	1	2	5	10	17	23	42
65+	46	15.2	239	2	2	10	23	42	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	346	5.0	23	1	1	4	6	10	14	23
B. Operated	1645	4.3	11	1	2	4	5	7	9	19
2. MULTIPLE DX										
A. Not Operated	368	8.3	92	1	1	5	10	17	25	48
B. Operated	648	7.4	75	1	2	5	8	15	25	54
1. SINGLE DX	1991	4.4	13	1	2	4	5	7	10	21
2. MULTIPLE DX	1016	7.7	81	1	2	5	9	16	25	50
A. NOT OPERATED	714	6.7	61	<1	1	4	8	14	19	41
B. OPERATED	2293	5.1	31	1	2	4	5	9	13	33
TOTAL 0-19 YRS	944	5.0	20	1	2	4	6	9	12	27
20-34	1186	4.4	16	1	2	4	5	7	10	19
35-49	396	6.0	54	1	1	4	7	12	18	46
50-64	253	7.2	59	1	1	5	9	15	23	45
65+	228	10.8	142	1	2	7	14	27	36	90
GRAND TOTAL	**3007**	**5.5**	**38**	**1**	**2**	**4**	**6**	**10**	**15**	**36**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	9.8	20	3	3	12	12	12	12	12
20-34	10	8.5	21	4	4	7	11	15	19	19
35-49	9	16.2	216	2	3	14	18	41	50	50
50-64	2	14.5	221	4	4	14	25	25	25	25
65+	3	14.7	76	5	5	17	21	22	22	22
B. Operated										
0-19 YRS										
20-34	2	28.5	1013	6	6	28	51	51	51	51
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	2	24.0	512	8	8	24	40	40	40	40
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	16.7	144	5	5	16	25	29	29	29
20-34	9	12.9	124	2	2	9	16	32	37	37
35-49	13	10.2	21	5	6	8	14	17	18	18
50-64	11	9.0	30	4	4	7	11	17	22	22
65+	14	10.4	54	2	2	8	16	21	26	27
B. Operated										
0-19 YRS										
20-34	6	10.0	55	1	1	10	15	19	20	20
35-49	6	20.2	94	13	13	15	30	34	35	35
50-64	4	13.8	70	2	2	18	41	99+	99+	99+
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	12.3	100	3	4	11	15	24	30	50
B. Operated	6	20.3	395	6	6	9	40	50	51	51
2. MULTIPLE DX										
A. Not Operated	50	10.8	55	2	3	9	14	21	27	37
B. Operated	17	14.5	81	1	3	14	20	33	74	99+
1. SINGLE DX	34	13.7	151	3	4	11	15	29	48	51
2. MULTIPLE DX	67	11.8	63	2	3	10	16	23	30	89
A. NOT OPERATED	78	11.3	71	2	4	9	14	22	28	46
B. OPERATED	23	16.0	155	2	4	14	20	41	66	99+
TOTAL 0-19 YRS	7	12.7	72	3	3	12	15	26	29	29
20-34	27	11.8	122	2	3	9	14	23	39	51
35-49	30	13.9	103	5	5	12	15	29	38	50
50-64	19	12.2	92	3	4	9	19	32	70	99+
65+	18	11.1	63	2	2	8	17	21	25	27
GRAND TOTAL	**101**	**12.4**	**92**	**2**	**4**	**10**	**16**	**26**	**36**	**74**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	12	4.8	9	<1	1	4	6	9	11	11
35-49	50	5.9	18	1	2	5	7	11	14	23
50-64	68	8.0	55	2	2	6	9	15	23	40
65+	113	9.4	39	2	3	8	12	19	21	28
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	10	6.7	21	1	2	5	12	13	14	14
35-49	69	8.4	33	1	1	8	11	16	18	27
50-64	79	9.2	67	1	1	8	11	19	23	45
65+	26	12.3	101	1	3	10	16	19	28	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	18	8.3	33	1	1	7	11	18	21	22
35-49	49	7.7	38	2	2	6	9	19	21	29
50-64	156	10.2	74	3	3	8	13	22	26	43
65+	384	13.1	168	3	3	9	16	28	39	98
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	[illegible]	3	3
20-34	7	6.6	33	1	1	3	10	[illegible]	17	17
35-49	49	12.4	103	1	2	9	17	[illegible]	31	48
50-64	113	13.1	133	1	2	12	17	27	39	79
65+	54	18.9	422	1	2	12	29	53	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	8.0	39	1	2	6	10	17	20	29
B. Operated	185	9.2	58	1	1	8	12	17	22	45
2. MULTIPLE DX										
A. Not Operated	608	11.8	133	2	3	8	15	24	33	91
B. Operated	224	14.1	199	1	2	11	18	33	45	99+
1. SINGLE DX	430	8.5	47	1	2	7	11	17	21	39
2. MULTIPLE DX	832	12.4	151	2	3	9	16	27	38	96
A. NOT OPERATED	853	10.7	109	2	3	8	13	22	29	66
B. OPERATED	409	11.9	141	1	2	9	15	24	39	84
TOTAL 0-19 YRS	5	11.2	84	3	3	7	18	25	25	25
20-34	47	6.8	25	1	1	6	8	13	17	22
35-49	217	8.5	51	1	2	7	11	18	23	33
50-64	416	10.4	88	1	2	8	14	22	27	47
65+	577	12.9	169	2	3	9	16	28	40	98
GRAND TOTAL	1262	11.1	119	1	3	8	14	23	32	70

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	8.1	45	2	3	5	9	16	24	30
20-34	332	6.8	21	2	2	6	9	12	15	23
35-49	505	8.1	28	2	2	7	11	15	18	25
50-64	311	8.9	33	2	3	8	12	16	21	28
65+	85	9.7	45	2	3	9	13	19	23	30
B. Operated										
0-19 YRS	51	9.3	36	1	2	9	12	19	20	27
20-34	912	8.3	35	1	1	8	11	16	19	29
35-49	1237	8.8	39	1	1	8	12	16	19	29
50-64	536	8.9	57	1	1	8	12	18	23	37
65+	95	8.9	74	1	1	6	13	19	24	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.2	39	1	1	4	8	17	18	18
20-34	123	8.4	38	1	2	7	10	17	19	31
35-49	192	9.9	61	1	3	8	13	19	23	41
50-64	251	10.6	59	3	4	9	13	20	23	44
65+	210	12.9	82	3	4	11	17	25	34	51
B. Operated										
0-19 YRS	17	11.1	43	2	2	11	17	20	21	21
20-34	343	11.3	64	1	2	10	15	21	27	36
35-49	568	11.2	58	2	2	10	15	22	25	35
50-64	418	13.7	111	2	3	12	18	27	36	58
65+	124	16.7	165	1	2	14	22	33	43	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1259	8.1	30	2	2	7	11	15	18	26
B. Operated	2831	8.7	43	1	1	8	12	17	20	31
2. MULTIPLE DX										
A. Not Operated	782	10.7	64	2	3	9	14	20	27	42
B. Operated	1470	12.4	86	2	2	11	16	24	29	49
1. SINGLE DX	4090	8.5	39	1	2	8	12	16	20	30
2. MULTIPLE DX	2252	11.8	79	2	3	10	16	22	28	45
A. NOT OPERATED	2041	9.1	44	2	3	7	12	17	21	34
B. OPERATED	4301	9.9	60	1	2	9	13	19	24	38
TOTAL 0-19 YRS	100	9.1	40	1	2	8	12	19	21	28
20-34	1710	8.6	40	1	2	8	11	17	21	30
35-49	2502	9.3	44	1	2	8	12	17	22	31
50-64	1516	10.5	71	1	2	9	14	21	26	44
65+	514	12.5	102	1	2	11	17	28	33	52
GRAND TOTAL	6342	9.7	55	1	2	8	13	19	23	36

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	14	1	1	4	7	9	9	9
20-34	56	7.6	34	1	2	6	10	14	21	29
35-49	95	7.7	33	1	2	6	11	13	17	33
50-64	69	8.3	38	1	2	7	12	15	19	33
65+	33	9.7	55	2	3	8	14	22	25	32
B. *Operated*										
0-19 YRS	5	17.8	197	8	9	11	24	42	42	42
20-34	37	7.4	53	1	1	6	9	15	26	32
35-49	159	7.9	34	1	2	7	11	15	19	28
50-64	114	8.4	57	1	2	7	10	16	24	43
65+	11	12.7	56	3	5	13	17	23	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	17	2	2	6	9	12	12	12
20-34	20	7.6	48	2	2	6	9	13	23	33
35-49	44	7.7	20	2	3	7	9	15	18	19
50-64	79	9.1	55	3	3	7	10	18	25	40
65+	73	12.5	166	2	3	9	16	27	39	95
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	20	13.4	94	1	2	14	19	26	32	36
35-49	73	8.6	51	1	1	7	12	19	25	31
50-64	80	11.2	72	1	2	9	16	22	28	37
65+	16	22.0	307	4	7	17	29	55	62	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	8.0	37	1	2	7	11	15	19	32
B. *Operated*	326	8.3	49	1	2	7	11	17	21	38
2. MULTIPLE DX										
A. *Not Operated*	220	9.8	86	2	3	7	11	19	27	69
B. *Operated*	191	11.3	96	1	2	9	16	23	29	50
1. SINGLE DX	583	8.2	44	1	2	7	11	15	20	35
2. MULTIPLE DX	411	10.5	91	1	2	8	14	21	29	60
A. NOT OPERATED	477	8.8	60	2	2	7	11	17	22	41
B. OPERATED	517	9.4	68	1	2	7	12	19	26	39
TOTAL 0-19 YRS	15	10.1	97	1	2	8	11	18	36	42
20-34	133	8.4	53	1	2	6	10	18	26	34
35-49	371	8.0	35	1	2	7	11	15	19	28
50-64	342	9.2	57	1	2	7	12	18	24	38
65+	133	12.9	156	2	3	9	16	28	35	83
GRAND TOTAL	994	9.1	64	1	2	7	12	18	25	41

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	6	2	2	7	8	9	9	9
20-34	35	6.2	18	2	2	5	9	11	14	20
35-49	44	7.8	24	2	2	7	10	15	16	23
50-64	20	8.4	24	3	4	7	11	16	19	21
65+	14	8.7	35	3	3	7	9	19	22	23
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	31	8.0	63	1	1	5	10	19	26	34
35-49	25	7.5	38	1	2	5	11	18	20	23
50-64	5	12.4	169	2	2	6	20	34	34	34
65+	4	6.3	16	3	3	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	23	8.1	37	1	1	8	10	16	21	28
35-49	25	7.9	19	2	3	8	10	14	17	18
50-64	29	12.1	76	3	4	11	16	25	30	38
65+	22	9.7	90	1	2	8	11	21	31	44
B. *Operated*										
0-19 YRS	3	10.7	58	4	4	9	16	19	19	19
20-34	19	14.5	135	1	2	13	18	29	40	49
35-49	23	15.3	158	2	3	12	16	37	45	48
50-64	10	12.4	78	4	4	10	13	27	33	33
65+	2	17.5	61	12	12	17	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	7.4	23	2	2	6	10	14	17	23
B. *Operated*	67	8.2	56	1	2	5	11	18	23	34
2. MULTIPLE DX										
A. *Not Operated*	101	9.5	57	1	3	8	11	18	24	41
B. *Operated*	57	14.3	123	2	3	12	17	30	41	49
1. SINGLE DX	188	7.7	35	2	2	6	10	15	19	31
2. MULTIPLE DX	158	11.2	86	2	3	9	14	22	30	48
A. NOT OPERATED	222	8.3	39	2	2	7	11	16	20	32
B. OPERATED	124	11.0	96	1	2	9	15	23	33	48
TOTAL 0-19 YRS	15	7.3	23	1	2	7	9	15	18	19
20-34	108	8.6	62	1	2	7	11	17	26	40
35-49	117	9.2	60	2	2	8	12	17	22	48
50-64	64	11.0	66	3	4	9	14	22	31	37
65+	42	9.4	64	2	3	8	12	21	23	44
GRAND TOTAL	346	9.3	61	2	2	7	12	18	23	44

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	47	5.6	23	1	1	4	7	13	15	21
35-49	68	7.5	40	1	1	6	10	15	20	33
50-64	45	6.8	29	2	2	6	8	12	19	26
65+	27	11.1	70	2	3	8	17	26	28	28
B. *Operated*										
0-19 YRS										
20-34	31	4.6	22	1	1	2	7	13	14	19
35-49	31	5.8	35	1	1	4	9	12	21	24
50-64	20	5.9	70	1	1	2	7	16	27	34
65+	3	9.7	105	1	1	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	30	7.3	36	2	2	6	9	16	18	29
35-49	36	10.4	124	2	4	8	11	22	29	65
50-64	67	10.9	92	2	3	8	12	24	30	49
65+	94	10.9	53	3	3	9	16	21	26	34
B. *Operated*										
0-19 YRS										
20-34	11	7.0	103	<1	<1	3	9	20	35	36
35-49	19	11.8	276	1	1	6	14	26	54	72
50-64	17	10.3	49	1	1	10	14	21	24	25
65+	10	19.5	351	1	1	15	25	48	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	7.3	40	1	2	5	10	16	21	29
B. *Operated*	85	5.5	40	1	1	3	8	13	21	30
2. MULTIPLE DX										
A. *Not Operated*	229	10.3	74	2	3	8	12	21	27	44
B. *Operated*	57	11.8	194	1	1	8	15	25	35	72
1. SINGLE DX	273	6.8	40	1	1	5	9	15	21	30
2. MULTIPLE DX	286	10.6	98	1	2	8	12	22	28	60
A. NOT OPERATED	417	8.9	61	2	2	7	11	20	24	38
B. OPERATED	142	8.0	110	1	1	5	11	19	25	66
TOTAL 0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	119	5.9	34	1	1	4	7	14	17	31
35-49	154	8.4	89	1	1	6	10	16	23	64
50-64	149	8.9	69	1	2	7	11	20	25	42
65+	134	11.6	81	2	3	9	16	24	28	42
GRAND TOTAL	559	8.7	73	1	1	6	11	20	25	39

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.6	24	<1	1	3	5	10	14	26
20-34	374	5.7	31	1	1	4	7	11	14	22
35-49	375	6.7	40	1	2	5	8	13	16	33
50-64	216	6.7	28	1	2	5	9	12	17	28
65+	111	7.7	24	2	3	7	9	13	17	28
B. *Operated*										
0-19 YRS	44	4.7	18	1	1	3	6	9	17	19
20-34	250	5.3	27	1	1	4	7	11	14	32
35-49	247	6.5	39	1	1	5	9	14	17	34
50-64	182	7.7	37	1	1	7	12	16	18	27
65+	56	9.2	82	1	1	9	13	23	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.9	16	1	1	4	7	10	14	18
20-34	254	7.1	55	1	1	5	10	13	18	31
35-49	273	8.1	51	1	2	7	10	17	25	33
50-64	274	9.0	46	2	3	7	11	18	23	34
65+	290	11.1	111	2	3	8	13	21	32	63
B. *Operated*										
0-19 YRS	17	9.1	53	1	2	6	13	17	25	30
20-34	171	7.1	55	1	1	5	9	15	20	37
35-49	223	10.6	95	1	2	7	15	25	28	46
50-64	244	12.1	84	1	2	10	16	24	33	60
65+	109	17.0	198	2	4	13	23	35	46	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1177	6.3	33	1	2	5	8	12	16	28
B. *Operated*	779	6.5	38	1	1	5	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	1153	8.7	67	1	2	7	11	17	24	42
B. *Operated*	764	11.2	105	1	2	9	15	24	31	57
1. SINGLE DX	1956	6.4	35	1	1	5	8	13	17	30
2. MULTIPLE DX	1917	9.7	83	1	2	7	13	20	27	48
A. NOT OPERATED	2330	7.5	51	1	2	6	10	15	20	34
B. OPERATED	1543	8.8	77	1	1	6	12	19	26	44
TOTAL 0-19 YRS	224	5.0	24	1	1	3	6	11	16	23
20-34	1049	6.2	40	1	1	5	8	12	16	28
35-49	1118	7.8	56	1	2	6	10	16	23	40
50-64	916	9.0	54	1	2	7	12	18	24	38
65+	566	11.4	117	2	3	8	14	24	33	63
GRAND TOTAL	3873	8.0	62	1	2	6	10	17	22	40

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.0	12	1	2	4	7	10	12	18
20-34	71	5.0	13	1	2	4	6	10	12	20
35-49	45	5.6	33	<1	1	4	7	10	15	33
50-64	72	5.3	19	<1	1	4	7	11	15	20
65+	44	6.1	26	<1	<1	4	8	14	17	20
B. *Operated*										
0-19 YRS	154	3.0	3	1	1	3	4	5	6	10
20-34	244	3.0	6	<1	<1	2	4	5	7	12
35-49	281	3.2	7	<1	1	3	4	6	8	16
50-64	250	3.1	5	<1	<1	2	4	6	8	10
65+	69	3.1	5	<1	<1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.9	13	1	2	4	7	10	11	20
20-34	42	5.9	21	1	2	5	8	10	15	26
35-49	51	7.5	44	2	2	5	10	16	25	30
50-64	69	8.9	66	2	2	7	11	23	24	43
65+	103	8.7	42	2	2	8	11	18	23	31
B. *Operated*										
0-19 YRS	31	5.6	25	<1	1	4	9	14	16	19
20-34	92	4.0	11	<1	<1	3	5	7	12	17
35-49	124	4.5	23	<1	1	3	5	11	16	23
50-64	144	6.6	122	<1	1	3	7	13	20	57
65+	80	5.8	39	1	1	4	7	13	17	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	5.3	18	1	1	4	7	11	13	20
B. *Operated*	998	3.1	6	<1	<1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	317	7.6	42	2	2	6	9	16	23	30
B. *Operated*	471	5.4	55	<1	1	3	6	11	16	43
1. SINGLE DX	1368	3.7	10	<1	1	3	4	7	10	17
2. MULTIPLE DX	788	6.2	51	<1	1	4	8	13	19	35
A. NOT OPERATED	687	6.3	30	1	2	5	8	13	18	27
B. OPERATED	1469	3.8	22	<1	1	3	4	7	11	21
TOTAL 0-19 YRS	375	4.2	11	1	1	3	5	9	11	17
20-34	449	3.8	10	<1	1	3	5	7	10	17
35-49	501	4.2	19	<1	1	3	5	9	13	23
50-64	535	5.1	50	<1	1	3	6	10	15	34
65+	296	6.2	35	<1	1	4	8	14	19	31
GRAND TOTAL	**2156**	**4.6**	**26**	**<1**	**1**	**3**	**5**	**10**	**13**	**24**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	140	3.8	4	1	2	4	5	6	7	10
20-34	186	4.2	5	1	2	4	5	7	8	12
35-49	223	4.1	4	1	2	4	5	6	8	11
50-64	375	4.7	6	1	2	4	6	8	9	14
65+	173	4.6	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	11	8.6	253	<1	<1	4	6	31	53	55
B. *Operated*										
0-19 YRS	69	4.5	4	2	2	4	6	7	8	13
20-34	170	4.4	7	1	2	4	5	7	9	13
35-49	218	4.7	8	1	2	4	6	8	9	13
50-64	488	5.2	8	2	2	5	6	8	10	16
65+	324	6.6	25	1	2	5	8	13	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	1097	4.3	6	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	27	4.2	111	<1	<1	1	2	6	21	55
B. *Operated*	1269	5.3	12	2	2	5	6	9	12	20
1. SINGLE DX	1099	4.3	6	1	2	4	5	7	9	13
2. MULTIPLE DX	1296	5.3	14	1	2	5	6	9	12	20
A. NOT OPERATED	29	4.1	104	<1	<1	1	3	6	17	55
B. OPERATED	2366	4.9	10	1	2	4	6	8	10	16
TOTAL 0-19 YRS	215	3.9	4	1	2	4	5	6	8	11
20-34	360	4.2	6	1	2	4	5	7	9	13
35-49	442	4.4	6	1	2	4	5	7	9	13
50-64	870	4.9	7	1	2	4	6	8	10	14
65+	508	6.0	25	1	2	5	7	12	15	22
GRAND TOTAL	**2395**	**4.9**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	6	1.0		<1	<1	<1	1	1	1	1
35-49	7	1.9	2	<1	<1	1	2	4	5	5
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	237	2.2	7	<1	<1	2	2	3	5	11
20-34	313	1.6	1	<1	<1	1	2	3	4	6
35-49	159	2.0	3	<1	<1	1	3	4	5	10
50-64	119	2.9	7	<1	<1	2	4	5	8	14
65+	39	3.1	7	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	64	<1	<1	1	15	17	17	17
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	5.5	42	1	1	3	9	15	15	15
50-64	5	5.0	16	<1	<1	6	8	10	10	10
65+	4	5.3	43	1	1	2	9	15	15	15
B. *Operated*										
0-19 YRS	24	3.3	16	<1	<1	2	3	9	14	15
20-34	63	1.9	1	<1	<1	2	3	3	4	5
35-49	52	3.5	32	<1	<1	2	3	6	8	34
50-64	66	3.6	11	<1	<1	3	4	7	9	18
65+	35	3.9	12	<1	1	3	6	8	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.6	1	<1	<1	1	2	3	5	5
B. *Operated*	867	2.1	4	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	20	5.2	33	<1	<1	2	8	15	16	17
B. *Operated*	240	3.1	14	<1	<1	2	3	6	8	19
1. SINGLE DX	890	2.1	4	<1	<1	1	2	4	5	11
2. MULTIPLE DX	260	3.3	15	<1	<1	2	4	7	10	18
A. NOT OPERATED	43	3.3	19	<1	<1	1	3	11	15	17
B. OPERATED	1107	2.3	7	<1	<1	2	3	4	6	13
TOTAL 0-19 YRS	271	2.3	9	<1	<1	2	2	4	7	15
20-34	384	1.7	1	<1	<1	1	2	3	4	5
35-49	222	2.4	11	<1	<1	1	3	5	6	18
50-64	194	3.2	8	<1	<1	2	4	6	8	17
65+	79	3.5	11	<1	<1	2	5	8	11	15
GRAND TOTAL	**1150**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	12.7	77	3	4	10	18	24	31	39
20-34	41	10.1	55	2	2	9	13	19	25	38
35-49	26	10.6	47	2	3	8	17	21	22	25
50-64	16	15.4	161	4	5	11	20	39	43	45
65+	8	11.5	68	4	5	8	15	25	27	27
B. *Operated*										
0-19 YRS	48	15.5	144	2	3	13	22	34	38	53
20-34	59	14.2	158	2	3	9	22	37	45	95
35-49	40	17.4	269	2	3	11	22	48	51	60
50-64	29	14.3	152	3	4	11	20	27	39	60
65+	12	23.7	221	4	5	24	38	59	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	15.8	117	2	3	14	22	28	39	47
20-34	21	12.5	89	3	4	11	16	24	32	41
35-49	16	15.7	231	2	3	8	23	44	46	47
50-64	20	19.3	229	4	4	16	29	45	47	47
65+	26	20.0	241	4	5	14	24	41	51	69
B. *Operated*										
0-19 YRS	47	21.7	134	6	9	20	27	36	46	52
20-34	56	23.8	453	2	4	15	37	54	61	88
35-49	35	27.9	569	3	4	21	39	60	85	95
50-64	45	28.2	269	7	9	26	40	50	69	99+
65+	41	33.9	843	3	4	23	56	80	91	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	11.9	75	2	3	9	16	24	29	40
B. *Operated*	188	15.8	183	2	3	12	23	38	48	84
2. MULTIPLE DX										
A. *Not Operated*	121	16.7	173	3	4	13	23	39	46	54
B. *Operated*	224	26.7	448	3	6	21	37	55	77	95
1. SINGLE DX	345	14.0	137	2	3	10	19	30	40	60
2. MULTIPLE DX	345	23.2	374	3	4	18	32	49	63	95
A. NOT OPERATED	278	14.0	123	3	4	11	18	29	39	47
B. OPERATED	412	21.8	356	3	4	17	30	49	60	96
TOTAL 0-19 YRS	199	16.1	124	3	3	13	22	32	38	52
20-34	177	16.1	246	2	3	10	22	40	51	88
35-49	117	18.8	339	2	3	12	24	47	53	90
50-64	110	21.1	249	4	5	17	30	44	50	86
65+	87	26.3	557	4	4	19	35	73	82	98
GRAND TOTAL	**690**	**18.6**	**276**	**3**	**4**	**13**	**25**	**41**	**52**	**88**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	8.8	60	1	2	7	10	17	21	43
20-34	54	6.1	126	<1	1	3	6	11	20	78
35-49	46	4.7	17	<1	1	3	7	11	14	18
50-64	59	8.1	86	1	2	6	8	17	30	45
65+	100	12.2	147	1	2	9	15	24	40	99+
B. *Operated*										
0-19 YRS	374	5.9	46	1	2	4	7	11	16	39
20-34	444	5.1	24	1	2	4	6	9	13	27
35-49	164	5.9	21	1	2	5	7	12	15	25
50-64	129	8.2	51	1	2	6	11	16	21	36
65+	65	14.6	191	1	2	12	22	32	36	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	10.3	130	1	2	5	16	22	37	55
20-34	43	6.3	46	1	1	4	8	17	23	28
35-49	56	7.3	48	1	1	6	10	16	20	34
50-64	130	8.9	56	1	2	7	12	18	23	36
65+	469	17.1	264	3	4	12	22	43	61	99+
B. *Operated*										
0-19 YRS	142	9.1	137	1	2	5	9	22	30	65
20-34	189	7.5	52	2	2	6	9	14	22	43
35-49	101	10.2	104	1	2	6	14	26	33	73
50-64	163	17.5	319	2	3	12	23	37	64	99
65+	172	27.0	417	3	7	23	40	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	8.7	97	1	1	6	10	18	25	75
B. *Operated*	1176	6.3	47	1	2	4	7	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	751	13.9	207	2	2	9	18	33	49	99+
B. *Operated*	767	14.6	270	2	2	9	20	37	60	99+
1. SINGLE DX	1552	6.9	60	1	2	5	8	15	20	41
2. MULTIPLE DX	1518	14.3	239	2	2	9	18	35	55	99+
A. NOT OPERATED	1127	12.1	176	1	2	8	15	26	43	96
B. OPERATED	1943	9.6	151	1	2	5	11	24	36	89
TOTAL 0-19 YRS	686	7.4	76	1	2	5	8	16	22	53
20-34	730	5.9	41	1	2	4	7	11	16	32
35-49	367	7.1	51	1	2	5	9	16	22	38
50-64	481	11.5	165	1	2	7	15	25	34	84
65+	806	18.4	298	2	4	14	25	46	73	99+
GRAND TOTAL	**3070**	**10.5**	**162**	**1**	**2**	**6**	**13**	**25**	**39**	**91**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	29	1	1	5	9	15	16	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	5.0	32	<1	<1	4	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	99	4.8	14	1	2	4	6	9	12	21
20-34	57	3.9	22	1	1	3	4	7	9	33
35-49	37	4.0	8	<1	1	3	5	8	11	13
50-64	20	3.7	13	1	1	2	4	8	12	16
65+	7	7.1	35	1	1	7	9	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	5	1	1	1	5	63	99+	99+
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	6	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	117	5.9	26	2	2	5	7	11	14	26
20-34	47	6.4	52	2	2	5	7	12	16	47
35-49	22	6.3	24	1	2	5	8	12	17	23
50-64	41	6.9	62	1	1	5	9	12	15	49
65+	23	9.1	70	1	2	6	16	21	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.7	24	<1	<1	5	9	13	16	16
B. *Operated*	220	4.4	16	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	21	2.3	3	1	1	2	4	6	44	99+
B. *Operated*	250	6.5	41	1	2	5	8	12	16	47
1. SINGLE DX	229	4.5	16	1	1	3	5	9	11	20
2. MULTIPLE DX	271	6.2	39	1	2	4	8	12	16	47
A. NOT OPERATED	30	3.3	11	1	1	2	5	9	16	99+
B. OPERATED	470	5.6	30	1	2	4	7	10	15	29
TOTAL 0-19 YRS	230	5.4	20	1	2	4	7	10	14	26
20-34	109	4.9	36	1	1	3	6	9	12	40
35-49	60	4.8	15	<1	1	4	6	9	12	22
50-64	65	5.8	46	1	1	4	8	11	15	44
65+	36	7.6	57	1	1	4	9	19	21	31
GRAND TOTAL	**500**	**5.4**	**29**	**1**	**1**	**4**	**7**	**10**	**15**	**33**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	7	5.6	41	1	1	3	7	17	19	19
35-49	19	7.1	20	1	1	7	10	13	16	17
50-64	11	6.6	25	2	2	4	10	15	17	17
65+	7	5.1	3	4	4	4	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	8.0	13	4	4	9	10	11	11	11
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	13.5	1	13	13	13	14	14	14	14
65+	6	7.5	6	4	4	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	13.9	132	2	3	10	26	31	32	32
35-49	9	8.2	14	2	3	8	11	14	14	14
50-64	13	6.5	22	2	2	6	11	13	15	16
65+	12	14.0	189	1	2	10	14	36	49	51
B. *Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	5	12.2	28	6	6	12	17	18	18	18
50-64	7	15.9	568	2	2	7	17	58	68	68
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	6.2	20	1	1	5	8	13	17	19
B. *Operated*	15	6.9	18	1	2	8	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	44	10.4	94	2	2	8	12	25	31	51
B. *Operated*	14	12.8	290	2	2	7	17	25	58	68
1. SINGLE DX	62	6.4	19	1	2	5	9	13	15	19
2. MULTIPLE DX	58	11.0	138	2	2	8	12	23	31	67
A. NOT OPERATED	91	8.3	60	1	2	7	11	16	25	43
B. OPERATED	29	9.8	152	2	2	8	11	18	22	68
TOTAL 0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	21	9.3	84	1	2	6	10	27	30	32
35-49	37	7.5	23	1	1	7	11	14	17	18
50-64	33	9.0	139	2	2	6	12	16	20	68
65+	25	10.0	105	2	4	8	10	16	35	51
GRAND TOTAL	**120**	**8.6**	**81**	**1**	**2**	**7**	**11**	**16**	**22**	**56**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.9	11	1	1	3	5	9	12	15
20-34	145	3.8	9	1	1	3	5	8	11	14
35-49	125	4.9	26	1	1	3	6	11	16	25
50-64	105	6.0	40	1	1	4	8	11	14	39
65+	73	7.2	43	2	2	5	9	15	21	37
B. *Operated*										
0-19 YRS	247	6.3	42	<1	1	3	8	17	21	26
20-34	433	3.7	16	<1	1	3	4	8	11	17
35-49	214	3.8	11	<1	<1	3	4	9	12	16
50-64	267	4.3	24	<1	1	3	4	10	13	29
65+	178	4.3	29	<1	1	3	4	8	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.7	57	1	1	3	6	14	18	43
20-34	131	4.5	14	<1	1	3	6	10	12	18
35-49	114	6.7	41	1	2	5	9	13	17	70
50-64	158	6.5	24	1	2	5	9	12	18	24
65+	229	10.2	84	2	3	8	12	20	29	57
B. *Operated*										
0-19 YRS	229	7.4	92	1	2	3	8	20	25	60
20-34	350	4.5	25	<1	1	3	4	10	15	27
35-49	192	6.6	56	1	2	3	9	15	26	33
50-64	193	7.2	120	1	2	3	8	17	22	63
65+	149	8.2	62	1	2	5	13	21	26	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	4.9	25	1	1	3	6	10	14	25
B. *Operated*	1339	4.4	24	<1	1	3	5	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	722	7.2	52	1	1	5	9	14	20	41
B. *Operated*	1113	6.4	67	1	2	3	7	17	22	41
1. SINGLE DX	1899	4.6	24	<1	1	3	5	10	15	25
2. MULTIPLE DX	1835	6.8	61	1	2	4	9	16	22	41
A. NOT OPERATED	1282	6.2	41	1	1	4	8	13	17	37
B. OPERATED	2452	5.3	45	<1	1	3	5	13	19	33
TOTAL 0-19 YRS	678	6.2	57	1	1	3	7	17	21	38
20-34	1059	4.1	18	<1	1	3	5	9	12	21
35-49	645	5.4	34	<1	1	3	7	12	17	30
50-64	723	5.8	53	1	2	3	7	12	18	38
65+	629	7.7	64	1	2	5	10	18	25	44
GRAND TOTAL	**3734**	**5.6**	**44**	**<1**	**1**	**3**	**7**	**13**	**18**	**34**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	14.0	50	9	9	14	19	19	19	19
B. *Operated*	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
1. SINGLE DX	7	5.3	44	1	1	2	7	17	19	19
2. MULTIPLE DX	2	8.5	13	6	6	8	11	11	11	11
A. NOT OPERATED	4	11.3	31	6	6	10	15	19	19	19
B. OPERATED	5	1.8	1	1	1	2	2	3	3	3
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	4.3	21	1	1	2	7	11	11	11
65+	2	12.5	85	6	6	12	19	19	19	19
GRAND TOTAL	9	6.0	37	1	1	3	9	16	19	19

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	9.4	105	1	2	5	11	28	35	36
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	3	5.3	9	2	2	6	7	8	8	8
65+										
B. *Operated*										
0-19 YRS	17	10.8	56	2	3	9	14	24	27	27
20-34	2	10.0		10	10	10	10	10	10	10
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	8.5	115	1	2	5	9	21	33	91
20-34	3	6.7	16	3	3	6	10	11	11	11
35-49	4	9.3	30	4	4	9	14	14	14	14
50-64	4	26.3	1075	6	6	12	45	75	75	75
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	45	12.6	216	2	2	7	18	33	64	99+
20-34	5	19.4	214	7	7	21	39	94	99+	99+
35-49	4	12.0	138	1	1	9	20	28	28	28
50-64	2	7.5	61	2	2	7	13	13	13	13
65+	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	8.9	89	1	2	6	10	22	35	36
B. *Operated*	22	9.9	48	2	3	9	14	20	26	27
2. MULTIPLE DX										
A. *Not Operated*	88	9.3	152	1	2	5	9	21	34	90
B. *Operated*	58	12.9	195	2	2	8	18	36	64	99+
1. SINGLE DX	46	9.4	69	2	2	8	11	21	29	36
2. MULTIPLE DX	146	10.7	171	2	2	6	12	27	55	99+
A. NOT OPERATED	112	9.2	138	1	2	6	9	21	35	84
B. OPERATED	80	12.1	156	2	2	9	14	29	54	99+
TOTAL 0-19 YRS	158	10.0	137	2	2	6	11	24	35	96
20-34	11	13.4	124	3	5	10	21	57	94	99+
35-49	10	9.6	64	1	2	7	14	21	28	28
50-64	9	15.1	525	2	2	8	14	51	75	75
65+	4	9.0	29	3	3	8	12	16	16	16
GRAND TOTAL	192	10.4	147	2	2	6	12	26	38	99+

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.6	3	<1	<1	1	1	3	5	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	354	2.6	4	<1	<1	2	3	5	6	11
20-34	106	3.3	4	<1	<1	3	4	6	8	10
35-49	21	4.5	14	1	1	3	5	11	13	15
50-64	16	5.2	8	1	2	5	7	7	11	12
65+	13	6.8	12	3	3	7	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	6	<1	<1	1	4	7	8	8
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	86	4.5	20	1	1	3	5	10	12	24
20-34	26	3.8	17	<1	<1	2	5	7	11	21
35-49	10	5.7	12	2	2	5	7	11	14	14
50-64	16	4.9	12	<1	2	4	7	10	12	13
65+	20	7.7	28	1	3	6	9	15	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	1.7	3	<1	<1	1	1	4	5	9
B. *Operated*	510	3.0	5	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	24	3.4	9	<1	1	2	5	8	9	11
B. *Operated*	158	4.9	20	<1	1	3	6	10	14	24
1. SINGLE DX	564	2.9	5	<1	<1	2	3	6	8	12
2. MULTIPLE DX	182	4.7	19	<1	1	3	6	10	13	24
A. NOT OPERATED	78	2.2	5	<1	<1	1	2	6	8	10
B. OPERATED	668	3.4	10	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	511	2.8	7	<1	1	2	3	6	8	13
20-34	135	3.5	7	<1	<1	3	4	6	9	12
35-49	31	4.9	14	1	2	4	7	11	14	15
50-64	33	5.1	9	1	2	4	7	9	12	13
65+	36	7.1	21	2	3	6	8	15	16	23
GRAND TOTAL	**746**	**3.3**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.4	17	<1	1	3	5	8	14	21
20-34	12	4.3	5	2	2	4	5	8	9	9
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	209	6.3	25	2	2	3	10	12	14	24
20-34	40	4.3	16	<1	1	2	6	11	13	17
35-49	17	5.6	21	<1	1	3	9	13	14	15
50-64	14	9.6	188	1	2	3	10	37	43	45
65+	7	8.3	29	1	1	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.7	58	<1	1	4	7	9	18	45
20-34	22	7.1	42	1	2	6	8	16	23	28
35-49	9	6.1	25	1	1	4	8	14	17	17
50-64	11	5.4	5	2	3	4	8	8	8	8
65+	10	12.5	62	2	2	13	19	22	23	23
B. *Operated*										
0-19 YRS	189	10.7	215	2	2	4	13	27	46	97
20-34	59	8.9	53	1	2	9	12	17	20	39
35-49	40	11.1	49	1	2	11	14	18	23	36
50-64	23	12.2	137	1	2	10	15	27	39	51
65+	15	14.0	207	2	2	11	21	37	47	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.3	14	<1	1	3	5	8	11	20
B. *Operated*	287	6.2	32	1	2	3	10	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	157	6.4	52	<1	1	4	8	13	21	40
B. *Operated*	326	10.7	159	2	2	8	14	24	37	87
1. SINGLE DX	362	5.8	29	1	2	3	9	12	15	26
2. MULTIPLE DX	483	9.3	128	1	2	6	12	20	32	69
A. NOT OPERATED	232	5.7	41	<1	1	4	7	10	17	35
B. OPERATED	613	8.6	104	2	2	5	11	17	26	60
TOTAL 0-19 YRS	563	7.5	99	1	2	4	10	15	24	62
20-34	133	6.8	40	1	2	4	10	15	19	30
35-49	69	8.7	44	1	2	9	12	16	19	34
50-64	48	9.9	125	1	2	7	12	23	37	51
65+	32	12.3	122	2	2	10	16	23	36	51
GRAND TOTAL	**845**	**7.8**	**88**	**1**	**2**	**4**	**10**	**16**	**23**	**52**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	182	6.1	7	2	3	6	7	9	10	15
20-34	7	5.0	3	2	2	5	6	7	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.8	115	<1	<1	2	6	21	35	44
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	108	9.0	68	2	3	7	9	17	32	39
20-34	10	4.4	5	1	1	4	6	7	8	8
35-49	3	11.0	19	8	8	9	14	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	194	6.0	6	2	3	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	21	6.8	115	<1	<1	2	6	21	35	44
B. *Operated*	122	8.7	63	2	3	6	9	17	29	38
1. SINGLE DX	197	5.9	7	2	3	6	7	8	10	15
2. MULTIPLE DX	143	8.4	70	1	2	6	9	17	29	43
A. NOT OPERATED	24	6.3	102	<1	<1	3	5	18	32	44
B. OPERATED	316	7.0	30	2	3	6	8	11	16	36
TOTAL 0-19 YRS	314	7.1	37	2	2	6	8	11	17	36
20-34	17	4.6	4	1	2	5	6	7	8	8
35-49	5	8.2	25	3	3	8	11	16	16	16
50-64	3	6.7	17	2	2	8	9	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**340**	**7.0**	**35**	**2**	**2**	**6**	**8**	**11**	**17**	**36**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.3	70	1	2	3	5	7	16	45
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	128	6.9	19	3	3	6	8	13	16	21
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	128	1	1	6	16	29	29	29
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	48	9.8	47	4	5	8	12	17	19	42
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.3	70	1	2	3	5	7	16	45
B. *Operated*	128	6.9	19	3	3	6	8	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	5	10.2	128	1	1	6	16	29	29	29
B. *Operated*	48	9.8	47	4	5	8	12	17	19	42
1. SINGLE DX	154	6.6	28	2	3	5	7	12	16	34
2. MULTIPLE DX	53	9.8	53	3	4	7	12	17	27	42
A. NOT OPERATED	31	6.1	79	1	1	4	6	10	28	45
B. OPERATED	176	7.7	28	3	3	6	9	15	17	33
TOTAL 0-19 YRS	207	7.4	36	2	3	6	9	14	17	38
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**207**	**7.4**	**36**	**2**	**3**	**6**	**9**	**14**	**17**	**38**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	12	<1	<1	2	4	6	9	21
20-34	4	3.0	5	<1	<1	2	4	6	6	6
35-49	4	4.5	8	<1	<1	4	6	8	8	8
50-64	3	4.3	9	<1	<1	5	6	7	7	7
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	99	6.0	53	<1	<1	4	8	13	19	43
20-34	34	5.9	49	<1	<1	4	8	14	18	37
35-49	19	7.7	81	<1	1	3	11	18	29	37
50-64	9	5.6	26	2	2	3	10	14	15	15
65+	5	10.2	67	1	1	8	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	6.4	54	1	1	4	7	15	20	41
20-34	1	10.0		10	10	10	10	10	10	10
35-49	6	5.0	43	<1	<1	2	5	17	18	18
50-64	7	4.3	11	<1	<1	4	7	9	9	9
65+	14	8.5	58	1	2	5	13	21	22	22
B. *Operated*										
0-19 YRS	95	11.0	186	<1	2	6	14	26	36	79
20-34	30	8.3	61	1	2	6	10	15	20	42
35-49	12	9.3	30	2	2	9	12	18	20	20
50-64	7	9.4	57	<1	1	11	12	21	23	23
65+	9	10.4	135	1	1	6	15	30	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.0	11	<1	<1	2	4	7	8	20
B. *Operated*	166	6.3	54	<1	<1	4	8	15	19	41
2. MULTIPLE DX										
A. *Not Operated*	86	6.5	50	1	1	4	8	17	21	38
B. *Operated*	153	10.2	139	1	2	7	13	21	31	77
1. SINGLE DX	256	5.1	41	<1	<1	3	6	12	18	37
2. MULTIPLE DX	239	8.9	110	1	1	5	11	20	27	50
A. NOT OPERATED	176	4.7	33	<1	<1	3	5	10	18	28
B. OPERATED	319	8.2	98	<1	1	5	11	18	25	45
TOTAL 0-19 YRS	329	6.8	90	<1	<1	4	8	17	23	45
20-34	69	6.9	52	<1	1	5	9	14	19	41
35-49	41	7.4	53	<1	1	5	11	18	19	37
50-64	26	6.1	30	<1	<1	4	9	12	17	23
65+	30	8.9	77	1	1	5	14	21	22	38
GRAND TOTAL	**495**	**6.9**	**76**	**<1**	**<1**	**4**	**9**	**17**	**22**	**42**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	514	4.0	7	2	2	3	5	8	9	13
20-34	38	3.7	3	2	2	3	4	6	8	9
35-49	4	2.5	1	1	1	3	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.5	1	<1	<1	1	1	3	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	345	3.9	9	2	2	3	4	7	9	20
20-34	38	4.5	6	2	2	4	5	9	11	12
35-49	17	3.7	2	2	2	3	4	6	7	7
50-64	8	4.9	4	3	3	5	5	8	9	9
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	559	4.0	6	2	2	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	5	5
B. *Operated*	409	4.0	9	2	2	3	4	7	9	17
1. SINGLE DX	563	4.0	6	2	2	3	5	8	9	13
2. MULTIPLE DX	428	3.9	8	1	2	3	4	7	9	16
A. NOT OPERATED	23	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	968	4.0	7	2	2	3	5	7	9	14
TOTAL 0-19 YRS	880	3.9	8	1	2	3	5	7	9	14
20-34	78	4.0	5	2	2	3	5	7	9	12
35-49	21	3.5	2	1	2	3	4	6	6	7
50-64	10	4.5	3	3	3	4	5	7	9	9
65+	2	5.0	2	4	4	5	6	6	6	6
GRAND TOTAL	**991**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**9**	**14**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	11	1	1	3	6	8	11	14
20-34	8	2.5	4	<1	<1	2	5	62	99+	99+
35-49	7	3.6	7	<1	<1	3	4	8	9	9
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	247	6.7	27	<1	1	5	9	14	17	21
20-34	107	4.8	14	<1	1	4	6	10	13	17
35-49	26	4.9	18	<1	1	3	7	11	15	16
50-64	13	8.7	46	<1	<1	8	14	17	22	23
65+	9	8.8	35	3	3	7	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.1	29	1	1	6	8	13	18	22
20-34	13	3.7	5	<1	1	4	5	7	7	7
35-49	13	7.1	14	1	2	8	10	12	12	12
50-64	8	11.8	387	1	2	5	8	45	60	60
65+	16	8.8	37	3	4	7	11	16	24	27
B. *Operated*										
0-19 YRS	210	8.4	56	1	1	6	12	18	22	36
20-34	87	6.9	40	<1	1	6	9	13	16	40
35-49	60	11.4	150	1	2	8	12	24	28	76
50-64	35	9.5	73	<1	2	9	12	19	32	35
65+	15	15.1	281	2	2	9	20	35	58	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.8	9	<1	1	3	6	9	12	99+
B. *Operated*	402	6.2	24	<1	1	5	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	75	7.0	62	1	1	6	9	12	17	52
B. *Operated*	407	8.9	78	1	1	7	12	19	24	43
1. SINGLE DX	442	6.0	23	<1	1	5	8	13	16	21
2. MULTIPLE DX	482	8.6	76	1	1	7	11	18	23	45
A. NOT OPERATED	115	5.9	46	1	1	5	8	12	15	74
B. OPERATED	809	7.5	53	<1	1	6	10	16	20	35
TOTAL 0-19 YRS	502	7.3	39	<1	1	6	10	16	19	30
20-34	215	5.5	25	<1	1	5	7	11	15	34
35-49	106	8.7	100	1	1	7	10	19	25	61
50-64	59	9.3	101	<1	1	7	12	18	31	58
65+	42	11.0	127	2	3	7	12	22	30	66
GRAND TOTAL	**924**	**7.3**	**52**	**<1**	**1**	**6**	**10**	**15**	**19**	**35**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	59	<1	<1	1	3	17	23	23
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	196	4.9	24	<1	2	3	6	9	11	29
20-34	17	5.2	6	1	2	5	6	9	10	10
35-49	9	4.0	3	2	2	4	5	7	7	7
50-64	3	5.0	9	2	2	5	7	8	8	8
65+	4	4.3	11	2	2	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.5	258	1	1	3	9	28	53	61
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	110	6.2	46	1	2	4	7	11	20	40
20-34	26	4.3	3	2	2	4	5	6	7	8
35-49	19	5.6	11	2	3	5	7	8	13	17
50-64	22	4.3	6	1	2	4	5	7	9	12
65+	6	3.7	1	3	3	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	59	<1	<1	1	3	17	23	23
B. *Operated*	229	4.9	22	<1	2	3	6	9	10	27
2. MULTIPLE DX										
A. *Not Operated*	15	9.5	258	1	1	3	9	28	53	61
B. *Operated*	183	5.5	30	1	2	4	6	9	15	28
1. SINGLE DX	237	4.9	23	<1	1	3	6	9	11	27
2. MULTIPLE DX	198	5.8	47	1	2	4	6	9	16	42
A. NOT OPERATED	23	7.7	190	<1	<1	1	8	24	40	61
B. OPERATED	412	5.2	26	1	2	4	6	9	12	28
TOTAL 0-19 YRS	329	5.5	43	1	1	3	6	10	17	33
20-34	43	4.7	4	2	2	5	6	7	9	10
35-49	28	5.1	9	2	2	4	6	7	10	17
50-64	25	4.4	6	1	2	4	6	7	9	12
65+	10	3.9	4	2	2	3	5	7	9	9
GRAND TOTAL	**435**	**5.3**	**34**	**1**	**2**	**4**	**6**	**9**	**14**	**30**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.2	16	<1	<1	3	5	10	12	19
20-34	28	4.8	12	1	1	4	6	9	11	16
35-49	14	4.8	12	1	1	3	9	10	10	10
50-64	19	5.6	14	1	2	5	8	11	13	15
65+	17	8.6	53	2	3	6	12	22	26	27
B. *Operated*										
0-19 YRS	589	6.1	40	1	2	4	8	14	17	32
20-34	248	4.9	25	1	1	3	6	11	15	25
35-49	84	5.3	23	1	1	4	5	13	15	24
50-64	35	7.6	47	1	1	5	12	17	23	26
65+	9	6.4	48	1	1	4	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	6.8	71	<1	1	4	8	14	24	44
20-34	26	7.7	180	1	1	5	7	11	23	72
35-49	20	6.8	15	1	1	7	9	12	13	14
50-64	27	8.1	43	2	2	6	10	17	25	29
65+	38	13.7	188	2	3	9	15	38	56	99+
B. *Operated*										
0-19 YRS	265	11.3	168	1	2	7	14	28	37	79
20-34	91	8.3	68	1	2	6	11	18	24	46
35-49	58	12.4	129	2	3	10	17	24	32	66
50-64	54	14.5	264	1	2	9	17	32	53	75
65+	21	14.6	156	1	2	12	21	37	39	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	4.6	19	<1	1	3	7	11	13	22
B. *Operated*	965	5.8	35	1	2	4	7	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	240	8.1	98	<1	1	5	9	16	30	60
B. *Operated*	489	11.4	157	1	2	7	14	26	36	70
1. SINGLE DX	1168	5.6	33	1	1	4	7	13	16	29
2. MULTIPLE DX	729	10.3	140	1	2	7	12	24	34	69
A. NOT OPERATED	443	6.6	64	<1	1	4	8	12	21	51
B. OPERATED	1454	7.7	83	1	2	4	10	17	24	46
TOTAL 0-19 YRS	1108	7.2	77	1	2	4	9	16	22	44
20-34	393	5.9	46	1	1	4	7	12	17	32
35-49	176	7.8	66	1	2	5	11	17	22	36
50-64	135	10.2	140	1	2	6	12	22	30	72
65+	85	12.1	143	1	2	8	15	31	41	85
GRAND TOTAL	**1897**	**7.4**	**79**	**1**	**1**	**4**	**9**	**16**	**23**	**47**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	527	4.1	20	1	1	3	4	8	14	24
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.6	6	1	1	3	5	7	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	8.4	103	1	2	5	9	20	33	66
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	11.8	130	1	2	10	25	75	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.1	20	1	1	3	4	8	14	24
B. *Operated*	13	3.6	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	320	8.4	103	1	2	5	9	20	33	66
B. *Operated*	17	11.8	130	1	2	10	25	75	99+	99+
1. SINGLE DX	540	4.1	19	1	1	3	4	8	14	24
2. MULTIPLE DX	337	8.5	104	1	2	5	10	21	34	99+
A. NOT OPERATED	847	5.7	55	1	1	3	6	13	20	46
B. OPERATED	30	8.2	91	1	1	5	10	35	94	99+
TOTAL 0-19 YRS	877	5.8	57	1	1	3	6	14	20	48
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**877**	**5.8**	**57**	**1**	**1**	**3**	**6**	**14**	**20**	**48**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	833	3.6	12	1	1	3	4	7	10	17
20-34	120	4.1	20	<1	1	3	5	8	10	27
35-49	77	3.5	10	1	1	2	5	7	10	16
50-64	45	5.5	78	1	1	4	6	7	19	50
65+	45	5.3	13	1	2	5	8	10	12	14
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	4	5.0	9	2	2	5	7	8	8	8
35-49	1	26.0		26	26	26	26	26	26	26
50-64	7	10.3	14	3	4	10	13	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1111	4.5	20	1	1	3	5	9	12	22
20-34	91	4.6	32	1	1	3	5	9	10	35
35-49	114	5.9	23	1	1	5	8	12	17	52
50-64	143	7.0	106	1	2	4	8	13	21	84
65+	161	8.6	61	1	2	7	12	19	30	99+
B. *Operated*										
0-19 YRS	15	10.1	47	2	3	10	13	28	79	99+
20-34	10	12.8	228	2	2	5	24	38	40	40
35-49	10	8.7	57	1	2	7	9	21	26	26
50-64	12	10.6	107	1	2	6	13	30	33	34
65+	10	13.5	53	6	6	14	20	56	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1120	3.8	16	1	1	3	5	7	10	18
B. *Operated*	14	9.0	40	2	3	8	13	15	24	26
2. MULTIPLE DX										
A. *Not Operated*	1620	5.2	34	1	1	4	6	11	14	32
B. *Operated*	57	11.0	90	2	2	8	17	29	39	99+
1. SINGLE DX	1134	3.9	16	1	1	3	5	8	10	19
2. MULTIPLE DX	1677	5.4	37	1	1	4	7	11	16	41
A. NOT OPERATED	2740	4.7	27	1	1	3	6	9	13	29
B. OPERATED	71	10.6	80	2	3	8	14	27	37	99+
TOTAL 0-19 YRS	1961	4.2	17	1	1	3	5	8	11	21
20-34	225	4.7	36	1	1	3	5	9	12	38
35-49	202	5.2	23	1	1	4	7	10	17	26
50-64	207	7.0	98	1	1	4	8	13	23	80
65+	216	8.1	53	1	2	6	11	18	27	99+
GRAND TOTAL	**2811**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**13**	**31**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	724	3.4	7	1	1	3	4	6	8	15
20-34	58	4.3	8	1	2	3	6	8	11	14
35-49	31	4.6	7	2	2	4	6	8	10	13
50-64	21	7.3	55	1	2	5	9	14	25	35
65+	32	5.7	21	1	1	4	8	11	18	19
B. *Operated*										
0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	3	12.7	281	2	2	4	25	32	32	32
35-49	2	16.5	13	14	14	16	19	19	19	19
50-64	4	11.8	10	9	9	11	14	16	16	16
65+	4	17.0	153	5	5	14	25	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	597	3.9	8	1	1	3	5	7	10	16
20-34	50	7.2	43	1	2	5	10	17	24	29
35-49	38	6.6	29	2	2	4	10	13	18	25
50-64	53	7.8	31	2	2	6	11	15	18	29
65+	102	8.4	46	2	2	6	10	16	22	35
B. *Operated*										
0-19 YRS	12	8.8	34	2	3	7	12	17	21	22
20-34	14	18.1	154	4	4	16	28	33	43	46
35-49	6	22.2	536	1	2	16	26	62	66	66
50-64	9	18.4	141	7	7	17	21	37	47	47
65+	13	20.8	179	8	8	16	27	36	52	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	866	3.6	9	1	1	3	4	7	9	16
B. *Operated*	16	13.0	84	3	4	11	16	31	33	34
2. MULTIPLE DX										
A. *Not Operated*	840	5.0	20	1	1	4	6	10	14	24
B. *Operated*	54	17.2	179	3	4	14	22	31	47	66
1. SINGLE DX	882	3.8	12	1	1	3	5	7	10	18
2. MULTIPLE DX	894	5.8	38	1	1	4	6	12	17	29
A. NOT OPERATED	1706	4.3	15	1	1	3	5	8	11	19
B. OPERATED	70	16.2	159	3	4	13	21	31	46	64
TOTAL 0-19 YRS	1336	3.7	8	1	1	3	5	7	9	16
20-34	125	7.2	59	1	2	4	8	17	27	36
35-49	77	7.3	75	2	2	4	8	15	20	55
50-64	87	8.9	56	2	2	6	12	18	21	43
65+	151	9.1	69	1	2	6	12	18	27	40
GRAND TOTAL	**1776**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.9	4	1	1	2	4	5	7	11
20-34	151	3.8	10	1	1	3	5	7	11	16
35-49	87	3.8	11	<1	1	3	5	9	11	13
50-64	41	4.2	11	1	1	3	6	8	12	15
65+	30	5.2	14	1	2	4	7	9	13	18
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	4.5	9	1	2	4	5	8	12	14
35-49	16	5.0	12	2	2	4	5	11	14	15
50-64	12	4.3	9	2	2	3	5	8	12	13
65+	4	2.5	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.1	9	1	1	3	5	8	10	16
20-34	135	4.8	12	1	1	4	6	11	12	15
35-49	91	5.3	14	1	1	4	7	11	13	16
50-64	73	6.7	32	1	2	5	8	13	23	83
65+	77	7.5	34	1	2	6	9	16	23	27
B. *Operated*										
0-19 YRS	3	6.3	33	3	3	3	11	13	13	13
20-34	15	5.3	20	1	2	4	6	9	17	20
35-49	20	6.5	12	2	3	5	9	12	13	13
50-64	16	8.1	29	1	2	6	13	17	18	18
65+	10	11.4	22	5	5	12	13	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.7	9	1	1	3	5	8	10	15
B. *Operated*	49	4.3	9	2	2	3	5	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	464	5.5	20	1	1	4	7	11	15	26
B. *Operated*	64	7.4	23	2	3	6	11	14	17	20
1. SINGLE DX	464	3.8	9	1	1	3	5	8	11	15
2. MULTIPLE DX	528	5.8	21	1	1	5	7	12	15	25
A. NOT OPERATED	879	4.7	16	1	1	4	6	10	12	21
B. OPERATED	113	6.1	19	2	2	4	8	13	15	19
TOTAL 0-19 YRS	199	3.5	7	1	1	3	5	7	9	14
20-34	316	4.3	11	1	1	4	5	9	11	17
35-49	214	4.8	13	1	1	4	7	10	12	15
50-64	142	5.9	25	1	2	5	7	13	17	34
65+	121	7.1	30	1	2	6	9	14	18	26
GRAND TOTAL	**992**	**4.8**	**16**	**1**	**1**	**4**	**6**	**10**	**13**	**21**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.4	4	<1	<1	2	3	4	6	13
20-34	60	2.8	4	<1	1	2	4	5	7	11
35-49	53	3.1	6	1	1	2	4	6	8	13
50-64	102	3.3	5	<1	1	3	5	6	8	10
65+	135	3.9	12	<1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	27	2.8	6	<1	<1	2	3	7	8	9
20-34	24	4.4	7	1	1	5	6	7	9	13
35-49	31	4.5	11	1	1	4	6	8	10	18
50-64	49	4.6	8	2	2	4	5	7	9	19
65+	39	3.6	7	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	2.8	6	<1	<1	2	4	6	8	11
20-34	38	4.2	39	<1	1	2	4	7	16	35
35-49	62	4.6	10	1	1	4	7	9	11	15
50-64	107	5.4	19	1	2	4	7	11	14	22
65+	242	5.6	48	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	14	3.4	7	<1	1	3	4	7	9	10
20-34	16	4.0	10	1	2	3	4	8	12	14
35-49	25	6.1	19	2	2	5	7	16	17	18
50-64	68	5.7	17	1	1	5	8	11	14	20
65+	107	6.9	30	1	2	5	9	15	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	3.3	7	<1	1	2	4	7	8	13
B. *Operated*	170	4.0	8	1	1	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	521	4.9	32	1	1	4	6	10	13	20
B. *Operated*	230	6.0	23	1	2	5	8	14	16	20
1. SINGLE DX	588	3.5	8	<1	1	3	5	7	8	14
2. MULTIPLE DX	751	5.3	29	1	1	4	7	11	15	19
A. NOT OPERATED	939	4.2	22	<1	1	3	5	8	11	18
B. OPERATED	400	5.2	18	1	1	4	7	10	15	19
TOTAL 0-19 YRS	181	2.7	5	<1	<1	2	3	6	7	11
20-34	138	3.6	15	<1	1	3	4	7	9	20
35-49	171	4.3	11	1	1	3	6	8	10	17
50-64	326	4.7	13	1	1	4	6	9	12	19
65+	523	5.3	33	1	1	4	7	11	14	20
GRAND TOTAL	**1339**	**4.5**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**19**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	8	<1	1	3	5	7	9	13
20-34	25	3.4	12	<1	1	2	5	8	11	14
35-49	17	2.1	2	<1	<1	2	3	3	5	6
50-64	21	5.0	33	<1	<1	3	7	9	18	27
65+	21	4.2	18	1	1	3	5	10	15	19
B. *Operated*										
0-19 YRS	71	2.6	10	<1	<1	2	3	4	5	22
20-34	57	3.4	15	<1	<1	2	3	8	12	21
35-49	30	3.4	11	<1	<1	2	3	9	11	14
50-64	34	5.4	25	1	2	4	6	13	17	23
65+	12	3.8	5	<1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	6	1	1	4	6	8	9	10
20-34	24	4.2	14	<1	1	3	7	9	13	14
35-49	20	3.0	3	1	1	3	4	5	7	8
50-64	37	4.6	16	<1	1	3	5	11	13	19
65+	59	9.7	71	1	2	7	12	22	33	94
B. *Operated*										
0-19 YRS	17	5.1	20	<1	1	3	8	8	15	19
20-34	23	4.3	32	<1	1	3	4	7	19	27
35-49	19	4.4	13	<1	1	3	7	9	12	15
50-64	25	9.1	114	1	2	4	16	33	50	99+
65+	27	10.9	226	1	1	6	14	23	33	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.8	14	<1	1	2	5	8	10	22
B. *Operated*	204	3.5	14	<1	<1	2	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	165	6.1	39	1	1	4	8	13	19	39
B. *Operated*	111	7.1	98	<1	1	3	8	19	27	86
1. SINGLE DX	322	3.6	14	<1	1	2	4	7	10	22
2. MULTIPLE DX	276	6.5	63	1	1	4	8	15	23	67
A. NOT OPERATED	283	5.1	30	1	1	3	7	11	16	34
B. OPERATED	315	4.7	47	<1	1	3	5	10	18	35
TOTAL 0-19 YRS	147	3.5	10	<1	1	2	4	8	8	19
20-34	129	3.7	17	<1	1	2	4	8	14	22
35-49	86	3.3	8	<1	<1	2	4	7	9	15
50-64	117	5.8	44	<1	1	4	6	14	22	58
65+	119	8.4	96	1	1	5	10	19	26	84
GRAND TOTAL	**598**	**4.9**	**39**	**<1**	**1**	**3**	**6**	**11**	**17**	**35**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	15.5	365	2	2	15	29	29	29	29
50-64	1	19.0		19	19	19	19	19	19	19
65+	9	14.7	243	1	2	5	26	39	43	43
B. *Operated*										
0-19 YRS	8	5.8	26	<1	<1	4	10	13	14	14
20-34	16	6.7	229	<1	<1	3	4	8	46	63
35-49	7	17.9	845	1	1	5	23	70	80	80
50-64	8	20.3	231	2	3	20	34	39	40	40
65+	19	20.7	225	5	7	18	28	52	84	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	4	7.3	26	2	2	6	11	14	14	14
35-49	1	15.0		15	15	15	15	15	15	15
50-64	11	20.5	586	8	8	12	22	52	88	91
65+	34	19.8	279	3	4	15	29	39	76	99+
B. *Operated*										
0-19 YRS	4	20.5	793	2	2	9	38	62	62	62
20-34	10	8.8	114	<1	<1	7	11	24	37	37
35-49	15	21.9	311	2	3	23	40	52	86	99+
50-64	54	29.6	601	6	7	24	46	86	97	99+
65+	135	29.5	464	8	10	22	45	62	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	14.1	209	1	1	5	24	36	42	43
B. *Operated*	58	14.4	299	<1	1	8	22	37	66	98
2. MULTIPLE DX										
A. *Not Operated*	52	18.6	313	3	4	14	23	38	79	99+
B. *Operated*	218	27.9	492	4	7	22	42	67	90	99+
1. SINGLE DX	71	14.3	279	<1	1	7	23	36	61	96
2. MULTIPLE DX	270	26.1	470	3	6	20	37	62	89	99+
A. NOT OPERATED	65	17.7	292	2	3	13	23	38	60	99
B. OPERATED	276	25.1	480	2	3	19	36	62	86	99+
TOTAL 0-19 YRS	15	10.1	238	<1	1	4	13	18	51	62
20-34	30	7.5	157	<1	<1	3	8	13	37	63
35-49	25	20.0	414	1	2	12	31	52	84	99+
50-64	74	27.1	556	5	7	20	36	83	92	99+
65+	197	26.3	418	4	7	21	36	61	83	99+
GRAND TOTAL	**341**	**23.7**	**452**	**2**	**3**	**18**	**34**	**62**	**84**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	3	1	1	2	4	5	6	7
20-34	252	3.4	8	1	1	3	4	7	9	14
35-49	566	3.6	8	1	1	3	5	7	9	15
50-64	564	4.1	8	1	1	3	5	8	10	14
65+	301	4.9	21	1	1	3	6	10	14	24
B. *Operated*										
0-19 YRS										
20-34	23	4.2	8	1	1	3	5	8	11	12
35-49	90	3.7	12	1	1	3	4	8	10	19
50-64	104	3.5	18	1	1	2	3	7	11	25
65+	17	2.8	6	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	11	<1	1	3	5	8	12	15
20-34	187	3.6	12	<1	1	2	5	8	11	15
35-49	614	4.4	12	1	1	3	6	9	11	16
50-64	1007	5.5	20	1	2	4	7	11	14	23
65+	871	7.1	51	2	2	5	9	14	18	34
B. *Operated*										
0-19 YRS	3	7.3	34	3	3	5	12	14	14	14
20-34	17	5.3	17	2	2	3	6	13	14	14
35-49	102	6.5	26	1	1	5	11	13	16	22
50-64	190	6.9	29	1	2	5	10	14	18	23
65+	47	12.4	115	1	2	10	18	29	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1731	3.9	10	1	1	3	5	8	10	15
B. *Operated*	234	3.6	14	1	1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	2730	5.6	29	1	1	4	7	11	14	26
B. *Operated*	359	7.5	42	1	2	5	11	16	19	32
1. SINGLE DX	1965	3.9	11	1	1	3	5	8	10	15
2. MULTIPLE DX	3089	5.8	31	1	1	4	8	12	15	26
A. NOT OPERATED	4461	5.0	22	1	1	4	6	10	13	22
B. OPERATED	593	5.9	35	1	1	3	8	13	18	29
TOTAL 0-19 YRS	102	3.6	8	<1	1	3	5	7	10	14
20-34	479	3.6	10	1	1	3	5	7	10	14
35-49	1372	4.2	12	1	1	3	5	9	11	17
50-64	1865	5.1	18	1	1	4	7	10	13	22
65+	1236	6.7	48	1	2	5	8	14	17	32
GRAND TOTAL	**5054**	**5.1**	**24**	**1**	**1**	**4**	**6**	**10**	**14**	**23**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	4.1	19	1	1	3	5	8	12	27
20-34	19	3.3	9	<1	<1	2	4	8	11	11
35-49	25	4.3	8	<1	1	3	7	8	9	11
50-64	35	6.5	72	1	1	5	7	12	15	50
65+	43	4.7	10	1	1	4	7	9	12	13
B. *Operated*										
0-19 YRS	7	4.0	14	<1	<1	3	6	10	11	11
20-34	17	5.0	16	<1	1	4	7	9	14	17
35-49	30	5.6	34	1	1	4	7	10	13	31
50-64	42	4.6	34	<1	1	2	6	11	12	35
65+	39	5.4	35	1	1	5	7	11	13	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.3	17	1	1	4	7	10	13	22
20-34	51	3.3	8	<1	<1	2	4	7	8	16
35-49	46	5.6	26	1	1	3	8	13	17	21
50-64	86	7.2	66	1	1	5	8	14	22	49
65+	155	8.7	84	1	2	6	11	19	26	46
B. *Operated*										
0-19 YRS	8	8.1	88	1	1	5	11	24	28	28
20-34	12	5.3	24	<1	<1	3	8	14	15	15
35-49	24	4.3	14	<1	1	4	5	7	12	19
50-64	63	8.7	57	1	2	7	12	17	21	43
65+	60	9.0	90	2	2	7	10	18	36	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.4	23	1	1	3	6	9	12	25
B. *Operated*	135	5.1	30	<1	1	3	7	11	12	35
2. MULTIPLE DX										
A. *Not Operated*	478	6.5	51	1	1	5	8	12	19	34
B. *Operated*	167	7.9	64	1	2	5	10	17	21	53
1. SINGLE DX	440	4.6	25	1	1	3	6	9	12	31
2. MULTIPLE DX	645	6.9	54	1	1	5	9	14	20	45
A. NOT OPERATED	783	5.7	41	1	1	4	7	11	16	32
B. OPERATED	302	6.6	51	1	1	5	8	14	18	48
TOTAL 0-19 YRS	338	4.7	20	1	1	3	6	10	13	24
20-34	99	3.8	12	<1	<1	3	5	8	11	17
35-49	125	5.1	22	1	1	4	7	11	14	23
50-64	226	7.1	60	1	1	5	9	15	21	46
65+	297	7.7	71	1	2	6	9	14	23	52
GRAND TOTAL	**1085**	**6.0**	**44**	**1**	**1**	**4**	**8**	**12**	**17**	**34**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.2	28	1	1	3	5	7	11	35
20-34	336	2.5	4	<1	1	2	3	5	6	11
35-49	311	2.4	3	<1	1	2	3	5	6	9
50-64	210	2.7	4	1	1	2	3	5	7	11
65+	142	4.0	19	1	1	3	4	8	12	28
B. *Operated*										
0-19 YRS	117	2.8	8	<1	<1	2	3	6	10	14
20-34	64	5.1	13	<1	<1	4	8	10	13	15
35-49	62	4.7	17	<1	<1	4	7	10	11	23
50-64	56	5.5	18	<1	<1	5	8	12	13	22
65+	45	7.4	99	<1	1	4	10	15	20	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.9	12	<1	1	3	5	9	11	15
20-34	125	3.3	8	1	1	2	4	7	9	17
35-49	133	3.4	6	1	1	3	4	7	9	11
50-64	145	5.1	26	1	1	3	7	11	17	25
65+	295	8.4	89	1	2	5	10	20	30	52
B. *Operated*										
0-19 YRS	68	4.4	54	<1	<1	2	5	10	14	48
20-34	48	9.1	51	<1	1	7	13	21	25	29
35-49	50	8.7	36	<1	1	8	11	17	19	27
50-64	84	7.9	37	1	2	7	11	15	21	30
65+	190	13.1	126	2	4	10	18	25	35	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	2.8	8	<1	1	2	3	5	7	13
B. *Operated*	344	4.6	26	<1	<1	3	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	746	5.7	49	1	1	3	7	13	19	39
B. *Operated*	440	9.8	89	<1	1	7	13	20	26	49
1. SINGLE DX	1441	3.3	13	<1	1	2	4	7	9	15
2. MULTIPLE DX	1186	7.2	68	1	1	5	9	17	23	44
A. NOT OPERATED	1843	4.0	27	1	1	2	4	8	12	29
B. OPERATED	784	7.5	68	<1	<1	5	10	17	22	45
TOTAL 0-19 YRS	331	3.7	24	<1	<1	2	5	8	11	19
20-34	573	3.5	13	<1	1	2	4	7	11	20
35-49	556	3.4	12	<1	1	2	4	7	10	17
50-64	495	4.6	21	1	1	3	6	10	13	24
65+	672	8.7	96	1	2	5	11	20	28	51
GRAND TOTAL	**2627**	**5.1**	**42**	**<1**	**1**	**3**	**6**	**11**	**17**	**32**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2735	2.7	5	1	1	2	3	5	7	11
20-34	1798	3.1	7	1	1	2	4	6	8	13
35-49	773	3.8	13	1	1	3	5	8	10	19
50-64	482	4.5	14	<1	1	3	6	9	11	18
65+	461	5.5	21	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	264	4.5	11	2	2	4	5	7	12	17
20-34	413	4.5	16	1	1	3	5	9	11	21
35-49	120	4.9	14	1	2	4	7	9	13	18
50-64	47	7.6	34	1	1	6	11	14	17	27
65+	24	10.9	48	1	3	10	14	23	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1137	3.6	14	1	1	3	4	7	10	17
20-34	1216	3.8	16	1	1	3	5	8	10	19
35-49	534	5.3	19	1	1	4	7	11	14	21
50-64	588	6.0	23	1	2	5	8	12	15	23
65+	880	8.7	69	1	2	6	11	17	23	42
B. *Operated*										
0-19 YRS	144	5.7	14	1	2	5	7	11	13	19
20-34	351	5.9	34	1	1	4	8	13	16	33
35-49	136	7.4	55	1	2	5	10	15	20	31
50-64	111	9.8	42	2	3	9	13	18	22	31
65+	105	16.5	247	3	4	12	20	32	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6249	3.3	9	1	1	2	4	7	9	14
B. *Operated*	868	4.9	17	1	2	4	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	4355	5.2	31	1	1	4	7	11	15	28
B. *Operated*	847	7.9	73	1	2	6	10	16	21	45
1. SINGLE DX	7117	3.5	10	1	1	2	4	7	9	16
2. MULTIPLE DX	5202	5.7	39	1	1	4	7	12	16	31
A. NOT OPERATED	10604	4.1	19	1	1	3	5	8	11	21
B. OPERATED	1715	6.4	47	1	2	4	8	13	17	33
TOTAL 0-19 YRS	4280	3.2	9	1	1	2	4	6	8	14
20-34	3778	3.7	14	1	1	3	5	8	10	18
35-49	1563	4.8	20	1	1	3	6	10	13	21
50-64	1228	5.8	24	1	1	4	8	12	15	23
65+	1470	8.3	74	1	2	6	10	16	23	46
GRAND TOTAL	**12319**	**4.4**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	4.8	43	1	1	3	5	10	14	32
20-34	62	3.5	10	<1	<1	2	5	8	10	16
35-49	45	3.2	12	<1	<1	2	4	7	10	18
50-64	49	4.8	18	<1	<1	3	6	11	13	20
65+	65	6.4	78	1	1	5	8	10	14	62
B. *Operated*										
0-19 YRS	5	7.6	69	<1	<1	6	10	22	22	22
20-34	18	5.3	18	1	1	3	9	12	14	14
35-49	12	5.5	14	<1	<1	6	9	10	10	10
50-64	14	8.0	64	1	1	5	12	21	25	26
65+	15	7.2	42	1	2	6	11	13	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	6.4	72	1	1	4	7	13	18	51
20-34	72	4.7	13	1	1	4	6	10	12	18
35-49	77	6.0	23	1	1	5	8	12	16	22
50-64	102	7.2	67	1	2	5	9	14	19	51
65+	283	9.7	99	1	2	7	13	20	31	98
B. *Operated*										
0-19 YRS	9	14.1	102	5	5	9	19	31	34	34
20-34	31	10.8	54	1	2	10	14	19	29	32
35-49	16	14.9	179	<1	1	11	21	32	44	49
50-64	55	10.9	94	2	2	10	14	26	28	46
65+	43	14.4	218	2	3	8	20	31	45	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	4.7	39	<1	1	3	6	10	14	24
B. *Operated*	64	6.6	35	<1	1	4	9	13	21	26
2. MULTIPLE DX										
A. *Not Operated*	830	7.5	74	1	1	5	9	16	21	52
B. *Operated*	154	12.4	130	2	2	9	16	28	33	50
1. SINGLE DX	581	4.9	39	<1	1	3	6	10	14	25
2. MULTIPLE DX	984	8.2	86	1	2	5	10	18	26	51
A. NOT OPERATED	1347	6.4	62	1	1	4	8	14	19	49
B. OPERATED	218	10.7	109	1	2	8	14	25	30	49
TOTAL 0-19 YRS	606	5.8	59	1	1	4	6	12	17	42
20-34	183	5.4	26	<1	1	3	7	12	15	27
35-49	150	6.0	45	<1	1	4	8	13	19	33
50-64	220	7.6	66	1	1	5	10	16	23	47
65+	406	9.6	110	1	2	7	12	20	30	84
GRAND TOTAL	**1565**	**7.0**	**71**	**1**	**1**	**4**	**9**	**15**	**21**	**49**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1098	4.5	18	1	1	3	6	9	12	24
20-34	260	3.6	10	<1	1	3	5	7	10	16
35-49	247	4.5	28	<1	1	3	6	8	12	24
50-64	312	5.2	24	1	1	4	7	11	14	26
65+	591	7.8	90	1	1	5	9	18	30	99+
B. *Operated*										
0-19 YRS	59	4.5	22	<1	<1	3	5	11	13	25
20-34	135	3.7	10	<1	<1	3	5	8	12	16
35-49	80	4.9	28	<1	1	2	6	12	17	23
50-64	71	5.7	34	<1	1	3	7	14	18	27
65+	37	6.4	20	1	2	5	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	939	6.3	38	1	1	5	8	13	17	34
20-34	318	4.6	21	1	1	3	6	9	14	25
35-49	320	6.3	59	1	1	5	8	11	16	38
50-64	632	7.1	53	1	1	5	9	15	21	33
65+	1733	10.9	144	2	2	7	13	27	39	99+
B. *Operated*										
0-19 YRS	45	9.5	116	1	1	7	14	20	41	99+
20-34	85	5.0	15	1	1	4	7	10	13	18
35-49	78	10.0	190	1	2	6	12	19	42	99+
50-64	140	10.2	107	1	2	8	15	20	34	71
65+	170	14.3	189	2	2	11	20	37	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2508	5.2	38	1	1	3	6	11	16	35
B. *Operated*	382	4.7	22	<1	1	3	6	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	3942	8.3	93	1	2	5	10	18	28	76
B. *Operated*	518	10.6	141	1	2	7	15	24	39	99+
1. SINGLE DX	2890	5.2	36	1	1	3	6	11	16	33
2. MULTIPLE DX	4460	8.6	99	1	2	6	11	19	29	89
A. NOT OPERATED	6450	7.1	74	1	1	4	8	15	23	62
B. OPERATED	900	8.1	99	1	1	5	10	18	26	99
TOTAL 0-19 YRS	2141	5.4	30	1	1	4	7	11	16	29
20-34	798	4.2	15	<1	1	3	5	9	12	19
35-49	725	5.9	61	1	1	4	7	12	16	48
50-64	1155	6.9	53	1	1	5	9	15	20	35
65+	2531	10.3	135	1	2	7	13	24	38	99+
GRAND TOTAL	**7350**	**7.2**	**77**	**1**	**1**	**5**	**9**	**16**	**23**	**64**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.8	9	1	1	2	3	6	7	13
20-34	20	4.4	28	<1	1	2	5	14	17	19
35-49	8	3.6	9	<1	<1	2	6	8	9	9
50-64	9	5.9	20	<1	1	5	8	13	14	14
65+	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	24	6.7	20	1	1	6	8	12	18	18
20-34	8	9.8	53	2	3	8	11	22	26	26
35-49	3	7.7	24	2	2	10	11	11	11	11
50-64	2	5.0	32	1	1	5	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.7	21	1	1	3	5	11	14	24
20-34	44	5.9	29	<1	1	4	8	13	16	26
35-49	15	6.6	72	1	1	3	7	20	29	32
50-64	15	11.1	184	1	1	7	14	23	46	54
65+	18	15.9	282	2	2	10	24	26	55	74
B. *Operated*										
0-19 YRS	29	9.7	106	1	2	8	15	65	99+	99+
20-34	33	16.3	358	2	3	8	20	53	71	99+
35-49	18	12.1	170	1	2	8	16	28	45	53
50-64	5	17.4	232	6	6	11	27	42	42	42
65+	8	23.4	301	2	4	21	30	50	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	3.1	11	1	1	2	4	7	8	14
B. *Operated*	37	7.4	27	1	1	7	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	197	6.6	72	1	1	4	8	15	23	44
B. *Operated*	93	14.1	238	2	2	8	18	49	71	99+
1. SINGLE DX	286	3.7	15	1	1	2	4	8	11	19
2. MULTIPLE DX	290	9.0	137	1	2	5	11	23	40	99+
A. NOT OPERATED	446	4.7	41	1	1	3	5	11	15	27
B. OPERATED	130	12.2	187	1	2	8	14	34	57	99+
TOTAL 0-19 YRS	367	4.2	24	1	1	3	5	9	13	47
20-34	105	9.2	156	1	1	6	11	20	46	84
35-49	44	8.4	104	1	1	4	10	19	32	53
50-64	31	10.2	140	1	1	6	13	22	41	54
65+	29	16.8	276	2	2	11	24	31	59	74
GRAND TOTAL	**576**	**6.4**	**83**	**1**	**1**	**3**	**7**	**14**	**24**	**71**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.1	10	1	1	2	4	6	9	18
20-34	26	3.8	9	<1	1	3	6	8	9	12
35-49	7	3.3	7	1	1	3	5	7	8	8
50-64	9	6.2	54	1	1	3	10	18	23	23
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	8	5.8	10	1	1	7	8	9	9	9
20-34	6	9.5	81	1	1	8	16	21	22	22
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.6	52	1	1	3	7	11	16	41
20-34	40	7.6	117	<1	1	4	8	15	28	61
35-49	23	5.8	28	1	1	5	7	13	17	21
50-64	15	8.5	56	1	2	7	13	28	79	99+
65+	11	9.7	81	1	1	10	19	47	92	99+
B. *Operated*										
0-19 YRS	26	17.3	402	2	3	10	17	46	66	76
20-34	47	16.0	259	2	3	11	23	81	99+	99+
35-49	17	17.7	203	1	3	16	24	35	49	56
50-64	14	14.4	155	2	3	9	22	33	41	43
65+	7	19.1	359	1	2	20	40	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.5	13	1	1	2	5	8	10	22
B. *Operated*	15	7.6	38	1	1	8	10	16	20	22
2. MULTIPLE DX										
A. *Not Operated*	155	6.7	68	1	1	4	8	17	24	97
B. *Operated*	111	16.6	268	2	3	11	23	53	91	99+
1. SINGLE DX	147	4.0	16	1	1	3	5	8	12	22
2. MULTIPLE DX	266	10.8	175	1	1	7	14	34	56	99+
A. NOT OPERATED	287	5.3	45	1	1	3	6	12	18	53
B. OPERATED	126	15.5	249	2	2	10	20	49	76	99+
TOTAL 0-19 YRS	188	6.1	98	1	1	3	6	12	20	57
20-34	119	10.2	169	1	1	7	12	40	65	99+
35-49	48	9.8	120	1	1	6	13	22	32	56
50-64	38	10.1	99	1	2	7	15	29	38	99+
65+	20	12.7	180	1	1	10	23	70	99+	99+
GRAND TOTAL	**413**	**8.4**	**129**	**1**	**1**	**5**	**10**	**22**	**42**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.9	3	<1	<1	1	2	4	5	9
20-34	64	2.2	3	<1	1	1	3	4	5	10
35-49	19	1.4	1	<1	<1	1	1	2	4	6
50-64	5	1.4	1	<1	<1	1	2	3	3	3
65+	4	3.8	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	360	2.5	4	<1	1	2	3	5	6	11
20-34	592	2.6	4	<1	1	2	3	5	7	12
35-49	115	3.1	5	1	1	2	4	6	7	11
50-64	31	4.0	19	<1	1	3	4	7	15	22
65+	12	4.3	10	<1	1	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.8	6	<1	<1	2	4	6	8	10
20-34	97	3.5	12	<1	<1	3	5	7	9	20
35-49	46	2.7	4	<1	<1	2	3	6	7	8
50-64	19	3.4	10	<1	<1	3	4	8	11	12
65+	22	14.0	395	2	2	7	11	37	70	81
B. *Operated*										
0-19 YRS	230	4.6	18	<1	1	3	6	10	13	21
20-34	468	4.9	42	1	1	4	6	9	12	26
35-49	135	6.7	76	1	1	4	8	14	19	54
50-64	49	6.0	52	1	1	4	8	14	20	99+
65+	30	11.2	82	2	3	8	15	25	29	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.0	3	<1	<1	1	3	4	5	9
B. *Operated*	1110	2.7	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	229	4.2	55	<1	<1	3	5	8	11	34
B. *Operated*	912	5.4	44	1	1	4	6	11	15	31
1. SINGLE DX	1244	2.6	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1141	5.1	47	1	1	3	6	10	14	29
A. NOT OPERATED	363	3.4	37	<1	<1	2	4	7	9	25
B. OPERATED	2022	3.9	24	<1	1	3	5	8	11	22
TOTAL 0-19 YRS	677	3.2	10	<1	1	2	4	7	10	15
20-34	1221	3.6	20	<1	1	3	4	7	9	17
35-49	315	4.5	39	1	1	3	5	9	13	24
50-64	104	4.7	34	<1	1	3	6	11	15	70
65+	68	10.5	175	2	2	6	11	24	30	78
GRAND TOTAL	**2385**	**3.8**	**26**	**<1**	**1**	**3**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	6.1	44	1	1	4	7	12	18	38
20-34	209	6.8	25	1	2	5	9	13	17	22
35-49	87	8.7	56	2	2	6	11	21	25	37
50-64	69	12.0	93	3	3	9	15	21	29	57
65+	81	14.3	151	3	3	11	19	29	33	73
B. *Operated*										
0-19 YRS	13	14.0	203	1	2	12	15	25	52	58
20-34	23	14.6	99	4	4	12	20	37	57	99+
35-49	8	20.3	537	1	1	9	37	56	64	64
50-64	6	14.5	46	3	4	15	20	22	22	22
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	8.4	80	1	2	5	10	19	31	43
20-34	172	8.8	64	2	2	6	11	20	25	41
35-49	98	10.4	81	2	2	9	14	22	28	46
50-64	114	13.0	139	3	3	9	16	25	39	62
65+	271	18.5	190	4	5	15	25	37	49	99+
B. *Operated*										
0-19 YRS	43	14.8	142	2	4	12	21	28	40	57
20-34	77	14.5	172	1	3	12	18	31	39	73
35-49	30	18.5	520	5	6	11	14	79	90	99+
50-64	15	15.4	71	3	6	16	21	26	30	31
65+	28	29.1	386	7	8	23	36	68	72	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	8.7	68	1	2	7	11	18	23	37
B. *Operated*	51	15.4	176	2	3	13	19	38	56	99
2. MULTIPLE DX										
A. *Not Operated*	739	13.2	144	2	3	9	17	31	38	69
B. *Operated*	193	17.4	263	2	4	13	22	37	55	87
1. SINGLE DX	607	9.3	81	1	2	7	12	20	25	49
2. MULTIPLE DX	932	14.1	171	2	3	10	18	32	40	80
A. NOT OPERATED	1295	11.3	116	2	2	8	14	25	33	59
B. OPERATED	244	16.9	244	2	4	13	21	37	57	90
TOTAL 0-19 YRS	250	8.8	90	1	1	5	11	19	27	54
20-34	481	9.1	74	1	2	7	12	19	26	41
35-49	223	11.2	155	2	2	8	14	22	36	84
50-64	204	12.9	115	3	3	10	17	25	33	59
65+	381	18.4	206	3	5	15	25	36	48	96
GRAND TOTAL	**1539**	**12.2**	**141**	**2**	**2**	**9**	**16**	**26**	**36**	**71**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	23	1	1	5	9	14	16	17
20-34	13	7.8	76	<1	1	4	10	25	27	28
35-49	6	8.8	50	1	1	7	14	19	20	20
50-64	4	3.8	14	1	1	3	6	9	9	9
65+	5	14.4	42	8	8	15	19	23	23	23
B. *Operated*										
0-19 YRS	2	22.5	85	16	16	22	29	29	29	29
20-34	7	32.3	415	14	14	29	36	66	74	74
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.6	129	<1	1	5	6	28	34	34
20-34	7	12.0	237	1	1	5	20	38	42	42
35-49	5	14.2	113	3	3	10	20	31	31	31
50-64	10	9.2	172	<1	<1	5	9	28	45	45
65+	11	20.7	267	4	5	14	36	70	96	99+
B. *Operated*										
0-19 YRS	9	34.0	443	3	9	51	58	99+	99+	99+
20-34	12	40.8	527	13	15	59	99+	99+	99+	99+
35-49	1	6.0		6	6	53	99+	99+	99+	99+
50-64	7	27.9	194	7	9	33	37	45	47	47
65+	1	16.0		16	16	58	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	7.9	49	1	1	6	10	19	23	28
B. *Operated*	10	29.1	313	14	14	26	35	55	74	74
2. MULTIPLE DX										
A. *Not Operated*	40	13.4	200	<1	1	8	19	39	50	99+
B. *Operated*	30	33.7	428	6	13	44	73	99+	99+	99+
1. SINGLE DX	52	12.0	166	1	1	8	16	28	34	73
2. MULTIPLE DX	70	22.1	396	1	3	18	48	99+	99+	99+
A. NOT OPERATED	82	10.6	129	1	1	7	14	29	39	86
B. OPERATED	40	32.6	395	7	14	34	67	99+	99+	99+
TOTAL 0-19 YRS	32	15.6	303	1	2	8	29	58	91	99+
20-34	39	23.1	496	1	2	20	47	99+	99+	99+
35-49	13	11.5	74	1	3	10	20	38	86	99+
50-64	21	14.4	237	<1	1	8	22	41	46	47
65+	17	18.6	186	5	7	15	33	83	99+	99+
GRAND TOTAL	**122**	**17.8**	**321**	**1**	**2**	**13**	**33**	**67**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	7	<1	1	3	5	8	10	10
20-34	54	3.2	6	<1	1	3	5	7	8	11
35-49	54	4.0	10	1	1	3	5	7	8	21
50-64	68	4.9	12	1	1	4	7	10	12	15
65+	87	8.1	50	1	2	6	10	15	24	38
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	13	1	1	3	5	9	11	17
20-34	126	4.6	11	1	1	4	6	9	10	16
35-49	135	6.3	21	1	2	6	8	11	14	22
50-64	198	7.8	31	1	2	7	10	15	18	29
65+	316	14.7	200	3	4	10	18	37	58	99+
B. *Operated*										
0-19 YRS	18	12.2	141	1	3	8	20	26	40	49
20-34	51	8.9	62	1	2	6	12	17	29	39
35-49	50	12.5	158	2	3	9	16	26	39	72
50-64	49	15.1	139	2	4	13	18	25	47	53
65+	44	22.3	328	5	7	17	31	64	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	5.3	26	1	1	4	7	10	13	30
B. *Operated*	3	12.7	69	6	6	10	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	807	9.6	109	1	2	7	11	19	32	82
B. *Operated*	212	14.2	183	2	3	10	19	31	47	90
1. SINGLE DX	279	5.4	27	1	1	4	7	10	14	30
2. MULTIPLE DX	1019	10.6	128	1	2	7	13	22	37	87
A. NOT OPERATED	1083	8.5	92	1	2	6	10	17	26	69
B. OPERATED	215	14.2	181	[illegible]	3	10	19	31	46	89
TOTAL 0-19 YRS	63	6.3	60	1	1	4	8	12	22	46
20-34	232	5.2	25	1	1	4	7	10	14	30
35-49	239	7.1	55	1	2	5	8	13	20	39
50-64	316	8.3	53	1	2	7	10	17	20	44
65+	448	14.2	197	2	3	10	17	35	55	99+
GRAND TOTAL	**1298**	**9.5**	**111**	**1**	**2**	**7**	**11**	**20**	**31**	**72**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	8.4	41	1	2	6	13	20	21	26
20-34	62	11.5	144	1	1	8	16	24	32	69
35-49	26	13.0	80	3	5	11	20	28	47	99+
50-64	18	18.2	229	1	3	12	26	43	47	50
65+	84	19.3	213	5	6	17	27	33	46	96
B. *Operated*										
0-19 YRS	5	25.2	1198	2	2	7	43	84	84	84
20-34	2	22.5	221	12	12	22	33	33	33	33
35-49	2	44.5	221	34	34	44	55	55	55	55
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	11.7	76	1	4	10	14	22	27	52
20-34	73	12.4	65	1	3	11	16	26	28	34
35-49	30	18.5	270	1	2	14	23	51	57	57
50-64	47	18.0	176	4	5	14	26	35	45	59
65+	191	27.0	358	7	8	23	36	60	81	99+
B. *Operated*										
0-19 YRS	28	21.4	274	4	5	16	31	44	53	69
20-34	48	22.3	399	2	3	13	37	50	55	94
35-49	29	23.0	443	2	7	16	34	47	67	95
50-64	17	28.4	222	10	13	26	50	52	81	99+
65+	24	35.5	431	6	9	39	59	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	14.2	162	2	3	11	20	30	41	90
B. *Operated*	10	28.3	656	2	3	26	34	69	84	84
2. MULTIPLE DX										
A. *Not Operated*	408	20.2	275	4	5	16	28	44	59	99+
B. *Operated*	146	25.2	384	3	6	18	41	55	69	99+
1. SINGLE DX	252	14.8	187	2	3	11	21	31	43	89
2. MULTIPLE DX	554	21.5	308	4	5	16	30	51	62	99+
A. NOT OPERATED	650	18.0	241	2	4	13	25	40	53	99+
B. OPERATED	156	25.4	398	3	6	19	40	55	71	99+
TOTAL 0-19 YRS	152	12.8	154	2	3	9	16	26	35	69
20-34	185	14.8	198	1	3	11	17	33	47	67
35-49	87	19.0	293	1	4	15	24	47	57	98
50-64	82	20.2	210	4	6	17	27	45	52	86
65+	300	25.5	340	6	7	22	35	57	80	99+
GRAND TOTAL	**806**	**19.4**	**280**	**3**	**4**	**14**	**27**	**45**	**57**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	2.2	5	<1	1	2	3	4	5	14
20-34	32	3.8	11	<1	1	3	5	6	7	19
35-49	20	4.3	29	<1	<1	3	5	6	16	26
50-64	39	7.2	196	1	2	4	8	11	19	68
65+	105	12.2	176	1	2	7	15	36	40	59
B. *Operated*										
0-19 YRS	431	3.6	21	1	1	2	4	8	12	23
20-34	67	5.2	26	1	1	3	6	11	17	26
35-49	43	5.2	16	1	1	4	6	11	15	18
50-64	50	7.0	46	1	2	6	8	12	18	39
65+	71	11.2	155	1	1	8	14	33	37	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	38	1	1	2	5	11	35	99+
20-34	21	5.1	19	1	1	4	7	13	15	16
35-49	16	13.1	465	1	2	6	10	35	72	87
50-64	52	11.2	182	1	1	6	13	30	37	72
65+	149	23.8	450	3	4	17	36	60	88	99+
B. *Operated*										
0-19 YRS	114	10.1	127	1	1	6	14	22	32	56
20-34	72	9.1	111	1	2	6	10	20	32	55
35-49	47	9.4	211	1	1	4	9	21	31	88
50-64	60	9.3	70	1	2	7	12	21	25	45
65+	112	18.1	324	1	2	14	25	48	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	6.5	107	1	1	3	6	15	28	54
B. *Operated*	662	5.0	43	1	1	3	5	11	18	36
2. MULTIPLE DX										
A. *Not Operated*	266	17.1	381	1	2	10	26	46	73	99+
B. *Operated*	405	12.0	193	1	2	7	16	28	46	79
1. SINGLE DX	973	5.5	64	1	1	3	6	12	21	39
2. MULTIPLE DX	671	14.0	273	1	2	8	18	38	56	99+
A. NOT OPERATED	577	11.4	261	1	1	5	14	35	48	90
B. OPERATED	1067	7.6	111	1	1	4	9	19	28	57
TOTAL 0-19 YRS	688	4.5	43	1	1	2	4	11	19	36
20-34	192	6.4	59	1	1	4	8	14	19	46
35-49	126	7.6	152	1	1	4	8	17	26	87
50-64	201	8.8	119	1	2	6	10	19	29	60
65+	437	17.5	329	1	2	12	26	44	61	99+
GRAND TOTAL	**1644**	**8.9**	**167**	**1**	**1**	**4**	**10**	**24**	**37**	**88**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.4	1	<1	1	1	1	2	3	7
20-34	35	1.3	1	<1	<1	1	1	2	3	4
35-49	17	2.3	2	<1	<1	2	3	5	6	6
50-64	29	3.4	16	<1	<1	2	4	8	14	17
65+	36	4.3	21	1	1	2	5	10	12	24
B. *Operated*										
0-19 YRS	1805	1.7	5	<1	1	1	2	3	4	7
20-34	366	2.8	14	1	1	2	3	5	7	12
35-49	254	2.3	3	1	1	2	3	4	5	8
50-64	341	2.3	4	<1	1	2	3	4	6	10
65+	279	3.1	15	1	1	2	4	7	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	12	<1	<1	1	2	5	6	20
20-34	26	3.4	9	<1	<1	2	4	8	10	13
35-49	14	2.4	4	1	1	2	3	6	8	8
50-64	31	7.0	151	1	1	5	7	10	18	70
65+	66	13.3	252	2	2	8	16	43	62	95
B. *Operated*										
0-19 YRS	272	4.3	44	1	1	2	4	9	15	35
20-34	207	6.4	86	1	1	4	6	12	23	49
35-49	108	5.4	37	1	1	3	7	11	15	34
50-64	148	7.1	145	1	1	4	7	14	27	73
65+	215	8.2	145	1	1	4	9	20	32	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.3	9	<1	<1	1	2	5	8	16
B. *Operated*	3045	2.1	7	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	171	7.6	150	<1	1	4	8	18	32	72
B. *Operated*	950	6.2	93	1	1	3	6	13	23	52
1. SINGLE DX	3230	2.1	7	<1	1	1	2	4	5	10
2. MULTIPLE DX	1121	6.4	102	1	1	3	7	14	24	66
A. NOT OPERATED	356	4.9	83	<1	1	2	5	10	18	64
B. OPERATED	3995	3.1	30	1	1	2	3	6	9	29
TOTAL 0-19 YRS	2179	2.1	10	<1	1	1	2	4	5	13
20-34	634	3.9	40	1	1	2	4	7	10	34
35-49	393	3.2	14	1	1	2	4	6	9	18
50-64	549	3.9	55	<1	1	2	4	7	10	36
65+	596	6.1	100	1	1	3	7	15	24	80
GRAND TOTAL	**4351**	**3.2**	**35**	**1**	**1**	**2**	**3**	**6**	**10**	**31**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	2	<1	<1	1	2	3	4	6
20-34	30	1.7	1	<1	<1	1	2	3	4	4
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64	7	1.7	1	1	1	1	2	4	4	4
65+	6	12.7	609	1	1	3	4	57	63	63
B. *Operated*										
0-19 YRS	344	1.7	1	<1	<1	1	2	3	4	6
20-34	332	2.1	2	<1	<1	2	3	4	5	7
35-49	98	2.5	14	<1	<1	2	3	4	6	24
50-64	52	2.6	8	<1	1	2	3	6	8	16
65+	32	3.1	6	1	1	2	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.7	12	<1	1	2	5	10	12	13
20-34	21	2.6	5	<1	<1	2	3	6	8	9
35-49	16	3.3	6	<1	1	3	4	7	8	9
50-64	9	7.3	57	1	1	5	10	20	25	25
65+	16	11.9	66	2	3	10	18	22	26	28
B. *Operated*										
0-19 YRS	80	3.7	20	<1	1	2	5	7	11	27
20-34	163	4.5	63	<1	1	2	5	10	13	33
35-49	77	4.3	17	1	1	3	5	11	12	22
50-64	36	5.2	42	1	1	2	5	13	22	27
65+	36	10.9	306	1	2	4	11	23	44	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	50	<1	<1	1	2	4	4	48
B. *Operated*	858	2.0	4	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	79	5.4	36	<1	1	3	7	13	21	27
B. *Operated*	392	5.0	68	1	1	3	5	11	16	36
1. SINGLE DX	935	2.1	7	<1	<1	1	2	4	5	8
2. MULTIPLE DX	471	5.0	63	1	1	3	5	11	17	33
A. NOT OPERATED	156	4.0	45	<1	<1	2	4	9	14	28
B. OPERATED	1250	2.9	26	<1	1	2	3	5	9	23
TOTAL 0-19 YRS	467	2.1	5	<1	<1	1	2	4	6	12
20-34	546	2.8	21	<1	<1	2	3	5	7	17
35-49	199	3.2	15	<1	1	2	3	7	11	21
50-64	104	3.9	25	<1	1	2	4	9	14	26
65+	90	8.4	184	1	1	4	9	20	28	82
GRAND TOTAL	**1406**	**3.1**	**28**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	13.8	323	<1	1	6	21	45	51	51
20-34	3	27.3	1146	3	3	13	53	66	66	66
35-49	6	11.2	128	4	4	7	9	31	34	34
50-64	13	20.2	249	<1	1	18	35	43	45	45
65+	66	15.0	296	1	1	9	25	49	75	99+
B. *Operated*										
0-19 YRS	27	22.2	385	3	4	14	36	51	57	82
20-34	20	11.4	64	4	5	9	13	24	32	34
35-49	35	13.3	112	4	5	11	13	25	32	61
50-64	127	16.6	113	5	7	14	21	30	37	58
65+	544	22.6	216	7	9	20	29	43	66	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	36.5	496	<1	10	35	51	67	79	79
20-34	4	31.5	1330	6	6	17	54	85	85	85
35-49	6	19.0	187	<1	1	20	29	36	37	37
50-64	26	23.9	377	1	5	22	37	71	99+	99+
65+	107	26.6	650	1	3	23	62	99+	99+	99+
B. *Operated*										
0-19 YRS	25	23.8	348	4	5	19	29	55	66	70
20-34	46	19.8	205	5	7	15	23	42	48	68
35-49	44	19.0	237	5	7	14	22	33	66	71
50-64	187	24.2	376	7	9	19	34	66	95	99+
65+	1285	30.3	439	8	11	27	48	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	15.8	297	1	1	9	27	45	69	99+
B. *Operated*	753	20.9	205	6	8	17	27	40	58	99+
2. MULTIPLE DX										
A. *Not Operated*	153	26.6	588	1	3	23	53	99+	99+	99+
B. *Operated*	1587	28.9	427	8	10	25	43	90	99+	99+
1. SINGLE DX	849	20.3	218	4	7	17	27	40	59	99+
2. MULTIPLE DX	1740	28.7	441	6	10	25	44	92	99+	99+
A. NOT OPERATED	249	22.5	502	1	2	17	39	86	99+	99+
B. OPERATED	2340	26.3	370	7	9	22	37	74	99+	99+
TOTAL 0-19 YRS	70	23.9	400	2	3	18	35	52	65	81
20-34	73	18.5	260	4	5	13	21	40	54	81
35-49	91	16.3	183	4	5	12	19	32	37	69
50-64	353	21.3	287	6	7	16	28	46	78	99+
65+	2002	27.5	401	6	9	24	41	85	99+	99+
GRAND TOTAL	**2589**	**25.9**	**384**	**5**	**8**	**22**	**38**	**74**	**99+**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	24.2	235	1	3	24	32	45	53	63
20-34	15	18.3	513	2	3	7	36	58	63	65
35-49	7	9.0	286	<1	<1	2	6	39	47	47
50-64	13	16.5	358	1	3	11	15	56	59	60
65+	18	25.1	707	1	2	10	45	80	96	99+
B. *Operated*										
0-19 YRS	137	24.6	386	2	3	23	34	51	61	88
20-34	51	18.8	207	2	4	14	22	46	49	65
35-49	22	18.3	208	3	5	15	27	36	52	63
50-64	17	23.8	328	1	3	16	40	52	56	56
65+	31	24.4	398	3	4	19	37	61	83	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	28.0	380	1	4	25	38	48	77	84
20-34	11	18.4	716	<1	<1	4	35	63	75	76
35-49	4	29.0	1893	2	2	10	52	94	94	94
50-64	12	22.2	511	<1	3	14	29	62	73	75
65+	43	37.5	661	6	9	35	71	99+	99+	99+
B. *Operated*										
0-19 YRS	168	32.1	535	6	8	27	48	71	91	99+
20-34	122	27.7	473	5	9	21	45	78	99+	99+
35-49	45	27.7	531	5	6	21	42	75	87	99+
50-64	36	32.6	458	8	11	35	63	99+	99+	99+
65+	83	37.6	755	7	10	38	87	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	23.0	303	1	2	22	33	48	55	83
B. *Operated*	258	22.8	335	2	3	19	32	49	60	88
2. MULTIPLE DX										
A. *Not Operated*	145	29.6	550	1	4	25	44	78	94	99+
B. *Operated*	454	31.5	560	6	8	27	56	95	99+	99+
1. SINGLE DX	485	22.9	320	1	3	20	33	49	57	87
2. MULTIPLE DX	599	31.1	557	4	7	27	52	87	99+	99+
A. NOT OPERATED	372	25.6	409	1	3	23	38	55	77	99+
B. OPERATED	712	28.4	495	4	6	23	45	77	99+	99+
TOTAL 0-19 YRS	554	27.2	393	2	4	25	39	56	71	97
20-34	199	24.2	433	2	4	17	39	65	95	99+
35-49	78	23.4	495	2	4	16	32	64	82	99+
50-64	78	26.4	444	3	5	21	45	77	99+	99+
65+	175	33.9	687	4	7	32	69	99+	99+	99+
GRAND TOTAL	**1084**	**27.4**	**467**	**3**	**5**	**23**	**42**	**70**	**96**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	3.2	10	1	1	2	4	6	8	16
20-34	108	4.2	26	<1	1	3	5	8	11	32
35-49	58	4.3	12	<1	1	3	6	9	12	18
50-64	44	5.8	21	1	2	4	8	14	15	21
65+	30	14.4	308	1	2	9	20	57	66	99+
B. *Operated*										
0-19 YRS	409	5.1	48	1	1	3	6	10	16	25
20-34	337	7.2	65	1	2	5	8	14	23	52
35-49	178	7.1	40	1	2	5	9	15	18	32
50-64	89	9.0	52	2	2	7	11	23	24	32
65+	42	15.5	106	3	4	13	20	29	35	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.6	29	1	1	3	6	8	12	34
20-34	52	6.6	65	<1	1	4	9	14	18	50
35-49	50	12.5	236	<1	1	8	14	33	43	84
50-64	33	16.8	327	1	2	11	24	35	50	90
65+	69	17.5	330	2	3	12	22	42	72	98
B. *Operated*										
0-19 YRS	171	11.6	145	2	2	7	15	25	39	64
20-34	224	13.5	216	2	3	9	16	34	56	99+
35-49	110	12.9	168	2	3	9	16	32	53	99+
50-64	101	16.7	316	2	3	11	22	42	66	99+
65+	58	24.2	513	3	7	19	47	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	4.5	39	1	1	3	5	9	13	38
B. *Operated*	1055	6.9	59	1	1	5	8	14	22	38
2. MULTIPLE DX										
A. *Not Operated*	265	11.4	216	1	1	7	13	29	41	89
B. *Operated*	664	14.3	241	2	3	9	18	38	61	99+
1. SINGLE DX	1544	6.1	54	1	1	4	7	12	19	39
2. MULTIPLE DX	929	13.5	235	1	2	8	17	36	54	99+
A. NOT OPERATED	754	6.9	112	1	1	4	7	15	26	66
B. OPERATED	1719	9.7	142	1	2	6	12	23	35	98
TOTAL 0-19 YRS	890	5.8	63	1	1	3	6	12	19	44
20-34	721	8.7	117	1	2	5	10	20	28	73
35-49	396	9.0	106	1	2	6	10	18	30	65
50-64	267	12.4	199	2	2	8	14	29	39	92
65+	199	18.6	342	2	3	13	26	52	98	99+
GRAND TOTAL	**2473**	**8.9**	**135**	**1**	**1**	**5**	**10**	**21**	**31**	**88**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.6	30	1	1	2	4	7	10	37
20-34	171	3.4	12	<1	<1	2	4	8	10	17
35-49	81	4.3	14	<1	1	3	6	10	14	74
50-64	75	6.1	35	1	1	4	9	12	16	31
65+	58	6.6	33	1	2	4	9	14	15	30
B. *Operated*										
0-19 YRS	398	4.3	45	1	1	3	5	7	10	26
20-34	622	4.9	11	1	2	4	6	8	11	17
35-49	304	5.6	14	2	2	5	7	11	13	18
50-64	258	6.4	24	2	2	5	8	12	15	22
65+	134	8.9	77	2	2	7	11	16	20	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.1	30	1	1	3	7	12	14	31
20-34	92	4.9	25	<1	1	3	6	10	17	27
35-49	54	5.9	31	<1	1	4	8	11	15	33
50-64	72	8.7	57	2	2	6	12	19	24	38
65+	115	14.5	234	1	2	9	19	32	50	74
B. *Operated*										
0-19 YRS	191	8.3	100	2	2	5	9	18	25	51
20-34	379	8.2	74	2	2	5	9	17	24	49
35-49	198	9.3	133	1	2	6	10	19	36	81
50-64	177	11.4	178	2	3	7	12	25	52	71
65+	143	15.4	229	1	4	11	20	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	4.3	24	<1	1	3	6	10	13	28
B. *Operated*	1716	5.5	28	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	385	8.7	110	1	1	6	11	20	27	60
B. *Operated*	1088	9.9	132	2	2	6	11	21	33	70
1. SINGLE DX	2249	5.2	27	1	1	4	6	10	13	23
2. MULTIPLE DX	1473	9.6	127	1	2	6	11	21	32	66
A. NOT OPERATED	918	6.1	65	1	1	3	7	13	21	43
B. OPERATED	2804	7.2	73	1	2	5	8	13	20	52
TOTAL 0-19 YRS	789	5.2	57	1	1	3	6	10	15	37
20-34	1264	5.7	34	1	1	4	7	11	15	33
35-49	637	6.6	56	1	2	5	8	12	16	43
50-64	582	8.2	81	2	2	6	10	16	23	58
65+	450	12.1	171	2	2	8	15	26	36	88
GRAND TOTAL	**3722**	**6.9**	**71**	**1**	**2**	**5**	**8**	**13**	**20**	**50**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	1.9	3	<1	1	1	2	4	5	10
20-34	50	2.2	3	<1	<1	2	3	5	6	9
35-49	19	2.2	2	1	1	2	3	4	5	6
50-64	10	2.8	4	1	1	2	5	6	6	6
65+	10	8.1	142	1	1	3	10	26	40	40
B. *Operated*										
0-19 YRS	31	3.7	21	1	1	3	4	5	7	27
20-34	24	3.1	5	<1	1	3	4	5	9	9
35-49	5	2.4	2	1	1	2	3	5	5	5
50-64	7	4.7	14	1	1	3	6	11	12	12
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.0	6	1	1	2	4	6	8	11
20-34	70	4.2	14	<1	1	3	6	7	10	22
35-49	33	6.0	32	1	1	5	8	13	18	25
50-64	37	8.2	63	1	1	6	10	18	26	40
65+	42	13.7	204	1	2	8	17	36	47	64
B. *Operated*										
0-19 YRS	26	8.0	185	1	1	5	8	15	28	71
20-34	35	5.8	20	1	1	5	8	12	13	21
35-49	18	6.4	104	<1	1	3	7	9	31	46
50-64	11	14.6	420	2	2	6	15	47	69	71
65+	5	10.6	52	4	4	11	22	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	2.5	12	<1	1	1	3	5	6	12
B. *Operated*	68	3.5	13	1	1	3	4	6	9	24
2. MULTIPLE DX										
A. *Not Operated*	250	6.3	66	1	1	4	7	13	21	44
B. *Operated*	95	7.8	130	1	2	5	9	15	28	87
1. SINGLE DX	239	2.7	13	<1	1	2	3	5	7	14
2. MULTIPLE DX	345	6.7	64	1	1	4	7	13	22	64
A. NOT OPERATED	421	4.7	48	<1	1	2	6	10	15	40
B. OPERATED	163	6.0	85	1	1	3	6	12	18	71
TOTAL 0-19 YRS	207	3.3	32	1	1	2	4	6	9	21
20-34	179	3.8	12	<1	1	3	5	7	10	20
35-49	75	4.9	42	1	1	3	6	9	14	41
50-64	65	8.1	116	1	1	5	9	17	29	66
65+	58	12.3	179	1	2	8	15	37	48	97
GRAND TOTAL	**584**	**5.1**	**58**	**1**	**1**	**3**	**6**	**10**	**17**	**45**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	37.0		37	37	37	37	37	37	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34										
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64										
65+	1	66.0		66	66	66	66	66	66	66
B. *Operated*										
0-19 YRS	2	61.5	61	56	56	61	67	67	67	67
20-34	1	87.0		87	87	87	87	87	87	87
35-49	2	34.5	85	28	28	34	41	41	41	41
50-64										
65+	1	38.0		38	38	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	10.8	222	2	2	3	16	37	37	37
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	12.6	570	<1	<1	3	10	55	66	66
B. *Operated*	6	52.8	471	28	30	56	82	97	99+	99+
1. SINGLE DX	5	10.8	222	2	2	3	16	37	37	37
2. MULTIPLE DX	13	31.2	917	<1	1	33	66	88	97	99+
A. NOT OPERATED	12	11.8	392	<1	1	3	10	46	63	66
B. OPERATED	6	52.8	471	28	30	56	82	97	99+	99+
TOTAL 0-19 YRS	8	17.0	764	<1	<1	3	30	64	67	67
20-34	2	48.0	3042	9	9	48	87	87	87	87
35-49	4	20.8	297	2	2	20	34	41	41	41
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	47.0	271	37	37	52	83	99+	99+	99+
GRAND TOTAL	**18**	**25.5**	**788**	**<1**	**1**	**12**	**52**	**79**	**94**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	<1	1	2	3	4	4
20-34	23	1.2		<1	<1	1	1	2	3	3
35-49	12	1.2		<1	<1	1	1	2	2	2
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	8	5.4	40	<1	<1	3	7	16	19	19
B. *Operated*										
0-19 YRS	101	2.8	7	1	1	2	4	5	6	16
20-34	360	2.6	3	<1	1	2	3	4	5	10
35-49	103	2.4	2	<1	1	2	3	4	6	8
50-64	49	1.8	1	<1	<1	1	2	4	4	6
65+	45	4.0	59	<1	1	1	3	10	16	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	11	3.5	20	<1	<1	2	3	12	13	13
35-49	6	4.7	18	<1	<1	4	7	11	11	11
50-64	8	8.4	262	<1	<1	2	6	36	48	48
65+	10	21.8	388	1	3	17	47	75	98	99+
B. *Operated*										
0-19 YRS	20	3.8	11	<1	<1	3	4	9	11	13
20-34	67	4.2	28	<1	1	3	4	8	17	28
35-49	31	3.7	10	<1	1	2	5	9	11	11
50-64	21	2.6	2	1	1	2	4	5	6	6
65+	35	7.4	68	1	1	4	11	26	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.0	8	<1	<1	1	2	4	6	18
B. *Operated*	658	2.6	7	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	39	9.4	206	<1	<1	3	12	38	56	99+
B. *Operated*	174	4.5	30	<1	1	3	5	11	17	84
1. SINGLE DX	718	2.6	7	<1	1	2	3	4	6	10
2. MULTIPLE DX	213	5.4	65	<1	1	3	6	13	25	99+
A. NOT OPERATED	99	4.9	98	<1	<1	1	4	12	24	79
B. OPERATED	832	3.0	12	<1	1	2	4	5	8	23
TOTAL 0-19 YRS	139	2.9	7	<1	1	2	4	5	7	14
20-34	461	2.8	7	<1	1	2	3	4	6	13
35-49	152	2.7	5	<1	1	2	3	6	8	11
50-64	81	2.7	29	<1	<1	1	3	5	6	36
65+	98	7.2	116	1	1	3	10	23	47	99+
GRAND TOTAL	**931**	**3.2**	**22**	**<1**	**1**	**2**	**4**	**6**	**10**	**29**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	1	<1	<1	1	3	4	4	4
20-34	19	2.5	5	<1	<1	2	3	4	8	11
35-49	6	3.0	5	1	1	2	4	7	7	7
50-64	6	1.8	1	<1	<1	1	2	4	4	4
65+	3	7.0	27	1	1	10	10	10	10	10
B. *Operated*										
0-19 YRS	178	4.0	5	1	2	4	5	7	8	10
20-34	442	4.0	4	1	2	4	5	6	8	11
35-49	180	5.0	27	2	2	4	5	8	10	15
50-64	76	5.3	20	2	3	4	6	9	10	31
65+	7	6.9	6	3	3	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	1	<1	<1	2	3	4	4	4
20-34	9	3.8	22	1	1	3	3	11	16	16
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64	4	4.8	19	1	1	3	7	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	48	5.3	47	1	2	4	5	7	12	49
20-34	142	4.9	9	1	2	5	6	8	10	16
35-49	63	4.4	5	2	2	4	5	8	9	10
50-64	33	7.9	72	1	2	4	8	22	29	35
65+	7	16.0	213	4	4	10	29	38	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.5	5	<1	<1	2	3	4	9	11
B. *Operated*	883	4.3	11	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	30	3.0	10	<1	1	2	3	4	11	16
B. *Operated*	293	5.5	29	1	2	4	6	9	13	35
1. SINGLE DX	938	4.2	11	1	2	4	5	7	9	14
2. MULTIPLE DX	323	5.2	27	1	2	4	6	9	13	34
A. NOT OPERATED	85	2.7	7	<1	<1	2	3	4	10	14
B. OPERATED	1176	4.6	15	1	2	4	5	8	9	16
TOTAL 0-19 YRS	257	4.0	13	1	1	4	5	7	8	13
20-34	612	4.2	6	1	2	4	5	7	8	14
35-49	255	4.7	21	2	2	4	5	8	9	14
50-64	119	5.9	35	1	2	4	7	9	15	36
65+	18	10.2	105	1	2	7	10	28	37	39
GRAND TOTAL	**1261**	**4.5**	**15**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	15	<1	<1	1	4	5	13	17
20-34	25	4.2	13	<1	1	4	5	7	13	16
35-49	12	4.8	22	1	1	3	7	13	14	14
50-64	3	11.3	74	2	2	13	17	19	19	19
65+	5	9.6	50	2	2	9	13	21	21	21
B. *Operated*										
0-19 YRS	125	4.4	43	1	1	2	4	13	19	30
20-34	114	3.9	21	<1	1	2	4	11	15	22
35-49	43	4.9	43	<1	1	3	4	13	22	29
50-64	27	7.6	85	1	1	5	9	21	26	43
65+	9	1.9	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.6	37	<1	<1	2	5	15	19	19
20-34	15	3.9	11	<1	<1	2	7	9	10	10
35-49	10	7.3	11	3	3	7	11	11	11	11
50-64	8	7.4	26	1	2	7	10	15	17	17
65+	8	14.4	112	1	2	15	23	28	29	29
B. *Operated*										
0-19 YRS	49	9.6	209	1	1	5	11	20	45	81
20-34	66	9.4	125	<1	<1	5	13	20	38	55
35-49	44	6.7	47	1	1	5	11	14	18	36
50-64	17	6.2	45	1	1	3	8	23	70	99+
65+	15	17.4	467	1	1	9	19	50	70	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.8	24	<1	1	3	6	13	16	21
B. *Operated*	318	4.5	38	<1	1	2	5	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	49	7.0	44	<1	1	5	9	18	21	29
B. *Operated*	191	9.2	152	1	1	5	12	20	38	79
1. SINGLE DX	380	4.5	36	<1	1	2	5	13	17	27
2. MULTIPLE DX	240	8.7	131	<1	1	5	11	19	35	77
A. NOT OPERATED	111	5.8	33	<1	1	4	8	14	19	27
B. OPERATED	509	6.2	86	<1	1	3	7	16	23	50
TOTAL 0-19 YRS	199	5.6	86	1	1	2	6	16	22	48
20-34	220	5.6	57	<1	<1	3	7	14	19	39
35-49	109	5.8	40	1	1	3	9	13	17	32
50-64	55	7.3	61	1	1	5	10	19	24	97
65+	37	11.9	249	1	1	5	18	28	45	77
GRAND TOTAL	**620**	**6.2**	**77**	**<1**	**1**	**3**	**7**	**16**	**21**	**46**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.5	3	1	1	2	3	5	6	9
20-34	74	2.2	2	1	1	2	3	4	6	8
35-49	26	3.2	10	<1	1	2	4	9	11	12
50-64	17	2.6	3	1	1	2	4	6	6	6
65+	11	7.0	64	1	1	3	8	22	23	23
B. *Operated*										
0-19 YRS	106	3.9	4	1	2	4	5	6	8	11
20-34	180	4.2	5	1	2	4	5	6	8	12
35-49	48	4.5	4	2	2	4	6	7	8	10
50-64	21	4.5	7	1	2	4	6	7	10	13
65+	9	7.9	19	2	3	9	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	10	<1	1	3	5	9	11	13
20-34	28	3.8	11	1	1	2	5	10	11	12
35-49	20	7.2	79	1	1	4	8	19	31	35
50-64	19	7.1	26	2	3	6	10	15	19	20
65+	39	10.9	87	3	4	8	13	23	37	39
B. *Operated*										
0-19 YRS	78	5.6	8	2	2	5	7	9	11	17
20-34	150	5.5	17	2	2	5	6	9	13	23
35-49	44	7.2	47	2	3	5	7	12	25	33
50-64	27	8.3	53	2	3	6	9	17	22	37
65+	6	18.0	177	3	3	16	32	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	2.7	7	1	1	2	3	5	7	15
B. *Operated*	364	4.3	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	134	6.9	53	1	1	5	9	13	22	39
B. *Operated*	305	6.3	28	2	2	5	6	11	17	33
1. SINGLE DX	580	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX	439	6.4	35	1	2	5	7	12	18	35
A. NOT OPERATED	350	4.3	29	1	1	2	5	9	13	35
B. OPERATED	669	5.2	17	2	2	4	6	8	11	24
TOTAL 0-19 YRS	300	3.9	7	1	1	3	5	7	9	13
20-34	432	4.3	10	1	1	4	5	7	9	17
35-49	138	5.5	31	1	1	4	6	9	12	33
50-64	84	5.9	29	1	2	5	7	12	17	31
65+	65	10.5	86	2	3	8	12	23	33	39
GRAND TOTAL	**1019**	**4.9**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.7	8	1	1	3	5	7	8	15
20-34	123	4.5	11	1	1	4	6	8	11	19
35-49	109	5.2	12	1	2	4	7	10	12	17
50-64	47	6.4	23	1	2	5	9	14	16	20
65+	21	8.3	32	2	2	6	11	18	19	20
B. *Operated*										
0-19 YRS										
20-34	8	6.4	27	2	2	5	9	14	16	16
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	2	<1	<1	2	4	5	5	5
20-34	61	5.6	17	1	2	4	7	11	14	23
35-49	50	7.5	24	2	3	6	10	14	18	25
50-64	72	8.4	41	2	3	6	11	16	23	32
65+	57	11.0	100	2	2	9	14	19	28	61
B. *Operated*										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	5	7.6	22	5	5	6	9	16	16	16
50-64	4	5.8	3	4	4	5	7	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	5.2	15	1	1	4	7	10	14	19
B. *Operated*	10	6.1	23	2	2	5	8	13	16	16
2. MULTIPLE DX										
A. *Not Operated*	250	7.9	48	2	2	6	10	15	21	33
B. *Operated*	10	10.2	129	4	4	6	8	28	41	41
1. SINGLE DX	343	5.2	15	1	1	4	7	10	14	19
2. MULTIPLE DX	260	8.0	51	2	2	6	10	15	21	34
A. NOT OPERATED	583	6.3	31	1	2	5	8	13	16	25
B. OPERATED	20	8.2	76	2	2	6	8	16	29	41
TOTAL 0-19 YRS	43	3.4	7	<1	1	3	4	7	8	15
20-34	193	5.1	21	1	1	4	6	9	13	22
35-49	165	6.0	17	1	2	5	8	11	14	20
50-64	124	7.5	33	2	2	6	10	15	20	30
65+	78	10.3	82	2	2	8	14	19	24	55
GRAND TOTAL	**603**	**6.4**	**32**	**1**	**2**	**5**	**8**	**13**	**16**	**27**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	2.5	4	<1	1	2	3	5	7	10
20-34	313	4.1	16	1	1	3	5	9	12	20
35-49	197	5.3	18	1	1	4	7	11	13	22
50-64	91	5.7	15	2	2	5	7	10	11	24
65+	58	6.7	24	1	2	6	9	12	15	27
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	21	4.9	40	1	1	2	6	12	21	27
35-49	8	3.1	4	1	1	3	4	6	7	7
50-64	4	7.3	61	1	1	5	13	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.1	6	<1	1	2	4	7	8	12
20-34	175	4.7	22	1	1	3	6	10	13	26
35-49	143	6.2	33	1	2	4	8	14	16	34
50-64	98	6.7	16	2	2	6	8	11	16	21
65+	110	9.6	76	2	3	7	12	19	27	68
B. *Operated*										
0-19 YRS	8	3.8	13	<1	<1	2	5	10	11	11
20-34	21	6.3	38	1	1	4	8	17	21	22
35-49	20	8.3	71	1	1	6	10	18	27	36
50-64	10	12.4	191	1	1	6	20	36	40	40
65+	7	18.4	76	7	8	17	24	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	802	4.5	16	1	1	3	6	10	12	20
B. *Operated*	35	4.9	34	1	1	2	6	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	620	6.0	35	1	1	4	8	12	16	35
B. *Operated*	66	8.8	84	1	1	6	12	21	32	39
1. SINGLE DX	837	4.5	17	1	1	3	6	10	12	21
2. MULTIPLE DX	686	6.2	40	1	1	4	8	13	18	37
A. NOT OPERATED	1422	5.1	25	1	1	4	7	11	14	25
B. OPERATED	101	7.5	70	1	1	4	10	19	26	38
TOTAL 0-19 YRS	247	2.8	6	<1	1	2	4	6	8	11
20-34	530	4.4	20	1	1	3	6	10	13	25
35-49	368	5.8	27	1	1	4	7	12	15	28
50-64	203	6.5	26	1	2	6	8	11	16	30
65+	175	9.0	63	1	2	7	11	18	25	47
GRAND TOTAL	**1523**	**5.3**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.5	8	1	1	1	3	6	7	15
20-34	95	2.5	6	<1	<1	2	3	5	9	13
35-49	35	3.9	45	<1	1	2	4	6	10	40
50-64	35	4.2	14	1	1	3	5	9	12	17
65+	29	5.4	13	1	1	5	7	10	11	17
B. *Operated*										
0-19 YRS	73	2.8	2	1	1	3	3	5	5	9
20-34	160	2.9	2	1	1	3	4	5	6	7
35-49	79	3.6	5	1	2	3	4	6	7	15
50-64	47	4.7	8	1	2	4	6	8	11	15
65+	22	5.6	10	1	2	5	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.6	6	<1	1	2	3	5	7	14
20-34	56	3.1	4	<1	<1	3	4	6	7	12
35-49	26	4.3	8	<1	1	4	6	8	10	12
50-64	31	7.2	71	1	1	5	8	14	23	44
65+	63	10.9	118	2	2	8	15	25	41	93
B. *Operated*										
0-19 YRS	17	4.1	6	2	2	3	6	8	9	10
20-34	27	3.1	5	1	1	3	4	7	20	99+
35-49	19	4.1	8	1	1	3	6	9	10	10
50-64	30	6.8	130	1	1	3	5	18	31	55
65+	8	18.4	867	3	4	9	11	67	91	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.1	14	<1	1	2	4	7	9	17
B. *Operated*	381	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	219	6.0	59	<1	1	4	7	14	22	52
B. *Operated*	101	5.8	118	1	1	3	6	10	18	95
1. SINGLE DX	682	3.3	9	1	1	3	4	6	8	13
2. MULTIPLE DX	320	5.9	77	1	1	4	7	12	22	65
A. NOT OPERATED	520	4.3	34	<1	1	2	5	9	14	38
B. OPERATED	482	3.9	29	1	1	3	4	7	9	24
TOTAL 0-19 YRS	240	2.7	6	1	1	2	3	5	7	10
20-34	338	2.9	4	<1	1	2	4	5	7	12
35-49	159	3.8	14	1	1	3	4	7	9	16
50-64	143	5.6	49	1	1	4	6	11	15	45
65+	122	9.1	129	1	2	6	10	19	28	93
GRAND TOTAL	1002	4.1	32	1	1	3	4	8	11	30

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1419	1.4	1	<1	1	1	2	2	3	5
20-34	361	1.7	2	<1	1	1	2	3	4	8
35-49	85	2.6	19	<1	1	1	2	5	7	30
50-64	42	3.7	11	<1	1	3	7	8	10	14
65+	32	3.1	10	<1	1	2	4	7	9	15
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	833	2.3	8	<1	1	1	2	4	7	12
20-34	465	2.6	8	<1	1	2	3	5	7	13
35-49	138	3.4	15	1	1	2	4	7	8	20
50-64	116	4.7	23	1	1	3	6	11	15	22
65+	119	8.6	226	1	1	4	10	17	41	99+
B. *Operated*										
0-19 YRS	218	3.7	51	1	1	2	4	9	14	87
20-34	229	4.4	54	<1	1	2	5	10	18	51
35-49	53	6.0	248	1	1	2	3	10	21	98
50-64	47	5.2	62	1	1	2	5	11	17	41
65+	58	9.7	159	1	1	4	11	22	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	1.6	3	<1	1	1	2	3	4	8
B. *Operated*	5	2.6	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1671	3.1	28	<1	1	2	3	6	9	20
B. *Operated*	605	4.9	83	1	1	2	5	11	21	63
1. SINGLE DX	1944	1.6	3	<1	1	1	2	3	4	8
2. MULTIPLE DX	2276	3.6	43	<1	1	2	3	7	11	36
A. NOT OPERATED	3610	2.3	15	<1	1	1	2	4	7	15
B. OPERATED	610	4.8	82	1	1	2	5	11	21	63
TOTAL 0-19 YRS	2473	1.9	8	<1	1	1	2	3	5	12
20-34	1056	2.7	17	<1	1	2	3	5	8	24
35-49	276	3.7	62	1	1	2	4	7	9	35
50-64	206	4.6	29	1	1	3	6	10	14	29
65+	209	8.1	178	1	1	4	9	17	34	98
GRAND TOTAL	4220	2.7	25	<1	1	1	2	5	8	22

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	846	1.5	2	<1	1	1	1	3	3	8
20-34	202	2.5	12	<1	<1	1	2	5	8	18
35-49	66	2.5	18	<1	1	1	2	5	8	28
50-64	30	3.2	23	<1	<1	2	3	6	10	26
65+	24	4.2	17	<1	1	3	6	11	14	15
B. *Operated*										
0-19 YRS	15	11.2	205	1	1	8	14	25	48	56
20-34	20	7.2	28	<1	1	7	11	14	16	18
35-49	8	11.8	62	1	2	15	19	69	99+	99+
50-64	9	11.3	84	1	1	11	17	25	26	26
65+	12	14.1	31	7	7	13	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	3.2	44	<1	1	1	3	6	10	29
20-34	278	3.4	29	<1	<1	2	4	7	10	29
35-49	92	3.6	23	<1	1	2	4	7	15	25
50-64	74	4.8	31	<1	1	3	7	10	12	33
65+	114	9.7	121	1	1	6	14	27	38	99+
B. *Operated*										
0-19 YRS	146	10.1	267	<1	1	3	11	37	53	99+
20-34	152	10.9	295	<1	1	4	11	47	59	99+
35-49	61	7.5	102	<1	1	4	8	18	35	46
50-64	39	12.6	201	1	1	6	24	42	77	99+
65+	50	14.0	273	1	1	8	23	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1168	1.8	6	<1	1	1	2	3	5	14
B. *Operated*	64	10.6	83	1	1	10	15	23	25	93
2. MULTIPLE DX										
A. *Not Operated*	1047	4.1	49	<1	1	2	4	9	16	40
B. *Operated*	448	10.7	250	<1	1	4	12	39	56	99+
1. SINGLE DX	1232	2.3	13	<1	1	1	2	4	8	19
2. MULTIPLE DX	1495	6.1	118	<1	1	2	6	16	31	73
A. NOT OPERATED	2215	2.9	28	<1	1	1	3	6	10	27
B. OPERATED	512	10.6	229	<1	1	5	13	37	55	99+
TOTAL 0-19 YRS	1496	3.0	50	<1	1	1	2	5	11	45
20-34	652	5.0	96	<1	<1	2	4	11	20	66
35-49	227	4.6	49	<1	1	2	5	14	20	45
50-64	152	6.9	89	<1	1	3	9	21	31	98
65+	200	10.4	148	1	1	6	14	27	42	99+
GRAND TOTAL	**2727**	**4.4**	**74**	**<1**	**1**	**1**	**4**	**10**	**20**	**57**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	6	1	1	2	4	7	8	9
20-34	21	2.9	5	<1	<1	2	3	7	8	9
35-49	9	2.3	7	<1	<1	1	2	7	9	9
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	6	5.2	8	4	4	4	4	10	11	11
B. *Operated*										
0-19 YRS	7	4.3	4	2	2	4	6	7	7	7
20-34	17	4.7	7	2	2	4	6	7	11	13
35-49	4	7.0	9	4	4	7	9	10	10	10
50-64	3	8.3	8	5	5	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.2	12	1	2	4	7	9	13	16
20-34	40	4.6	10	<1	1	4	7	8	9	14
35-49	17	8.3	46	<1	1	6	11	18	23	26
50-64	23	9.5	81	2	2	6	12	26	30	35
65+	11	8.6	21	1	3	8	13	14	15	15
B. *Operated*										
0-19 YRS	18	9.4	53	2	4	6	11	19	26	30
20-34	62	12.7	190	2	3	10	14	23	34	81
35-49	31	7.7	34	2	3	6	10	14	24	26
50-64	33	11.0	60	3	4	8	15	23	27	33
65+	19	13.8	165	2	3	11	18	28	43	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.0	6	<1	1	2	4	7	9	11
B. *Operated*	31	5.3	8	2	2	4	7	10	10	13
2. MULTIPLE DX										
A. *Not Operated*	117	6.6	34	1	1	5	8	13	17	30
B. *Operated*	163	11.2	118	2	3	8	13	23	29	65
1. SINGLE DX	89	3.8	8	<1	1	3	5	8	10	12
2. MULTIPLE DX	280	9.3	88	1	2	6	11	19	26	51
A. NOT OPERATED	175	5.4	27	<1	1	4	7	11	15	27
B. OPERATED	194	10.2	105	2	3	7	12	21	27	61
TOTAL 0-19 YRS	69	5.6	26	1	1	4	7	11	17	28
20-34	140	8.0	107	1	1	5	9	15	22	68
35-49	61	7.0	35	1	1	5	9	14	21	26
50-64	63	9.8	65	1	3	7	13	23	27	35
65+	36	10.8	104	2	3	8	13	23	28	55
GRAND TOTAL	**369**	**7.9**	**74**	**1**	**1**	**6**	**10**	**17**	**24**	**40**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.9	11	1	1	3	5	9	11	15
20-34	99	3.8	12	1	1	3	5	8	10	20
35-49	13	5.5	31	1	1	4	7	14	19	20
50-64	13	4.8	19	<1	1	3	6	11	15	16
65+	6	6.2	17	1	1	5	8	12	13	13
B. *Operated*										
0-19 YRS	55	9.0	30	4	5	8	11	13	14	41
20-34	45	9.1	35	3	4	7	12	16	19	34
35-49	16	9.0	13	3	5	9	11	15	16	16
50-64	6	11.0	31	1	2	12	13	17	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.9	20	1	1	4	6	11	14	23
20-34	101	4.4	14	1	1	3	5	10	13	18
35-49	41	5.0	20	1	1	4	6	10	12	26
50-64	21	4.7	11	<1	1	5	6	8	11	14
65+	14	6.7	27	3	3	5	8	14	20	22
B. *Operated*										
0-19 YRS	100	15.0	215	4	6	10	17	32	50	77
20-34	166	15.0	140	4	6	12	17	32	43	96
35-49	59	15.8	168	3	5	12	20	39	49	96
50-64	30	16.6	165	4	5	15	20	45	53	99+
65+	16	22.0	398	5	6	15	45	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.0	13	1	1	3	5	9	12	16
B. *Operated*	122	9.2	29	3	4	8	11	14	17	36
2. MULTIPLE DX										
A. *Not Operated*	271	4.8	17	1	1	4	6	10	13	22
B. *Operated*	371	15.6	177	4	6	11	18	33	50	99+
1. SINGLE DX	380	5.7	24	1	1	5	8	12	14	21
2. MULTIPLE DX	642	11.0	138	1	2	8	13	25	39	80
A. NOT OPERATED	529	4.4	15	1	1	3	5	9	13	21
B. OPERATED	493	14.0	148	4	5	10	16	31	44	99+
TOTAL 0-19 YRS	376	7.8	91	1	1	6	9	14	21	62
20-34	411	9.1	93	1	1	7	12	19	30	62
35-49	129	10.5	112	1	2	7	13	21	39	68
50-64	70	10.4	110	1	1	9	14	23	42	90
65+	36	13.4	244	3	3	8	16	54	89	99+
GRAND TOTAL	1022	9.0	102	1	1	6	11	19	30	67

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.1	8	1	1	5	7	10	10	10
20-34	9	4.6	5	2	2	4	5	8	9	9
35-49	6	4.0	9	1	1	3	5	9	9	9
50-64	3	3.3	16	1	1	1	6	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	74	4.8	22	1	1	4	6	8	11	29
20-34	72	3.7	4	1	1	3	5	6	7	9
35-49	29	4.6	7	1	1	5	6	8	9	12
50-64	12	3.8	9	1	1	3	5	8	11	11
65+	7	6.4	37	<1	1	5	8	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	7	<1	<1	3	5	7	8	8
20-34	13	4.2	17	1	1	3	4	8	15	17
35-49	8	4.0	19	<1	<1	2	5	12	14	14
50-64	5	4.0	2	2	2	4	5	5	5	5
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	71	7.1	29	1	1	6	9	16	18	23
20-34	90	7.3	58	1	1	5	9	16	21	41
35-49	38	7.8	58	1	1	6	10	17	19	43
50-64	22	8.7	29	2	3	7	14	16	18	21
65+	22	10.1	135	2	2	6	13	23	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.6	7	1	1	4	6	9	10	10
B. *Operated*	194	4.3	13	1	1	4	6	8	9	20
2. MULTIPLE DX										
A. *Not Operated*	38	3.9	11	<1	1	3	5	7	12	17
B. *Operated*	243	7.7	54	1	1	6	10	16	21	43
1. SINGLE DX	231	4.4	12	1	1	4	6	8	9	19
2. MULTIPLE DX	281	7.2	50	1	1	5	9	16	20	40
A. NOT OPERATED	75	4.2	9	1	1	4	5	8	10	16
B. OPERATED	437	6.2	38	1	1	5	7	13	18	33
TOTAL 0-19 YRS	173	5.7	24	1	1	5	7	12	16	23
20-34	184	5.5	34	1	1	4	6	11	16	34
35-49	81	6.0	34	1	1	5	8	11	16	36
50-64	42	6.4	24	1	1	5	8	15	16	21
65+	32	8.7	105	1	2	5	8	21	24	52
GRAND TOTAL	512	5.9	34	1	1	5	7	12	17	32

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.9	2	<1	<1	1	2	4	5	7
20-34	22	1.7	1	<1	<1	1	2	4	4	5
35-49	11	3.4	21	<1	<1	1	4	10	15	16
50-64	7	4.3	49	1	1	2	3	17	20	20
65+	11	3.2	7	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	210	2.4	8	<1	<1	1	2	5	7	16
20-34	98	2.3	5	<1	<1	2	3	5	6	13
35-49	37	2.5	14	<1	<1	1	3	5	7	23
50-64	20	2.9	5	<1	1	2	4	7	7	8
65+	20	3.5	11	<1	1	2	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.4	5	<1	<1	2	3	5	7	12
20-34	109	2.8	7	<1	<1	2	4	6	8	14
35-49	59	3.6	10	<1	<1	2	5	8	11	15
50-64	29	4.1	41	<1	1	2	4	8	11	35
65+	46	7.2	55	1	1	5	10	18	22	35
B. *Operated*										
0-19 YRS	348	3.3	20	<1	<1	2	4	7	9	23
20-34	386	4.2	65	<1	<1	2	4	7	12	64
35-49	135	4.5	38	<1	1	3	5	11	15	29
50-64	117	5.4	34	1	1	3	7	11	16	33
65+	122	9.5	237	1	1	5	10	21	35	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.3	7	<1	<1	1	2	4	6	17
B. *Operated*	385	2.5	7	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	345	3.5	18	<1	<1	2	4	8	11	22
B. *Operated*	1108	4.7	66	<1	1	2	5	9	15	48
1. SINGLE DX	504	2.4	7	<1	<1	1	3	5	7	16
2. MULTIPLE DX	1453	4.4	55	<1	1	2	5	9	14	39
A. NOT OPERATED	464	3.2	16	<1	<1	2	4	6	10	22
B. OPERATED	1493	4.1	52	<1	1	2	4	8	13	39
TOTAL 0-19 YRS	728	2.8	13	<1	<1	2	3	6	8	17
20-34	615	3.6	44	<1	<1	2	4	6	10	39
35-49	242	3.9	27	<1	<1	2	5	8	13	25
50-64	173	4.8	33	1	1	3	6	11	16	34
65+	199	8.0	163	1	1	4	9	17	24	88
GRAND TOTAL	**1957**	**3.9**	**44**	**<1**	**1**	**2**	**4**	**8**	**12**	**34**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	14	<1	1	3	4	6	10	20
20-34	32	2.8	5	<1	<1	2	4	6	8	8
35-49	13	2.3	8	<1	<1	1	2	5	10	11
50-64	10	7.0	48	1	1	3	11	18	22	22
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	51	4.7	38	1	1	3	6	8	16	34
20-34	65	4.0	9	1	1	4	6	8	9	14
35-49	12	3.4	8	<1	<1	3	4	7	10	11
50-64	12	3.9	12	<1	<1	3	6	9	10	10
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.7	184	<1	1	2	5	8	29	68
20-34	37	3.6	14	<1	<1	3	5	7	8	21
35-49	18	3.6	5	<1	1	3	6	7	7	7
50-64	12	4.8	10	2	2	4	6	9	12	13
65+	13	6.9	17	1	1	6	11	12	13	13
B. *Operated*										
0-19 YRS	50	4.6	31	1	1	3	6	9	11	36
20-34	82	7.0	38	<1	1	5	9	14	23	25
35-49	16	6.2	40	<1	<1	3	13	14	18	20
50-64	13	10.5	165	1	2	5	10	34	42	44
65+	12	14.0	83	1	4	13	19	24	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.5	15	<1	<1	2	4	8	11	21
B. *Operated*	143	4.2	19	1	1	3	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	104	4.7	51	<1	1	3	6	8	12	43
B. *Operated*	173	7.0	53	1	1	5	9	14	23	36
1. SINGLE DX	225	3.9	18	<1	1	3	5	8	11	23
2. MULTIPLE DX	277	6.1	53	<1	1	4	8	13	19	36
A. NOT OPERATED	186	4.2	35	<1	1	3	5	8	11	22
B. OPERATED	316	5.7	40	1	1	4	7	13	18	34
TOTAL 0-19 YRS	151	4.6	54	1	1	3	5	8	14	36
20-34	216	4.9	23	<1	1	4	7	10	14	24
35-49	59	4.0	17	<1	<1	3	5	11	14	19
50-64	47	6.6	65	1	1	4	9	13	23	44
65+	29	9.4	58	1	1	8	12	19	21	35
GRAND TOTAL	**502**	**5.1**	**38**	**<1**	**1**	**3**	**6**	**11**	**18**	**33**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.3	11	<1	<1	3	4	6	10	18
20-34	98	3.3	6	<1	<1	3	5	7	8	12
35-49	25	2.6	3	<1	<1	2	3	5	6	6
50-64	16	4.3	12	<1	<1	3	7	10	11	11
65+	5	5.4	25	1	1	3	9	13	13	13
B. *Operated*										
0-19 YRS	411	2.7	11	<1	1	2	3	6	9	20
20-34	503	2.9	16	<1	<1	2	3	5	8	24
35-49	179	2.9	13	<1	1	2	3	5	10	19
50-64	95	3.3	22	<1	<1	2	4	6	12	27
65+	54	4.2	24	<1	1	2	4	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.3	24	<1	1	3	5	9	11	30
20-34	87	4.8	28	<1	1	3	6	12	16	28
35-49	25	5.7	55	1	1	4	6	17	26	30
50-64	16	5.9	13	1	2	5	7	9	15	17
65+	13	8.5	40	1	2	7	13	31	85	99+
B. *Operated*										
0-19 YRS	237	4.2	39	1	1	2	4	7	17	34
20-34	428	4.2	42	<1	1	2	4	8	13	40
35-49	145	5.8	85	1	1	3	6	12	25	52
50-64	103	6.1	71	1	1	3	6	17	24	43
65+	53	10.2	242	1	1	4	12	35	61	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	3.3	8	<1	<1	3	4	7	9	14
B. *Operated*	1242	2.9	15	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*	185	5.2	31	<1	1	3	6	12	17	31
B. *Operated*	966	4.9	64	1	1	2	5	11	20	51
1. SINGLE DX	1448	3.0	14	<1	1	2	3	6	10	21
2. MULTIPLE DX	1151	5.0	58	1	1	3	5	11	20	49
A. NOT OPERATED	391	4.2	20	<1	1	3	5	9	13	28
B. OPERATED	2208	3.8	37	<1	1	2	4	8	13	35
TOTAL 0-19 YRS	754	3.3	21	<1	1	2	3	6	11	27
20-34	1116	3.6	26	<1	1	2	4	7	12	29
35-49	374	4.2	45	1	1	2	4	8	14	32
50-64	230	4.8	44	<1	1	2	5	12	18	37
65+	125	7.2	125	1	1	3	9	17	36	99+
GRAND TOTAL	**2599**	**3.9**	**35**	**<1**	**1**	**2**	**4**	**8**	**13**	**33**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.7	12	<1	1	3	5	7	10	17
20-34	62	3.7	11	<1	1	3	5	8	10	18
35-49	19	3.7	14	1	1	2	5	9	13	15
50-64	10	5.2	10	1	1	5	9	9	9	9
65+	8	4.1	12	<1	<1	3	6	9	11	11
B. *Operated*										
0-19 YRS	260	6.2	76	<1	1	3	6	14	26	45
20-34	173	4.2	29	<1	1	2	5	9	14	30
35-49	58	5.1	30	1	1	4	5	11	14	32
50-64	37	7.9	66	1	1	6	9	17	30	33
65+	14	13.6	311	1	1	8	12	40	59	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.4	31	1	1	4	6	12	15	31
20-34	45	4.8	14	1	1	4	7	11	13	17
35-49	16	5.4	26	1	1	4	6	14	18	19
50-64	17	8.2	28	3	4	6	11	17	20	21
65+	24	20.0	283	3	5	13	33	41	56	59
B. *Operated*										
0-19 YRS	89	9.4	218	1	1	4	9	25	34	82
20-34	104	10.5	241	1	1	5	10	25	49	78
35-49	33	11.2	251	1	2	6	13	36	74	99+
50-64	23	9.5	126	1	2	6	11	22	37	49
65+	27	14.6	119	3	3	13	23	35	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.8	11	<1	1	3	5	8	10	17
B. *Operated*	542	5.7	63	<1	1	3	6	12	22	38
2. MULTIPLE DX										
A. *Not Operated*	158	7.8	90	1	1	5	9	17	31	54
B. *Operated*	276	10.6	213	1	1	6	11	27	48	94
1. SINGLE DX	745	5.2	50	<1	1	3	6	11	17	36
2. MULTIPLE DX	434	9.5	169	1	1	5	10	25	37	80
A. NOT OPERATED	361	5.5	49	1	1	3	6	11	17	38
B. OPERATED	818	7.4	119	1	1	4	8	17	29	62
TOTAL 0-19 YRS	509	6.2	85	<1	1	3	6	14	22	52
20-34	384	5.9	89	1	1	3	7	11	17	53
35-49	126	6.5	91	1	1	4	7	14	19	84
50-64	87	8.1	68	1	2	6	10	17	29	43
65+	73	15.0	213	1	2	10	25	37	52	91
GRAND TOTAL	**1179**	**6.8**	**98**	**1**	**1**	**4**	**7**	**18**	**27**	**57**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	16	1	1	1	3	9	14	15
20-34	8	2.4	5	<1	<1	2	3	6	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	9	7.9	60	<1	<1	6	15	20	21	21
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	6	9.8	468	<1	<1	1	1	49	54	54
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	4	12.0	88	2	2	13	20	20	20	20
B. *Operated*										
0-19 YRS	11	10.7	107	2	2	7	15	29	30	30
20-34	20	8.6	79	<1	1	6	13	30	63	99+
35-49	8	12.3	356	1	1	7	10	44	58	58
50-64	8	10.0	150	1	1	5	15	31	36	36
65+	1	36.0		36	36	36	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.6	11	<1	<1	1	3	7	10	15
B. *Operated*	16	5.3	41	<1	1	2	6	18	20	21
2. MULTIPLE DX										
A. *Not Operated*	17	8.9	198	<1	<1	2	10	25	44	54
B. *Operated*	48	10.5	146	1	1	7	13	31	37	99+
1. SINGLE DX	38	3.8	25	<1	1	2	4	12	17	21
2. MULTIPLE DX	65	10.1	157	<1	1	6	13	30	40	93
A. NOT OPERATED	39	5.4	100	<1	<1	1	4	18	23	54
B. OPERATED	64	9.2	124	1	1	6	13	29	36	94
TOTAL 0-19 YRS	32	5.4	57	1	1	2	7	15	28	30
20-34	43	7.4	110	<1	1	3	11	22	39	99+
35-49	11	11.5	293	<1	<1	6	11	39	56	58
50-64	11	8.4	114	1	1	3	10	26	35	36
65+	6	14.5	177	2	2	13	20	34	36	36
GRAND TOTAL	103	7.7	117	<1	1	2	10	21	33	77

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	57	<1	1	4	8	11	24	34
20-34	34	5.9	52	<1	1	4	6	14	26	29
35-49	7	10.4	167	1	1	3	16	33	36	36
50-64	6	4.2	5	1	1	4	5	8	8	8
65+	7	9.3	50	1	1	11	13	19	21	21
B. *Operated*										
0-19 YRS	93	6.3	83	<1	1	3	7	13	28	48
20-34	155	4.5	27	<1	1	3	5	10	13	31
35-49	67	5.3	28	<1	<1	4	7	10	19	26
50-64	38	6.4	23	1	2	5	10	12	17	20
65+	16	10.0	80	2	2	9	15	33	78	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.3	37	2	3	4	7	13	18	32
20-34	55	4.8	32	1	1	3	6	9	24	98
35-49	51	7.8	25	2	2	7	12	16	19	98
50-64	22	18.6	388	2	3	11	25	48	69	72
65+	29	15.7	274	3	3	11	26	57	98	99+
B. *Operated*										
0-19 YRS	77	7.0	142	<1	1	4	6	16	23	77
20-34	172	6.4	86	1	1	4	7	13	23	81
35-49	95	9.2	149	<1	1	4	10	28	42	86
50-64	65	10.3	158	1	2	6	11	31	34	62
65+	49	15.9	159	2	2	14	23	33	41	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	6.5	59	1	1	4	8	14	27	36
B. *Operated*	369	5.6	44	<1	1	3	7	12	17	38
2. MULTIPLE DX										
A. *Not Operated*	188	9.2	131	1	2	6	11	25	29	99+
B. *Operated*	458	8.7	134	1	1	4	10	22	32	68
1. SINGLE DX	442	5.7	47	<1	1	3	7	12	19	38
2. MULTIPLE DX	646	8.8	133	1	1	4	10	23	32	92
A. NOT OPERATED	261	8.4	112	1	1	5	10	23	33	99+
B. OPERATED	827	7.3	96	1	1	4	9	17	28	56
TOTAL 0-19 YRS	220	6.5	94	<1	1	3	7	14	22	44
20-34	416	5.5	54	1	1	3	6	12	19	43
35-49	220	7.7	86	<1	1	4	10	19	28	78
50-64	131	10.3	165	1	2	5	11	24	33	68
65+	101	14.4	174	2	3	12	22	37	48	99+
GRAND TOTAL	1088	7.6	100	1	1	4	9	19	29	71

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	4.3	5	1	1	4	5	7	9	11
20-34	154	3.7	3	1	1	4	5	6	6	9
35-49	50	4.0	8	1	1	4	5	7	8	18
50-64	10	4.0	3	1	1	4	5	6	7	7
65+	5	7.6	30	3	3	6	9	17	17	17
B. *Operated*										
0-19 YRS	4	12.0	17	6	6	13	14	15	15	15
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.5	15	1	1	4	5	7	11	22
20-34	96	4.2	9	1	1	4	5	7	9	18
35-49	30	4.4	18	1	1	3	5	8	10	23
50-64	17	4.1	7	<1	1	4	6	8	9	9
65+	12	9.8	123	<1	2	6	10	25	40	42
B. *Operated*										
0-19 YRS	21	6.2	34	1	2	4	6	15	22	24
20-34	26	4.9	8	2	2	5	6	8	10	15
35-49	7	3.7	5	1	1	4	5	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	4	12.3	74	1	1	13	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	4.1	5	1	1	4	5	6	8	11
B. *Operated*	9	9.6	42	1	2	6	14	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	256	4.6	18	1	1	4	5	8	1C	23
B. *Operated*	60	5.7	23	1	2	4	6	12	17	24
1. SINGLE DX	492	4.2	6	1	1	4	5	6	9	14
2. MULTIPLE DX	316	4.8	19	1	1	4	5	8	12	23
A. NOT OPERATED	739	4.3	10	1	1	4	5	7	9	18
B. OPERATED	69	6.2	27	1	2	5	7	14	20	24
TOTAL 0-19 YRS	390	4.5	10	1	1	4	5	7	10	21
20-34	277	4.1	7	1	1	4	5	6	8	15
35-49	88	4.1	11	1	1	4	6	7	8	21
50-64	31	3.9	5	1	1	4	5	7	8	9
65+	22	9.6	83	1	2	6	13	19	30	42
GRAND TOTAL	808	4.5	12	1	1	4	5	7	10	20

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	823	2.1	4	<1	1	1	2	4	6	10
20-34	556	2.2	4	<1	<1	1	3	4	6	10
35-49	175	3.3	8	<1	1	2	4	6	8	15
50-64	158	3.8	14	1	1	3	5	8	9	22
65+	166	7.3	55	1	1	5	9	17	20	43
B. *Operated*										
0-19 YRS	54	4.0	26	<1	1	2	4	7	13	30
20-34	43	3.8	12	<1	1	3	4	9	11	17
35-49	26	5.3	21	<1	<1	4	8	12	16	17
50-64	21	5.5	23	1	1	4	8	14	16	17
65+	7	7.9	106	1	1	4	9	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	708	2.4	5	<1	1	2	3	5	6	11
20-34	654	2.7	7	<1	<1	2	3	6	8	13
35-49	272	4.0	31	<1	1	2	5	8	13	27
50-64	260	6.6	53	1	1	4	8	15	21	37
65+	569	10.8	123	1	2	7	14	25	36	94
B. *Operated*										
0-19 YRS	56	3.5	15	1	1	2	5	8	11	18
20-34	84	5.7	54	<1	1	3	7	13	19	40
35-49	43	7.0	88	<1	1	4	8	18	39	99+
50-64	38	9.9	68	1	2	6	14	22	26	31
65+	48	16.2	188	2	2	14	25	48	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1878	2.8	12	<1	1	2	3	6	9	18
B. *Operated*	151	4.5	25	<1	1	3	6	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	2463	5.0	52	<1	1	3	5	12	19	39
B. *Operated*	269	7.9	95	1	1	4	11	20	36	99+
1. SINGLE DX	2029	3.0	13	<1	1	2	3	6	9	18
2. MULTIPLE DX	2732	5.3	57	<1	1	3	6	13	20	45
A. NOT OPERATED	4341	4.1	36	<1	1	2	4	9	15	34
B. OPERATED	420	6.7	72	<1	1	4	8	17	28	65
TOTAL 0-19 YRS	1641	2.4	6	<1	1	1	3	5	6	12
20-34	1337	2.7	10	<1	<1	2	3	6	8	17
35-49	516	4.1	28	<1	1	3	5	8	12	33
50-64	477	5.9	43	1	1	4	7	14	20	33
65+	790	10.4	116	1	2	7	14	25	36	99+
GRAND TOTAL	4761	4.3	40	<1	1	2	5	10	17	37

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	21	<1	<1	1	3	7	9	26
20-34	33	1.9	2	<1	<1	1	3	4	5	6
35-49	12	3.2	3	1	1	3	5	6	6	6
50-64	8	7.6	28	2	2	6	12	15	16	16
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	21	4.0	55	<1	<1	2	2	12	26	28
20-34	36	7.7	98	<1	1	4	9	17	35	40
35-49	5	7.2	177	1	1	1	9	31	31	31
50-64	6	4.0	47	<1	<1	1	2	16	18	18
65+	5	4.6	11	2	2	4	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	2	1	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	22	5.0	73	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	4	4.3	6	1	[illegible]	4	[illegible]	[illegible]	[illegible]	[illegible]
50-64	5	8.2	16	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	5	11.0	63	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B. *Operated*										
0-19 YRS	10	11.2	103	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	26	9.3	145	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	11	10.5	137	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	9	13.2	286	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	4	18.5	390	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.0	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B. *Operated*	73	6.1	80	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
A. *Not Operated*	53	4.8	44	<1	[illegible]	[illegible]	[illegible]	[illegible]	21	98
B. *Operated*	60	11.0	165	<1	[illegible]	6	14	33	38	52
1. SINGLE DX	160	4.4	46	<1	<1	2	4	10	17	36
2. MULTIPLE DX	113	8.1	117	<1	1	4	9	27	38	70
A. NOT OPERATED	140	3.7	26	<1	<1	2	5	8	12	47
B. OPERATED	133	8.3	123	<1	1	3	10	28	37	48
TOTAL 0-19 YRS	81	4.1	42	<1	<1	2	4	10	18	35
20-34	117	5.9	83	<1	<1	3	6	16	35	41
35-49	32	6.5	80	1	1	3	6	22	31	31
50-64	28	8.8	115	1	1	6	11	17	30	53
65+	15	10.3	140	2	2	6	15	45	84	99+
GRAND TOTAL	**273**	**6.0**	**78**	<1	1	3	6	16	29	46

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	2	4	4	4
20-34	7	2.4	2	1	1	2	3	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	7	3.9	11	<1	<1	3	7	9	9	9
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	4	6.0	36	1	1	5	11	13	13	13
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	19.0	162	10	10	19	28	28	28	28
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	9.5	13	7	7	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	1	<1	<1	2	3	4	4	5
B. *Operated*	20	2.8	8	<1	<1	2	3	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	17	<1	<1	2	4	11	13	13
B. *Operated*	8	8.3	79	2	2	5	11	23	28	28
1. SINGLE DX	40	2.4	5	<1	<1	2	3	4	8	10
2. MULTIPLE DX	18	5.7	47	<1	<1	3	9	13	22	28
A. NOT OPERATED	30	2.5	7	<1	<1	2	3	5	9	13
B. OPERATED	28	4.3	33	<1	<1	2	5	10	14	28
TOTAL 0-19 YRS	22	3.2	35	<1	<1	1	3	6	17	28
20-34	21	3.6	11	<1	1	2	4	9	11	13
35-49	9	3.2	7	1	1	2	3	8	10	10
50-64	4	1.0		1	1	1	1	1	1	1
65+	2	9.5	13	7	7	9	12	12	12	12
GRAND TOTAL	**58**	**3.4**	**20**	**<1**	**<1**	**2**	**3**	**9**	**11**	**27**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	1.6	2	<1	<1	1	2	3	4	8
20-34	61	1.5	1	<1	<1	1	2	3	4	6
35-49	59	1.6	2	<1	1	1	2	3	5	7
50-64	59	1.8	3	<1	<1	1	2	4	5	10
65+	62	1.6	1	<1	1	1	2	3	3	6
B. *Operated*										
0-19 YRS	53	2.8	8	<1	<1	2	3	8	10	12
20-34	6	5.0	13	<1	<1	4	7	11	11	11
35-49	8	4.0	15	<1	<1	3	5	11	13	13
50-64	13	3.5	20	<1	<1	1	4	10	15	16
65+	5	5.6	32	1	1	2	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.9	2	<1	<1	1	2	4	6	8
20-34	14	3.9	20	<1	<1	2	4	12	14	15
35-49	8	3.1	9	<1	<1	2	4	8	10	10
50-64	39	3.1	8	1	1	2	5	8	9	10
65+	49	3.9	20	1	1	2	5	9	12	25
B. *Operated*										
0-19 YRS	28	6.9	40	1	1	5	10	16	22	24
20-34	15	13.2	319	2	2	6	13	42	60	66
35-49	11	16.5	393	2	2	8	29	48	61	62
50-64	24	6.7	36	<1	1	6	9	14	21	23
65+	25	6.4	47	1	1	5	9	11	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	85	3.3	12	<1	<1	2	4	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	157	3.1	11	<1	1	2	4	7	10	15
B. *Operated*	103	8.7	125	1	1	5	10	20	34	64
1. SINGLE DX	660	1.8	3	<1	<1	1	2	3	5	11
2. MULTIPLE DX	260	5.3	64	1	1	2	7	11	17	42
A. NOT OPERATED	732	1.9	4	<1	<1	1	2	4	6	10
B. OPERATED	188	6.3	81	<1	1	3	8	13	20	54
TOTAL 0-19 YRS	462	2.1	6	<1	<1	1	2	4	8	12
20-34	96	3.9	68	<1	<1	1	3	7	13	55
35-49	86	3.9	74	<1	1	1	3	7	11	54
50-64	135	3.2	14	<1	1	1	4	8	11	20
65+	141	3.4	20	1	1	2	4	8	11	26
GRAND TOTAL	**920**	**2.8**	**23**	**<1**	**<1**	**1**	**3**	**6**	**9**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	12.8	151	1	1	7	21	29	39	43
20-34	11	7.4	65	<1	1	5	8	23	25	25
35-49	5	10.4	42	2	2	9	14	20	20	20
50-64	2	29.0	288	17	17	29	41	41	41	41
65+	2	8.5	41	4	4	8	13	13	13	13
B. *Operated*										
0-19 YRS	25	19.0	360	2	2	14	24	44	65	78
20-34	24	12.7	94	2	2	9	18	24	31	45
35-49	11	16.5	169	3	4	12	21	36	48	49
50-64	4	30.5	843	9	9	20	50	72	72	72
65+	3	21.3	476	2	2	17	38	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	11.7	58	<1	1	12	17	20	26	29
20-34	21	11.5	70	2	2	9	16	21	28	35
35-49	11	14.4	207	1	1	9	23	39	41	41
50-64	9	15.0	294	<1	2	9	15	41	59	59
65+	5	12.6	38	7	7	10	15	23	23	23
B. *Operated*										
0-19 YRS	57	26.7	366	4	7	23	37	58	63	78
20-34	46	27.3	417	3	5	24	41	55	79	99+
35-49	18	24.7	181	7	8	24	41	46	76	99+
50-64	23	30.6	386	2	7	31	43	70	82	99+
65+	16	28.1	504	2	4	29	40	85	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	11.4	122	1	1	7	20	25	37	43
B. *Operated*	67	17.1	262	2	2	12	21	43	51	77
2. MULTIPLE DX										
A. *Not Operated*	78	12.4	103	1	1	10	16	23	33	54
B. *Operated*	160	27.3	370	3	7	24	42	58	75	99+
1. SINGLE DX	103	15.1	219	1	2	11	20	31	45	75
2. MULTIPLE DX	238	22.5	331	2	3	17	33	49	62	99+
A. NOT OPERATED	114	12.1	108	1	1	9	17	25	34	49
B. OPERATED	227	24.3	359	2	5	19	37	52	70	99+
TOTAL 0-19 YRS	130	19.8	301	1	3	15	26	45	61	78
20-34	102	18.5	295	2	3	14	25	46	54	94
35-49	45	18.6	188	2	3	14	27	44	47	99+
50-64	38	26.8	414	2	6	22	42	66	73	99+
65+	26	22.8	404	2	3	17	32	48	95	99+
GRAND TOTAL	**341**	**20.2**	**307**	**2**	**3**	**15**	**29**	**46**	**60**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	293	6.2	41	1	1	4	8	13	18	32
20-34	158	5.3	38	<1	1	3	6	14	21	28
35-49	48	5.5	25	<1	1	3	9	12	18	20
50-64	23	9.4	67	1	1	9	15	23	51	99+
65+	15	22.1	352	1	1	21	27	54	65	69
B. *Operated*										
0-19 YRS	58	14.2	222	<1	1	9	20	31	45	81
20-34	30	17.6	268	1	1	13	28	43	45	63
35-49	16	18.7	224	2	6	16	22	40	55	61
50-64	5	32.0	521	9	9	35	47	64	64	64
65+	4	28.8	604	6	6	29	50	51	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	416	7.9	54	1	1	6	11	18	24	38
20-34	233	6.3	38	1	1	4	9	15	19	29
35-49	101	7.8	46	1	1	6	11	16	19	36
50-64	64	10.2	122	1	2	7	13	21	30	63
65+	41	13.8	203	2	3	10	16	28	44	70
B. *Operated*										
0-19 YRS	60	17.0	180	2	3	14	26	36	48	95
20-34	61	15.7	231	1	2	11	21	35	46	73
35-49	31	20.4	257	1	2	17	27	50	54	54
50-64	26	23.6	245	1	3	23	37	41	48	64
65+	17	36.4	427	7	10	30	46	68	75	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	537	6.4	56	1	1	4	9	16	22	32
B. *Operated*	113	17.0	267	1	2	11	23	42	51	71
2. MULTIPLE DX										
A. *Not Operated*	855	7.9	64	1	1	6	11	17	24	37
B. *Operated*	195	19.7	266	1	3	16	28	43	54	77
1. SINGLE DX	650	8.3	108	1	1	5	10	21	28	54
2. MULTIPLE DX	1050	10.1	122	1	1	7	13	24	31	62
A. NOT OPERATED	1392	7.3	61	1	1	5	10	17	23	36
B. OPERATED	308	18.7	267	1	2	14	27	43	53	76
TOTAL 0-19 YRS	827	8.4	80	1	1	6	11	20	26	46
20-34	482	7.9	93	1	1	4	10	20	28	45
35-49	196	10.1	117	1	1	7	13	24	33	54
50-64	118	13.9	195	1	2	9	20	36	42	77
65+	77	21.2	370	2	3	13	28	53	67	77
GRAND TOTAL	1700	9.4	118	1	1	6	12	23	30	59

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.3	30	<1	<1	2	3	6	16	28
20-34	28	3.0	5	<1	<1	3	4	5	7	10
35-49	12	3.9	20	1	1	2	4	12	15	15
50-64	8	6.3	33	1	1	6	8	15	18	18
65+	8	9.4	35	3	3	9	11	19	22	22
B. *Operated*										
0-19 YRS	23	3.1	5	<1	1	2	4	6	9	10
20-34	31	3.2	16	1	1	2	3	5	6	24
35-49	12	2.2	5	<1	<1	1	2	6	8	8
50-64	7	10.1	410	1	1	3	4	46	56	56
65+	5	4.8	7	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	1	1	3	4	5	5	5
20-34	22	4.0	19	<1	<1	3	4	9	14	20
35-49	13	4.4	23	1	1	3	4	10	17	19
50-64	11	14.2	302	1	2	7	20	42	58	59
65+	19	17.3	292	2	3	12	32	75	99+	99+
B. *Operated*										
0-19 YRS	28	4.3	16	1	1	3	5	11	14	15
20-34	55	3.0	4	1	1	2	3	6	7	9
35-49	23	7.8	117	1	1	3	13	50	99+	99+
50-64	13	6.9	83	<1	1	3	9	17	31	34
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.1	23	<1	1	2	5	9	15	26
B. *Operated*	78	3.7	45	<1	1	2	4	6	8	47
2. MULTIPLE DX										
A. *Not Operated*	77	8.6	156	1	1	4	9	28	57	99+
B. *Operated*	120	4.8	43	1	1	3	6	12	18	99+
1. SINGLE DX	163	3.9	34	<1	1	2	4	8	11	27
2. MULTIPLE DX	197	6.3	90	1	1	3	7	17	32	99+
A. NOT OPERATED	162	6.3	91	<1	1	3	7	17	29	94
B. OPERATED	198	4.4	44	1	1	2	4	9	15	78
TOTAL 0-19 YRS	92	3.5	16	<1	1	2	4	7	12	23
20-34	136	3.2	9	<1	1	2	4	6	8	21
35-49	60	5.2	58	1	1	2	8	15	32	99+
50-64	39	9.4	187	1	1	4	9	27	46	59
65+	33	13.7	201	2	3	9	23	55	89	99+
GRAND TOTAL	360	5.2	66	1	1	3	5	12	23	94

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	2.7	7	<1	<1	2	3	6	8	12
20-34	223	2.9	7	<1	1	2	4	6	7	14
35-49	75	4.1	25	1	1	3	5	9	11	30
50-64	45	5.3	127	<1	<1	2	6	9	11	76
65+	65	9.2	97	1	1	7	12	19	32	94
B. *Operated*										
0-19 YRS	47	5.3	39	<1	1	3	7	11	16	33
20-34	50	4.7	21	<1	1	3	7	10	13	21
35-49	19	8.2	111	<1	1	4	9	27	36	37
50-64	12	7.1	42	<1	1	4	14	16	17	17
65+	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	3.7	12	<1	<1	2	4	9	11	16
20-34	183	3.2	10	<1	<1	2	4	7	10	14
35-49	96	6.2	59	1	1	4	7	11	18	50
50-64	88	7.4	48	1	1	6	9	14	18	41
65+	189	12.1	142	1	2	9	15	29	40	93
B. *Operated*										
0-19 YRS	36	9.4	86	2	2	6	11	20	34	36
20-34	63	10.2	186	1	1	4	11	28	40	65
35-49	23	17.3	487	1	2	10	20	49	77	81
50-64	18	9.0	68	1	1	5	14	18	27	33
65+	23	17.7	228	1	3	15	22	41	53	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	3.6	27	<1	1	2	4	8	11	29
B. *Operated*	130	5.7	43	<1	1	3	7	14	17	35
2. MULTIPLE DX										
A. *Not Operated*	747	6.5	67	<1	1	4	8	14	21	43
B. *Operated*	163	12.0	206	1	1	7	16	31	40	74
1. SINGLE DX	860	4.0	30	<1	1	2	5	9	12	31
2. MULTIPLE DX	910	7.5	96	<1	1	4	9	17	27	55
A. NOT OPERATED	1477	5.1	49	<1	1	3	6	11	16	40
B. OPERATED	293	9.2	143	1	1	5	11	22	35	64
TOTAL 0-19 YRS	596	3.6	18	<1	1	2	4	8	11	21
20-34	519	4.1	36	<1	1	2	5	8	12	31
35-49	213	6.8	110	1	1	4	7	13	28	62
50-64	163	7.0	72	<1	1	5	9	14	17	42
65+	279	11.9	141	1	2	9	15	29	39	95
GRAND TOTAL	**1770**	**5.8**	**67**	**<1**	**1**	**3**	**7**	**13**	**20**	**42**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	946	1.8	4	<1	<1	1	2	3	4	8
20-34	407	2.3	9	<1	<1	1	2	5	6	13
35-49	178	3.0	19	<1	1	2	4	6	8	13
50-64	91	4.4	33	1	1	3	5	9	14	34
65+	91	6.4	49	1	1	5	8	12	23	78
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	813	4.0	29	<1	1	2	4	9	14	28
20-34	1307	6.0	89	<1	1	3	6	15	24	56
35-49	678	6.7	88	<1	1	3	8	17	27	46
50-64	431	7.7	78	1	1	5	9	18	26	47
65+	541	10.4	124	2	2	7	12	23	34	65
B. *Operated*										
0-19 YRS	10	23.7	643	2	4	11	34	66	80	80
20-34	32	17.7	400	2	2	10	24	47	56	86
35-49	30	13.1	271	2	2	8	14	48	71	99+
50-64	29	15.4	193	2	3	10	25	41	44	46
65+	48	22.9	366	4	6	18	30	66	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1713	2.4	12	<1	<1	1	2	5	7	15
B. *Operated*	5	6.2	57	1	1	2	10	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	3770	6.5	83	1	1	3	7	16	24	51
B. *Operated*	149	18.4	345	2	2	12	25	49	71	99+
1. SINGLE DX	1718	2.4	12	<1	<1	1	2	5	7	15
2. MULTIPLE DX	3919	7.0	98	1	1	3	8	17	26	55
A. NOT OPERATED	5483	5.2	65	<1	1	2	6	12	20	44
B. OPERATED	154	18.0	340	2	2	11	25	48	70	99+
TOTAL 0-19 YRS	1771	2.9	22	<1	1	1	3	6	9	24
20-34	1747	5.3	81	<1	1	2	5	13	21	55
35-49	887	6.2	84	<1	1	3	7	15	25	52
50-64	552	7.6	81	1	1	5	9	18	28	46
65+	680	10.8	144	1	2	7	12	24	36	86
GRAND TOTAL	**5637**	**5.6**	**76**	**<1**	**1**	**2**	**6**	**13**	**21**	**49**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	475	1.4	1	<1	<1	1	1	2	3	7
20-34	133	1.7	2	<1	<1	1	2	4	4	10
35-49	49	2.0	3	<1	1	1	2	5	6	9
50-64	37	2.0	4	<1	<1	1	2	5	7	9
65+	27	4.0	23	<1	1	2	5	12	17	18
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	2.8	18	<1	1	2	3	6	8	43
20-34	135	4.3	90	<1	<1	1	4	8	16	54
35-49	75	4.7	43	<1	1	2	6	10	20	34
50-64	55	9.7	214	1	1	4	11	26	43	68
65+	32	5.7	29	<1	1	4	8	15	16	20
B. *Operated*										
0-19 YRS	5	23.4	535	4	4	11	44	55	55	55
20-34	3	55.3	1797	10	10	62	86	94	94	94
35-49	8	11.0	72	2	2	9	14	25	28	28
50-64	4	12.0	62	3	3	11	17	22	22	22
65+	2	3.5	13	<1	<1	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	1.6	3	<1	<1	1	2	3	5	10
B. *Operated*	3	6.7	17	2	2	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	452	4.6	72	<1	<1	2	4	10	17	49
B. *Operated*	22	19.4	556	1	3	10	22	57	75	94
1. SINGLE DX	724	1.7	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX	474	5.3	103	<1	<1	2	5	11	22	66
A. NOT OPERATED	1173	2.8	32	<1	<1	1	2	5	9	30
B. OPERATED	25	17.8	506	1	2	10	19	55	70	94
TOTAL 0-19 YRS	636	1.9	13	<1	1	1	2	3	6	11
20-34	272	3.6	91	<1	<1	1	3	5	10	59
35-49	133	4.1	34	<1	1	2	4	10	17	31
50-64	96	6.8	140	<1	1	2	7	16	30	68
65+	61	4.9	26	<1	<1	2	6	14	16	20
GRAND TOTAL	1198	3.1	46	<1	<1	1	2	6	10	36

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	3.0	15	<1	1	2	3	6	9	23
20-34	139	2.9	28	<1	1	1	3	6	9	20
35-49	71	2.8	6	1	1	2	3	7	9	11
50-64	66	3.0	15	1	1	2	3	5	11	21
65+	59	4.5	25	1	1	4	5	8	12	32
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	26.0	124	14	14	28	34	36	36	36
35-49	2	31.5	25	28	28	31	35	35	35	35
50-64	4	34.5	702	4	4	37	56	60	60	60
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	4.8	32	1	1	3	6	13	17	27
20-34	122	3.5	16	1	1	2	4	8	11	21
35-49	81	5.5	66	1	1	2	7	12	17	49
50-64	125	6.8	48	<1	1	4	9	16	23	29
65+	194	9.0	97	1	2	6	11	18	26	42
B. *Operated*										
0-19 YRS	6	17.0	131	4	4	17	25	31	32	32
20-34	18	9.8	99	1	1	6	10	21	33	41
35-49	22	19.1	377	1	3	13	23	54	62	69
50-64	28	20.4	323	2	2	15	39	51	65	99+
65+	25	17.6	297	<1	1	14	25	53	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	3.1	18	<1	1	2	3	6	9	21
B. *Operated*	12	24.3	377	3	4	24	35	55	59	60
2. MULTIPLE DX										
A. *Not Operated*	674	6.3	59	1	1	4	8	15	20	36
B. *Operated*	99	17.3	280	1	2	11	24	49	58	99+
1. SINGLE DX	575	3.5	34	<1	1	2	4	7	11	32
2. MULTIPLE DX	773	7.7	100	1	1	4	9	18	26	54
A. NOT OPERATED	1237	4.8	43	1	1	3	6	11	17	31
B. OPERATED	111	18.0	292	1	2	12	25	50	59	99+
TOTAL 0-19 YRS	388	3.9	27	<1	1	2	4	8	17	26
20-34	282	3.8	35	<1	1	2	4	9	14	33
35-49	176	6.4	111	1	1	2	6	16	28	57
50-64	223	7.9	120	1	1	3	10	21	30	61
65+	279	8.8	109	1	1	6	11	19	29	57
GRAND TOTAL	1348	5.9	76	1	1	3	7	15	22	52

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.[illegible]	12	<1	<1	3	5	10	12	13
20-34	46	3.[illegible]	23	<1	<1	2	5	10	14	24
35-49	18	5.2	24	<1	1	3	10	13	14	14
50-64	27	6.3	63	1	1	5	7	11	16	43
65+	25	6.0	33	<1	1	4	9	14	19	24
B. *Operated*										
0-19 YRS	120	8.4	88	<1	<1	6	11	20	24	51
20-34	268	4.6	51	<1	<1	2	5	10	15	44
35-49	122	8.7	146	<1	<1	4	10	19	30	67
50-64	174	9.9	128	1	2	7	11	20	30	66
65+	247	10.2	98	2	2	7	13	22	32	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.1	31	1	1	3	6	10	14	34
20-34	68	5.0	49	1	1	3	6	10	15	45
35-49	40	5.9	29	1	1	5	7	12	15	31
50-64	78	7.7	55	1	2	5	9	18	28	33
65+	118	9.3	91	1	1	7	11	20	29	74
B. *Operated*										
0-19 YRS	200	10.8	159	<1	<1	7	14	27	39	64
20-34	282	9.5	183	<1	1	5	11	20	36	73
35-49	207	12.2	213	1	2	7	17	29	39	87
50-64	431	15.9	236	1	2	11	21	37	54	99+
65+	571	16.1	240	2	3	11	22	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.9	32	<1	<1	3	6	11	14	27
B. *Operated*	931	8.1	100	<1	1	5	10	19	26	54
2. MULTIPLE DX										
A. *Not Operated*	354	7.1	62	1	1	5	9	15	23	49
B. *Operated*	1691	13.8	224	1	2	9	18	32	50	99+
1. SINGLE DX	1066	7.7	92	<1	1	4	10	18	24	51
2. MULTIPLE DX	2045	12.7	202	1	2	8	16	30	47	96
A. NOT OPERATED	489	6.5	55	<1	1	4	8	13	20	41
B. OPERATED	2622	11.8	187	<1	1	7	15	29	44	80
TOTAL 0-19 YRS	389	8.9	118	<1	<1	5	11	20	32	56
20-34	664	6.7	110	<1	<1	3	8	15	21	62
35-49	387	10.1	169	<1	1	5	13	23	33	73
50-64	710	13.2	195	1	2	9	17	31	49	76
65+	961	13.5	190	2	2	9	18	31	47	99+
GRAND TOTAL	3111	11.0	170	<1	1	7	14	27	41	75

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.0	2	1	1	2	2	4	4	7
20-34	264	2.8	7	1	1	2	4	6	7	9
35-49	102	3.1	5	1	1	2	4	7	8	10
50-64	83	3.7	8	1	1	3	5	7	8	18
65+	91	4.5	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	51	2.8	7	<1	<1	2	4	7	9	12
20-34	146	3.7	10	1	1	3	5	8	11	15
35-49	52	3.9	8	1	1	3	5	8	11	13
50-64	26	4.9	9	1	2	4	5	10	11	12
65+	27	4.4	10	1	2	4	5	7	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.2	2	<1	1	2	3	4	5	7
20-34	92	4.2	21	1	1	3	5	8	11	27
35-49	44	4.6	24	1	1	5	6	7	12	31
50-64	51	5.6	15	1	2	5	7	10	19	17
65+	91	6.4	36	2	2	5	7	13	15	37
B. *Operated*										
0-19 YRS	17	3.8	15	1	1	2	5	8	13	16
20-34	80	5.7	53	1	1	3	7	11	14	47
35-49	32	9.3	84	1	2	7	13	17	19	50
50-64	33	11.0	134	1	2	6	14	32	41	43
65+	46	8.8	89	2	2	5	12	19	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	703	3.0	6	1	1	2	4	6	8	10
B. *Operated*	302	3.8	9	1	1	3	5	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	322	4.8	24	1	1	4	6	9	14	24
B. *Operated*	208	7.6	79	1	1	5	10	17	20	51
1. SINGLE DX	1005	3.2	7	1	1	2	4	7	8	13
2. MULTIPLE DX	530	5.9	47	1	1	4	7	13	17	42
A. NOT OPERATED	1025	3.6	13	1	1	3	4	7	9	17
B. OPERATED	510	5.4	41	1	1	3	6	11	16	40
TOTAL 0-19 YRS	275	2.3	4	1	1	2	3	4	6	11
20-34	582	3.7	17	1	1	2	4	7	10	17
35-49	230	4.4	24	1	1	3	5	9	12	21
50-64	193	5.6	38	1	1	4	6	10	17	40
65+	255	6.0	35	1	2	4	7	12	15	27
GRAND TOTAL	1535	4.2	23	1	1	3	5	8	12	21

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	5.6	10	1	2	5	8	10	10	17
20-34	152	5.9	21	2	2	5	7	10	12	26
35-49	90	7.7	30	3	3	6	9	13	21	29
50-64	49	7.7	34	1	2	6	10	15	22	27
65+	60	12.1	119	2	4	8	14	24	40	56
B. *Operated*										
0-19 YRS	39	8.6	57	1	2	7	10	14	22	44
20-34	53	10.9	61	2	2	9	15	22	27	39
35-49	42	13.9	280	2	2	8	14	31	61	72
50-64	21	8.6	36	2	3	8	10	16	22	28
65+	24	11.5	77	1	2	9	18	24	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.4	10	1	2	5	7	9	11	17
20-34	99	7.8	41	2	3	6	9	14	21	37
35-49	70	8.6	28	2	3	8	11	17	20	22
50-64	69	8.9	37	2	3	8	11	17	23	86
65+	94	12.4	113	2	3	10	17	21	27	62
B. *Operated*										
0-19 YRS	28	11.3	75	2	3	8	15	23	28	38
20-34	60	11.2	77	3	3	9	13	22	32	43
35-49	49	16.4	153	2	5	12	26	32	35	60
50-64	56	18.0	285	2	3	15	26	47	80	99+
65+	46	20.3	381	2	6	14	24	47	62	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	7.2	39	2	2	6	9	13	19	36
B. *Operated*	179	10.9	112	2	2	8	12	22	28	66
2. MULTIPLE DX										
A. *Not Operated*	400	8.8	54	2	3	7	11	18	22	41
B. *Operated*	239	15.6	209	2	3	12	20	34	47	93
1. SINGLE DX	626	8.3	63	2	2	6	10	15	22	43
2. MULTIPLE DX	639	11.3	123	2	3	8	14	23	33	68
A. NOT OPERATED	847	8.0	47	2	2	6	10	15	21	37
B. OPERATED	418	13.6	173	2	3	9	17	28	41	86
TOTAL 0-19 YRS	231	6.8	30	1	2	6	8	12	15	29
20-34	364	8.0	46	2	2	6	9	16	22	37
35-49	251	10.7	106	2	3	8	12	21	29	66
50-64	195	11.2	125	2	3	8	14	26	34	99+
65+	224	13.8	174	2	3	10	18	25	42	69
GRAND TOTAL	1265	9.8	98	2	3	7	12	20	28	58

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	24	1	1	3	6	9	13	26
20-34	54	5.2	19	1	1	4	8	12	15	16
35-49	33	6.4	33	1	1	5	8	14	20	26
50-64	40	7.5	39	1	1	5	11	19	20	23
65+	35	7.8	22	2	3	6	12	15	17	19
B. *Operated*										
0-19 YRS	42	5.3	28	<1	1	3	7	13	17	22
20-34	66	6.2	42	1	1	4	7	13	19	34
35-49	52	8.3	102	<1	1	5	9	28	33	99
50-64	55	8.0	63	2	2	5	11	19	22	45
65+	63	7.7	50	2	2	6	10	15	18	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.0	113	1	1	3	5	10	19	60
20-34	105	6.9	85	1	1	4	7	13	24	83
35-49	112	6.2	32	1	2	4	8	12	15	32
50-64	121	7.8	53	1	1	5	10	16	23	37
65+	136	9.3	61	1	3	7	13	19	27	49
B. *Operated*										
0-19 YRS	52	9.3	80	2	2	6	12	20	36	98
20-34	131	12.7	188	1	2	9	17	28	38	79
35-49	94	12.0	189	1	2	8	15	25	51	91
50-64	165	16.3	292	2	3	12	18	37	53	87
65+	149	14.3	228	2	2	10	19	32	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	6.2	28	1	1	4	9	14	17	24
B. *Operated*	278	7.1	57	1	2	5	9	15	23	47
2. MULTIPLE DX										
A. *Not Operated*	531	7.5	64	1	1	5	9	15	24	40
B. *Operated*	591	13.7	221	1	2	9	17	31	48	91
1. SINGLE DX	476	6.7	45	1	1	5	9	15	20	34
2. MULTIPLE DX	1122	10.7	156	1	2	7	14	24	36	76
A. NOT OPERATED	729	7.1	55	1	1	5	9	15	20	37
B. OPERATED	869	11.6	178	1	2	7	15	27	42	83
TOTAL 0-19 YRS	187	6.4	70	1	1	4	8	15	22	56
20-34	356	8.7	114	1	1	5	11	19	25	61
35-49	291	8.5	101	1	2	5	10	17	28	72
50-64	381	11.4	174	1	2	7	14	23	27	72
65+	383	10.8	128	2	2	7	14	24	33	86
GRAND TOTAL	1598	9.5	127	1	2	6	12	20	31	69

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.6	4	<1	<1	2	3	6	7	9
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.7	6	1	1	3	5	7	8	11
20-34	14	3.7	4	1	1	4	5	6	7	7
35-49	8	5.8	34	1	1	3	10	15	16	16
50-64	14	7.7	29	2	2	7	9	13	21	23
65+	14	9.6	70	1	1	7	14	23	24	24
B. *Operated*										
0-19 YRS	4	18.8	759	3	3	6	33	60	60	60
20-34	4	19.8	1085	1	1	4	38	69	69	69
35-49	4	5.5	19	2	2	5	9	11	11	11
50-64	5	17.8	24	13	13	16	22	24	24	24
65+	4	10.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.5	4	<1	<1	2	3	5	7	9
B. *Operated*	4	8.8	10	6	6	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	79	5.7	28	1	1	4	7	12	19	24
B. *Operated*	21	14.5	317	1	2	10	14	38	64	69
1. SINGLE DX	45	3.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX	100	7.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
A. NOT OPERATED	120	4.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B. OPERATED	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	65	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	24	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	20	9.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	145	6.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	1.9	2	<1	<1	1	3	4	5	5
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.4	1	<1	<1	2	3	4	4	5
20-34	4108	2.3	2	<1	<1	2	3	4	5	6
35-49	1276	2.3	2	<1	<1	2	3	4	5	6
50-64	9	1.4	1	<1	<1	<1	2	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	57	1.8	4	<1	<1	1	1	3	7	11
35-49	13	1.2		<1	<1	1	1	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	25	3.6	6	1	1	3	4	8	9	10
20-34	1804	3.1	4	<1	1	3	4	5	6	9
35-49	734	3.0	5	<1	1	2	4	5	7	12
50-64	6	4.0	3	<1	<1	4	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.4	4	<1	<1	2	3	6	7	7
B. *Operated*	5419	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	71	1.6	3	<1	<1	1	1	3	4	11
B. *Operated*	2570	3.0	4	<1	1	3	4	5	7	10
1. SINGLE DX	5431	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX	2641	3.0	4	<1	1	3	4	5	7	10
A. NOT OPERATED	83	1.8	4	<1	<1	1	2	3	6	11
B. OPERATED	7989	2.5	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	50	3.0	4	<1	1	3	3	6	8	10
20-34	5979	2.5	2	<1	<1	2	3	4	5	8
35-49	2025	2.5	3	<1	<1	2	3	4	5	8
50-64	15	2.5	3	<1	<1	2	4	5	6	6
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	8072	2.5	3	<1	<1	2	3	4	5	8

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	8.5	5	7	7	8	10	10	10	10
1000-1499										
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	356	5.8	12	3	3	5	6	9	12	22
2500+	42917	4.5	3	3	3	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	13	7.1	87	3	3	4	5	13	33	38
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	17	68.3	478	24	43	78	88	99+	99+	99+
1000-1499	109	51.2	249	26	31	51	62	76	85	99+
1500-1749	155	33.1	122	18	20	31	39	49	56	63
1750-2499	2550	11.8	67	4	4	9	16	23	27	39
2500+	41551	5.3	6	3	3	5	6	7	9	14
B. *Operated*										
1-999 G	2	88.0	200	79	90	99+	99+	99+	99+	99+
1000-1499	39	59.2	335	27	37	62	76	99	99+	99+
1500-1749	28	41.5	248	23	26	39	46	64	97	99+
1750-2499	98	23.5	170	7	9	21	31	43	55	81
2500+	334	9.3	85	3	4	7	10	18	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43276	4.5	3	3	3	4	5	6	7	10
B. *Operated*	13	7.1	87	3	3	4	5	13	33	38
2. MULTIPLE DX										
A. *Not Operated*	44382	5.9	22	3	3	5	6	8	12	26
B. *Operated*	501	18.0	369	3	4	10	25	56	77	99+
1. SINGLE DX	43289	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX	44883	6.0	28	3	3	5	6	8	12	29
A. NOT OPERATED	87658	5.2	13	3	3	5	6	7	9	19
B. OPERATED	514	17.8	364	3	4	9	25	55	76	99+
TOTAL 1-999 G	21	64.5	774	8	34	83	99+	99+	99+	99+
1000-1499	148	53.3	282	26	31	55	67	81	97	99+
1500-1749	184	34.3	151	18	20	32	41	52	59	86
1750-2499	3004	11.5	73	3	4	8	16	23	27	41
2500+	84815	4.9	5	3	3	4	6	7	8	13
GRAND TOTAL	88172	5.3	16	3	3	5	6	7	9	21

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	24.0		24	24	24	24	24	24	24
1750-2499	41	8.2	22	4	5	6	9	18	20	22
2500+	350	6.0	6	3	4	6	7	9	10	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	67.2	66	56	57	71	75	97	99+	99+
1000-1499	27	47.7	140	26	31	48	60	64	69	99+
1500-1749	45	32.8	100	20	22	33	38	45	52	65
1750-2499	438	13.7	69	4	5	11	19	25	30	38
2500+	466	7.2	9	4	5	7	8	10	13	19
B. *Operated*										
1-999 G	4	86.0	262	62	71	98	99+	99+	99+	99+
1000-1499	1	98.0		98	98	99+	99+	99+	99+	99+
1500-1749	2	23.0		23	23	23	23	23	23	23
1750-2499	10	31.8	234	11	11	31	44	53	56	56
2500+	11	10.1	24	5	5	8	13	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	6.3	9	3	4	6	7	9	10	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	981	12.7	125	4	5	8	15	27	37	63
B. *Operated*	28	32.8	910	6	7	34	98	99+	99+	99+
1. SINGLE DX	392	6.3	9	3	4	6	7	9	10	20
2. MULTIPLE DX	1009	13.3	157	4	5	8	16	30	42	99+
A. NOT OPERATED	1373	10.9	101	4	4	7	12	22	32	60
B. OPERATED	28	32.8	910	6	7	34	98	99+	99+	99+
TOTAL 1-999 G	9	75.6	230	57	61	92	99+	99+	99+	99+
1000-1499	28	49.5	225	27	33	50	65	99+	99+	99+
1500-1749	48	32.2	99	20	22	31	38	44	51	65
1750-2499	489	13.6	78	4	5	11	19	25	30	43
2500+	827	6.7	8	4	4	6	8	10	12	18
GRAND TOTAL	1401	11.3	125	4	4	7	12	23	36	92

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	4.5	13	2	2	4	7	7	7	7
2500+	104	4.1	5	2	2	4	5	6	8	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	14.0		14	14	14	14	14	14	14
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	25.0		25	25	25	25	25	25	25
1500-1749										
1750-2499	16	11.8	39	5	5	10	17	20	23	25
2500+	61	7.4	33	2	3	5	9	15	19	32
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	2	40.0	722	21	21	40	59	59	59	59
1750-2499										
2500+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	4.1	5	2	2	4	5	6	8	13
B. *Operated*	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	78	8.5	40	2	3	6	10	18	23	31
B. *Operated*	3	31.0	604	13	13	40	79	99+	99+	99+
1. SINGLE DX	107	4.2	5	2	2	4	5	6	9	13
2. MULTIPLE DX	81	9.4	72	2	3	6	12	20	25	87
A. NOT OPERATED	184	6.0	24	2	2	4	6	12	17	25
B. OPERATED	4	26.8	475	13	13	21	69	99+	99+	99+
TOTAL 1-999 G										
1000-1499	1	25.0		25	25	62	99+	99+	99+	99+
1500-1749	2	40.0	722	21	21	40	59	59	59	59
1750-2499	19	11.2	39	3	5	9	16	20	23	25
2500+	166	5.4	18	2	2	4	6	10	13	23
GRAND TOTAL	**188**	**6.4**	**40**	**2**	**2**	**5**	**7**	**13**	**19**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	6	2.0	2	<1	<1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	216	2.9	7	<1	1	2	3	5	6	16
20-34	303	2.7	4	<1	1	2	3	5	6	10
35-49	129	3.0	7	<1	1	2	4	5	5	16
50-64	94	3.5	5	1	2	3	4	6	9	14
65+	73	5.8	39	1	2	4	7	11	14	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	12.0	242	1	1	23	81	99+	99+	99+
B. *Operated*										
0-19 YRS	102	5.0	33	1	1	3	6	11	16	32
20-34	87	6.1	48	1	1	4	7	12	26	34
35-49	16	4.8	15	1	1	4	6	12	14	14
50-64	34	6.2	57	1	2	4	6	13	28	38
65+	50	9.0	69	2	3	5	11	21	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.1	2	<1	<1	1	3	4	5	5
B. *Operated*	815	3.2	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	13	3.2	36	1	1	2	2	31	85	99+
B. *Operated*	289	6.2	47	1	1	4	6	14	22	34
1. SINGLE DX	828	3.2	9	<1	1	2	4	5	7	14
2. MULTIPLE DX	302	6.0	47	1	1	4	6	14	22	35
A. NOT OPERATED	26	2.7	19	<1	<1	1	3	5	34	99+
B. OPERATED	1104	4.0	21	<1	1	3	4	7	11	27
TOTAL 0-19 YRS	328	3.6	16	<1	1	2	4	6	11	25
20-34	401	3.4	15	<1	1	2	4	6	9	27
35-49	146	3.2	8	<1	1	3	4	5	7	14
50-64	130	4.2	20	1	2	3	4	7	9	31
65+	125	7.2	55	1	2	5	9	18	22	61
GRAND TOTAL	**1130**	**3.9**	**21**	**<1**	**1**	**3**	**4**	**7**	**11**	**28**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	7.3	27	1	1	6	13	13	14	14
35-49	42	10.5	17	1	3	12	13	14	15	18
50-64	41	9.3	17	2	3	10	13	14	14	15
65+	17	4.3	25	1	1	1	6	13	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	3.6	9	1	1	3	5	8	9	9
35-49	4	7.3	37	2	2	7	12	13	13	13
50-64	137	1.5	3	<1	1	1	1	2	5	22
65+	198	1.2	4	1	1	1	1	1	2	19
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	16.0	109	9	9	11	24	28	28	28
35-49	7	9.0	90	<1	<1	7	12	25	28	28
50-64	5	5.2	25	1	1	3	10	12	12	12
65+	9	4.6	18	1	1	2	7	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	8.8	24	1	1	10	13	14	14	16
B. *Operated*	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	347	1.4	4	1	1	1	1	2	4	13
B. *Operated*	26	7.2	55	<1	1	5	11	14	28	28
1. SINGLE DX	116	8.7	24	1	1	10	13	14	14	16
2. MULTIPLE DX	373	1.8	10	1	1	1	1	3	8	27
A. NOT OPERATED	461	3.3	19	1	*	1	3	12	13	15
B. OPERATED	28	7.1	53	<1	1	5	11	13	28	28
TOTAL 0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	24	7.3	42	1	1	5	12	13	18	28
35-49	54	9.9	28	1	1	12	13	14	15	28
50-64	184	3.4	18	<1	1	1	4	12	13	15
65+	224	1.6	7	1	1	1	1	2	4	17
GRAND TOTAL	**489**	**3.5**	**22**	**1**	**1**	**1**	**3**	**12**	**13**	**22**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1582	3.4	17	<1	1	2	4	7	10	22
20-34	1252	2.7	12	<1	<1	2	3	5	7	18
35-49	254	4.0	36	<1	<1	2	4	9	18	26
50-64	202	4.8	42	<1	<1	3	6	12	16	32
65+	248	8.8	129	<1	1	4	12	26	34	99+
B. *Operated*										
0-19 YRS	370	3.5	26	<1	<1	2	4	8	11	25
20-34	1093	3.5	12	<1	<1	3	4	7	9	16
35-49	389	3.8	14	<1	1	3	5	7	10	22
50-64	318	4.3	22	<1	1	3	5	10	12	18
65+	300	3.9	19	<1	1	2	4	9	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1176	5.8	70	<1	1	3	6	15	23	36
20-34	992	5.2	67	<1	1	3	5	12	23	43
35-49	915	5.0	65	<1	1	3	5	11	17	46
50-64	1511	6.2	83	1	1	3	6	14	24	51
65+	1511	10.0	202	1	1	5	12	27	47	99+
B. *Operated*										
0-19 YRS	245	6.3	72	<1	1	3	7	17	28	99+
20-34	860	5.1	35	<1	<1	4	6	10	15	34
35-49	607	5.7	43	<1	1	4	7	12	17	30
50-64	889	6.5	66	<1	1	4	8	15	22	47
65+	1029	6.5	102	<1	<1	3	8	16	28	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3538	3.6	28	<1	<1	2	4	7	12	30
B. *Operated*	2470	3.7	17	<1	<1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	6105	6.7	108	1	1	3	7	16	28	78
B. *Operated*	3630	6.0	66	<1	1	3	7	14	21	50
1. SINGLE DX	6008	3.7	24	<1	<1	2	4	8	11	28
2. MULTIPLE DX	9735	6.5	93	<1	1	3	7	15	25	66
A. NOT OPERATED	9643	5.6	81	<1	1	3	5	13	23	58
B. OPERATED	6100	5.1	47	<1	<1	3	6	11	17	38
TOTAL 0-19 YRS	3373	4.5	42	<1	<1	2	5	9	15	35
20-34	4197	4.0	31	<1	<1	2	4	8	12	29
35-49	2165	4.9	47	<1	1	3	5	10	16	36
50-64	2920	6.0	69	1	1	3	7	14	20	48
65+	3088	8.2	149	<1	1	4	10	21	35	99+
GRAND TOTAL	**15743**	**5.4**	**68**	**<1**	**1**	**3**	**6**	**12**	**20**	**50**

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

73 Diabetes mellitus, uncontrolled
72 Diabetic acidosis
73 Diabetic cataract
72 Diabetic coma
73 Diabetic gangrene
73 Diabetic nephropathy
73 Diabetic neuropathy
73 Diabetic retinopathy
73 Diabetic ulcer
397 Dialysis, peritoneal
397 Dialysis, renal
204 Diaphragmatic hernia
208 Diarrhea, except infectious and functional
211 Diarrhea, functional
1 Diarrhea, infectious
6 Diphtheria
Disease
  199 Appendix, except acute appendicitis
  151 Arteriosclerotic cardiovascular
  168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  13 Arthropod-borne
  79 Autoimmune
  6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  218 Biliary ducts
  234 Bladder, except calculus and cystitis
  313 Bone, except osteomyelitis and osteoarthritis
  242 Breast, except fibrocystic
  241 Breast, fibrocystic
  221 Celiac
  Central nervous system
    7 Enteroviral
    113 Inflammatory, except enteroviral
    117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  Cerebrovascular — *see Cerebrovascular accident*
  136 Chronic rheumatic heart
  296 Connective tissue, diffuse
  143 Coronary artery
  211 Crohn's
  75 Cushing's
  187 Dental
  209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

[illegible]-1.12[illegible]

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

LENGTH OF STAY BY OPERATION

CANADA

1981

Length of Stay by Operation, Canada, 1981

A Companion Volume To Length of Stay by Diagnosis, Canada, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982